

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No.

5525 Hwy. 64, NBU 3004, Farmington, NM 87401 (505) 599-3454

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit B, 1100' FNL & 1500' FEL
Section 11, T-30-N, R-5-W

5. Lease Designation and Serial No.

SF-080538

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

San Juan 30-5 Unit

8. Well Name and No.

San Juan 30-5 Unit #8

9. API Well No.

30-039-07898

10. Field and Pool, or Exploratory Area

Blanco Mesaverde

11. County or Parish, State

Rio Arriba, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Pit Closure

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion or Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The pit associated with the subject well's separator has been closed.
Details of the closure are attached.

Ed Hasely
SAFETY OIL & GAS INSPECTOR

COF 3.1.1995

RECEIVED
MAY - 1 1995

OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed *Ed Hasely* Ed Hasely

Title Environmental/Regulatory Engineer Date 2/2/95

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____ Date APR 13 1995

DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

NMOCD

1000 Rio Brazos Rd, Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

PIT REMEDIATION AND CLOSURE REPORT

Land Type: BLM X, State _____, Fee _____, Other _____

Pit Location: Pit dimensions: Length 22', width 27', depth 1'
(Attach diagram) Reference: wellhead X, other _____
Footage from reference: 90
Direction from reference: 90 Degrees _____ East North _____
West South X

Depth to Ground Water: 60' X Less than 50 feet (20 points)
(vertical distance from 50 ft to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 points)
highwater elevation of
ground water) 10

Wellhead Protection Area:
(less than 200 feet from a private
domestic water source, or: less than
1000 feet from all other water sources).

RECEIVED
MAY - 1 1995

X Yes (20 points)
No (0 points)

0

Distance to Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches.)

DIST. 3 X

Less than 200 feet (20 points)
200 feet to 1000 feet (10 points)
Greater than 1000 feet (0 points)

0

RANKING SCORE (TOTAL POINTS): 10

PJTCFRM.WK3

Date Remediation Started: N/A Dated Completed: _____

Excavation _____ Approx. cubic yards _____

Landfarmed _____ Insitu Bioremediation _____

Other _____

Remediation Method: Onsite _____ Offsite _____
(Check all appropriate sections)

General Description of Remedial Action: N/A

Initial assessment of pit showed soil to be clean at the surface and
3' below pit bottom.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit: Sample location deepest part of pit. Sampled with a backhoe.

Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample depth @ 3' below pit bottom

Sample date 7-13-93 Sample time _____

Sample Results

Benzene (ppm) _____

Total BTEX (PPM) _____

Field Headspace (ppm) 0

TPH 5.6

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE 2/2/95

PRINTED NAME Ed Hasely

SIGNATURE Ed Hasely

and TITLE Environmental Engineer

PHILLIPS PETROLEUM PIT ASSESSMENT SUMMARY
REVISED DATE JULY 10, 1993

1993

ENVIROTECH, INC.

PIT NO.	WELL NAME	U S I N	PIT TYPE	RANK SCORE	CLOSURE STANDARD TPH (PPM)	DATE 1993	ORIGIN/WATER ENCOUNTERED Sub Surf Depth	SOIL TYPE	PIT TYPE	SAMPLE NO.	Organic Vapor Measr (TPH)	Total		EPA METHOD 8020 (PPB)				TOTAL BTEX	STATUS
												Benzenes	TPH	Benzenes	Toluene	Ethyl Benzene	Xylene		
PA039	SAN JUAN 29-6, #85	M272906	SEP	0	5000	7-09	NO	SM	EARTHEN	T1-7	539								TEST
										T1-13	423								
										T1-17	87	9.1	0		67	0	27	94	
PA040	SAN JUAN 29-6, #43-26	G202906	SEP	10	1000	7-09	NO	SC	EARTHEN	T1-8	0	0	0						CLOSE
PA041	SAN JUAN 29-6, #99	K262906	SEP	10	1000	7-09	NO	CL	EARTHEN	T1-7.5	1.2	7.5							CLOSE
PA042	SAN JUAN 32-8, #15	M243108	SEP	0	5000	7-12	NO	SC	EARTHEN	T1-3.5	0.5	8.8							CLOSE
										T1-6	1.1								
PA043	SAN JUAN 32-8, #20 NP	L043108	SEP			7-12	NO	SM/CL	EARTHEN	T1-1.5	0.8	0							CLOSE
										T1-4	0.8								
PA044	SAN JUAN 32-8, #25-31	B313208	SEP			7-12	NO	SM/SC	EARTHEN	T1-1	0.5	13.5							CLOSE
										T1-4	0.8								
PA045	SAN JUAN 32-8, #30-27	M273208	SEP			7-12	NO	SM	EARTHEN	T1-1.5	0.8	10.1							CLOSE
										T1-4	0.8								
PA046	SAN JUAN 32-7, #58	G183207	SEP			7-12	NO	OH/CL	EARTHEN	T1-5	1658								REM
										T1-7	691								
										T1-13	100	68							
										T2-0	2.1								
										T2-11	1.1								
										T2-13	1.1								
PA047	SAN JUAN 32-7, #43	B213207	SEP	20	100	7-12	NO	OH/CL	EARTHEN	T1-5	229	9.1							TEST
										T1-10	2.8								
PA048	SAN JUAN 32-7, #5	H083107	SEP	20	100	7-12	NO	SM	EARTHEN	T1-2.5	1.1	0							CLOSE
										T1-5	0								
PA049	SAN JUAN 32-7, #5	H083107	BLOW	20	100	7-12	NO	SP	EARTHEN	T1-3.5	0	395							REM
										T1-7	907								
										T1-10	017	910							TEST
										T2-5	5								
										T2-11	18.0								
PA051	SAN JUAN 30-5, #4	B353005	SEP	10	1000	7-13	NO	OL	EARTHEN	T1-1.5	2	17.1							CLOSE
										T1-4	2.4								
PA052	SAN JUAN 30-5, #11	L233005	SEP	10	1000	7-13	NO	SM	EARTHEN	T1-5	14	9.5							CLOSE
										T1-4	1.3	17.1							
PA053	SAN JUAN 30-5, #32-26	A263005	SEP	0	5000	7-13	NO	SM	EARTHEN	T1-4	1.3	17.1							CLOSE
										T1-3	0	5.8							CLOSE
PA054	SAN JUAN 30-5, #8-11	B113005	SEP	10	1000	7-13	NO	SC	EARTHEN	T1-0.5	0								CLOSE
										T1-3	0								

LOG NO: 2828

ICE No: 93163
PAGE No: 1 of 1

PROJECT: PIT ASSESSMENT
CLIENT: AMERICAN
CONTRACTOR: ENVIROTECH, INC.
EQUIPMENT USED: 308 EXTEND-A-HOE

DATE STARTED: 7-13-95
DATE FINISHED: 7-13-95
EMPLOY. SPOT: RED
OPERATOR: CIMARRON
ASSISTANT: _____

LOCATION: LEASE SAN JUAN 30-5 WELL: # 8-11 QD: 1100' N, 1500' E. (8)
SEC: 11 TWP: 30 N RNG: 5 W PM: NM CNTY: R.A. ST. NM PIT. SEP.

LAND USE: RANGE - LEASE: SF 080538

SURFACE CONDITIONS: EARTHEN PIT - DAY

FIELD NOTES & REMARKS: PIT IS LOCATED APPROXIMATELY 90 FEET WEST OF WELLHEAD.

CLOSURE STD: <1000 ppm TPH

T1: MOIST, BROWN, SANDY-SILTY CLAY. NO COR.


RANKING CODE. 10[illegible]

SCALE

 $22' \times 27$

0 5 10 FEET


SITE DIAGRAM



TEST -OLE LOGS:

[illegible]

Fig. 1. 1 - 1st, 2 - 2nd, 3 - 3rd, 4 - 4th, 5 - 5th, 6 - 6th, 7 - 7th, 8 - 8th, 9 - 9th, 10 - 10th, 11 - 11th, 12 - 12th, 13 - 13th, 14 - 14th, 15 - 15th, 16 - 16th, 17 - 17th, 18 - 18th, 19 - 19th, 20 - 20th, 21 - 21st, 22 - 22nd, 23 - 23rd, 24 - 24th, 25 - 25th, 26 - 26th, 27 - 27th, 28 - 28th, 29 - 29th, 30 - 30th, 31 - 31st, 32 - 32nd, 33 - 33rd, 34 - 34th, 35 - 35th, 36 - 36th, 37 - 37th, 38 - 38th, 39 - 39th, 40 - 40th, 41 - 41st, 42 - 42nd, 43 - 43rd, 44 - 44th, 45 - 45th, 46 - 46th, 47 - 47th, 48 - 48th, 49 - 49th, 50 - 50th, 51 - 51st, 52 - 52nd, 53 - 53rd, 54 - 54th, 55 - 55th, 56 - 56th, 57 - 57th, 58 - 58th, 59 - 59th, 60 - 60th, 61 - 61st, 62 - 62nd, 63 - 63rd, 64 - 64th, 65 - 65th, 66 - 66th, 67 - 67th, 68 - 68th, 69 - 69th, 70 - 70th, 71 - 71st, 72 - 72nd, 73 - 73rd, 74 - 74th, 75 - 75th, 76 - 76th, 77 - 77th, 78 - 78th, 79 - 79th, 80 - 80th, 81 - 81st, 82 - 82nd, 83 - 83rd, 84 - 84th, 85 - 85th, 86 - 86th, 87 - 87th, 88 - 88th, 89 - 89th, 90 - 90th, 91 - 91st, 92 - 92nd, 93 - 93rd, 94 - 94th, 95 - 95th, 96 - 96th, 97 - 97th, 98 - 98th, 99 - 99th, 100 - 100th, 101 - 101st, 102 - 102nd, 103 - 103rd, 104 - 104th, 105 - 105th, 106 - 106th, 107 - 107th, 108 - 108th, 109 - 109th, 110 - 110th, 111 - 111st, 112 - 112nd, 113 - 113rd, 114 - 114th, 115 - 115th, 116 - 116th, 117 - 117th, 118 - 118th, 119 - 119th, 120 - 120th, 121 - 121st, 122 - 122nd, 123 - 123rd, 124 - 124th, 125 - 125th, 126 - 126th, 127 - 127th, 128 - 128th, 129 - 129th, 130 - 130th, 131 - 131st, 132 - 132nd, 133 - 133rd, 134 - 134th, 135 - 135th, 136 - 136th, 137 - 137th, 138 - 138th, 139 - 139th, 140 - 140th, 141 - 141st, 142 - 142nd, 143 - 143rd, 144 - 144th, 145 - 145th, 146 - 146th, 147 - 147th, 148 - 148th, 149 - 149th, 150 - 150th, 151 - 151st, 152 - 152nd, 153 - 153rd, 154 - 154th, 155 - 155th, 156 - 156th, 157 - 157th, 158 - 158th, 159 - 159th, 160 - 160th, 161 - 161st, 162 - 162nd, 163 - 163rd, 164 - 164th, 165 - 165th, 166 - 166th, 167 - 167th, 168 - 168th, 169 - 169th, 170 - 170th, 171 - 171st, 172 - 172nd, 173 - 173rd, 174 - 174th, 175 - 175th, 176 - 176th, 177 - 177th, 178 - 178th, 179 - 179th, 180 - 180th, 181 - 181st, 182 - 182nd, 183 - 183rd, 184 - 184th, 185 - 185th, 186 - 186th, 187 - 187th, 188 - 188th, 189 - 189th, 190 - 190th, 191 - 191st, 192 - 192nd, 193 - 193rd, 194 - 194th, 195 - 195th, 196 - 196th, 197 - 197th, 198 - 198th, 199 - 199th, 200 - 200th, 201 - 201st, 202 - 202nd, 203 - 203rd, 204 - 204th, 205 - 205th, 206 - 206th, 207 - 207th, 208 - 208th, 209 - 209th, 210 - 210th, 211 - 211st, 212 - 212nd, 213 - 213rd, 214 - 214th, 215 - 215th, 216 - 216th, 217 - 217th, 218 - 218th, 219 - 219th, 220 - 220th, 221 - 221st, 222 - 222nd, 223 - 223rd, 224 - 224th, 225 - 225th, 226 - 226th, 227 - 227th, 228 - 228th, 229 - 229th, 230 - 230th, 231 - 231st, 232 - 232nd, 233 - 233rd, 234 - 234th, 235 - 235th, 236 - 236th, 237 - 237th, 238 - 238th, 239 - 239th, 240 - 240th, 241 - 241st, 242 - 242nd, 243 - 243rd, 244 - 244th, 245 - 245th, 246 - 246th, 247 - 247th, 248 - 248th, 249 - 249th, 250 - 250th, 251 - 251st, 252 - 252nd, 253 - 253rd, 254 - 254th, 255 - 255th, 256 - 256th, 257 - 257th, 258 - 258th, 259 - 259th, 260 - 260th, 261 - 261st, 262 - 262nd, 263 - 263rd, 264 - 264th, 265 - 265th, 266 - 266th, 267 - 267th, 268 - 268th, 269 - 269th, 270 - 270th, 271 - 271st, 272 - 272nd, 273 - 273rd, 274 - 274th, 275 - 275th, 276 - 276th, 277 - 277th, 278 - 278th, 279 - 279th, 280 - 280th, 281 - 281st, 282 - 282nd, 283 - 283rd, 284 - 284th, 285 - 285th, 286 - 286th, 287 - 287th, 288 - 288th, 289 - 289th, 290 - 290th, 291 - 291st, 292 - 292nd, 293 - 293rd, 294 - 294th, 295 - 295th, 296 - 296th, 297 - 297th, 298 - 298th, 299 - 299th, 300 - 300th, 301 - 301st, 302 - 302nd, 303 - 303rd, 304 - 304th, 305 - 305th, 306 - 306th, 307 - 307th, 308 - 308th, 309 - 309th, 310 - 310th, 311 - 311st, 312 - 312nd, 313 - 313rd, 314 - 314th, 315 - 315th, 316 - 316th, 317 - 317th, 318 - 318th, 319 - 319th, 320 - 320th, 321 - 321st, 322 - 322nd, 323 - 323rd, 324 - 324th, 325 - 325th, 326 - 326th, 327 - 327th, 328 - 328th, 329 - 329th, 330 - 330th, 331 - 331st, 332 - 332nd, 333 - 333rd, 334 - 334th, 335 - 335th, 336 - 336th, 337 - 337th, 338 - 338th, 339 - 339th, 340 - 340th, 341 - 341st, 342 - 342nd, 343 - 343rd, 344 - 344th, 345 - 345th, 346 - 346th, 347 - 347th, 348 - 348th, 349 - 349th, 350 - 350th, 351 - 351st, 352 - 352nd, 353 - 353rd, 354 - 354th, 355 - 355th, 356 - 356th, 357 - 357th, 358 - 358th, 359 - 359th, 360 - 360th, 361 - 361st, 362 - 362nd, 363 - 363rd, 364 - 364th, 365 - 365th, 366 - 366th, 367 - 367th, 368 - 368th, 369 - 369th, 370 - 370th, 371 - 371st, 372 - 372nd, 373 - 373rd, 374 - 374th, 375 - 375th, 376 - 376th, 377 - 377th, 378 - 378th, 379 - 379th, 380 - 380th, 381 - 381st, 382 - 382nd, 383 - 383rd, 384 - 384th, 385 - 385th, 386 - 386th, 387 - 387th, 388 - 388th, 389 - 389th, 390 - 390th, 391 - 391st, 392



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips	Project #:	93163
Sample ID:	T1 @ 3'	Date Sampled:	07-13-93
Laboratory Number:	5687	Date Received:	07-13-93
Sample Matrix:	Soil	Date Analyzed:	07-16-93
Preservative:	Cool	Date Reported:	07-16-93
Condition:	Cool & Intact	Analysis Needed:	TPH

Parameter -----	Concentration (mg/kg) -----	Det. Limit (mg/kg) -----
Total Petroleum Hydrocarbons	5.6	5.0

ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and
Waste, USEPA Storet No.4551, 1978

Comments: San Juan 30-5 #8-11, PA054.

An Chahab
Analyst

Maria D. Young
Review