For	m 9- Feb. 1	- <b>331 s</b> 951)	<b>.</b>	

(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

		- orbito I	4 01 00.	
Land Of	fice	Sante	. Je	
Lease No	ن	19483		
Unit	San	Juan	30-4	Unit
1	4-06	.003 -3	056	-

	F INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHROECEIVED
	F INTENTION TO CHANGE PLANS	]	-0.1057
NOTICE O	OF INTENTION TO TEST WATER SHU	T-OFF.	SUBSEQUENT REPORT OF SHOOTING OR ACTION SUBSEQUENT REPORT OF ALTERING CASING TO SUBJECT OF RE-DRILLING OR REPAIR NEW MEXICOLOGICAL SUBSEQUENT REPORT OF RE-DRILLING OR RE-DRILL
	of intention to re-drill or rep	AIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR NEW MEN SUBSEQUENT REPORT OF ABANDONMENT OF SUBSEQUENT REPORT OF ABANDONMENT OF SUPPLEMENTARY WELL HISTORY.
	OF INTENTION TO SHOOT OR ACIDIZ	'E	SUBSEQUENT REPORT OF ABANDONMENT 610N.
	F INTENTION TO PULL OR ALTER C	1 . 11	SUPPLEMENTARY WELL HISTORY.
MOTICE O	F INTENTION TO ABANDON WELL		
	(INDICATE ABOV	/E BY CHECK MARK NATUR	RE OF REPORT, NOTICE, OR OTHER DATA)
		•	September 20 . 195
. N		•	line and 15 ft. from E line of sec. 6
East ]	Blanco r.C.	Kio arriba	(Meridian)
	(Field)	(County or Subdi	vision) (State or Territory)
20-57	Total depth 4320'.		OF WORK this, and lengths of proposed casings; indicate muddin Cos., companion that the proposed work)
TB 1111	senten on bing sin a	nangon this we	ll in the following manner:
	1. Set plug at 35	00' - 3550' wi	th 20 sacks cement (Kirtland).
	2. Set plug at 33	00' - 3350' vi	th 20 spoke coment (Ole Alama)
	j. Det plug at 55	0' - 650' with	40 sacks cement (Frach unter send)
	4. Set plug at 12	0' - 160' with	20 sacks coment. (Bottom of coming)
	5. Set plug from	surface to 60'	With 30 sacks coment
	6. Place 4' x 4"	pipe at surface	s as permanent marker.