Form 9-3318 (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office					
Lease No	079012				
Unit	Simposs	:			

SUNDRY NOTICES AND REPORTS ON WELLS. OTICE OF INTENTION TO DRILL. OTICE OF INTENTION TO CHANGE PLANS. SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REPORTLING OR REPAIR. SUBSEQUENT REPORT OF REPORTLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING COSING. SUBSEQUENT REPORT OF ALTERING COSING. SUBSEQUENT REPORT OF ALTERING OR REPAIR. SUBSEQUENT REPO		HUES AND	KEI OKI	D OIL MEET	
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERIAR CASING. SUBSEQ		1 11			
SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF REPORT OF REPORT. SUBSEQUENT REPORT OF REPORT. SUPPLIED OF REPORT.	OTICE OF INTENTION TO DRILL				: 1
SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUBSEQUENT REPORT OF ABANDON SUBSEQUENT REPORT OF	OTICE OF INTENTION TO CHANGE PLANS	l li			
SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ABANDONMENT. SUBPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate DATA) (Radge) (Radge) (Report of the Check of	IOTICE OF INTENTION TO TEST WATER SHUT				
OTICE OF INTENTION TO PULL OR ALTER CASING. OTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT O	IOTICE OF INTENTION TO RE-DRILL OR REPA				· ·
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RE					
(RDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 19 53	IOTICE OF INTENTION TO PULL OR ALTER CA	ASINGSU	PPLEMENTARY WELI	L HISTORY	·
ell No. 1 is located 950 ft. from Niline and 950 ft. from Ext. Charles Charles Charles Charles	IOTICE OF INTENTION TO ABANDON WELL			***************************************	
ell No. 1 is located 990 ft. from [N] line and 990 ft. from [E] line of sec. [No.] [Rango] (State or Territory) Blanco (Field) (County of Burddyland) (State or Territory) ne elevation of the derrick floor above sea level is 6461 ft. DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotary tools through the Measurence, drilling the pay section with see circulation, and to shoot the entire Measurence with two quarte 8.E.G. per foot. Total depth 61A3. This wall will be specified with cable tools and surface casing set. Casing property: 9-5/8" at 160" with 125 sacks regular coment. Casing property: 1 understand that this plan of work must receive approval in writing by the Geological Survey before operations may be company of the Passo Entreal CAS COMPANY. By Passengton, Ear Marico. By Passengton, Ear Marico.	(INDICATE ABOV	E BY CHECK MARK NATURE	OF REPORT, NOTICE	, OR OTHER DATA)	
ell No. 1 is located 990 ft. from [N] line and 990 ft. from [E] line of sec. [No.] [Rango] (State or Territory) Blanco (Field) (County of Burddyland) (State or Territory) ne elevation of the derrick floor above sea level is 6461 ft. DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotary tools through the Measurence, drilling the pay section with see circulation, and to shoot the entire Measurence with two quarte 8.E.G. per foot. Total depth 61A3. This wall will be specified with cable tools and surface casing set. Casing property: 9-5/8" at 160" with 125 sacks regular coment. Casing property: 1 understand that this plan of work must receive approval in writing by the Geological Survey before operations may be company of the Passo Entreal CAS COMPANY. By Passengton, Ear Marico. By Passengton, Ear Marico.				January 29	
Reaction (Reaction) (State or Territory) (State or Terri		(2.1)			
Riemon (Field) (Guinty or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is God. ft. DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights/and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotery tools through the Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, with two quarts 8.3.G. par foot. Total depth 61A3°. This well will be spudded with cable tools and surface casing set. Chains program: 9-5/8" at 160° with 125 sacks regular casent. I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be combined on the combine of the	ell Nois located9	90 ft. from N	line and990	ft. from	of sec.
Riemon (Field) (Guinty or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is God. ft. DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights/and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotery tools through the Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, drilling the pay section with gas circulation, and to shoot the entire Meanverde, with two quarts 8.3.G. par foot. Total depth 61A3°. This well will be spudded with cable tools and surface casing set. Chains program: 9-5/8" at 160° with 125 sacks regular casent. I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be combined on the combine of the	WR Section A	30E 6N		1. P. K.	•
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotary tools through the Measureds, drilling the pay section with gas circulation, and to shoot the entire Measureds with two quarts S.R.G. per foot. Total depth 61A3°. This well will be specific with cable tools and surface ensing set. Casing propers: 9-5/8" at 160° with 125 sacks regular coment circulated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of t	04 Doc. and 200. 110.				•
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotary tools through the Measureds, drilling the pay section with gas circulation, and to shoot the entire Measureds with two quarts S.R.G. per foot. Total depth 61A3°. This well will be specific with cable tools and surface ensing set. Casing propers: 9-5/8" at 160° with 125 sacks regular coment circulated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of the plan of work must receive approval in writing by the Geological Survey before operations may be completely of the pass of t	Elenco (Field)	(County or Subdiv	ision)	(State or Territo	ory)
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotary tools through the Measureds, drilling the pay section with one circulation, and to shoot the entire Measured with two quarte S.H.G. per foots. Total depth 61A3*. This well will be speaked with ceble tools and surface casing set. Coming program: 9-5/8" at 160* with 125 sacks regular coment circulated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be combineed, one payment. Page 161 Settion 4 is dedicated to this well. Page 162 Settion 4 is dedicated to this well. Page 163 Settion 4 is dedicated to this well. Page 163 Settion 4 is dedicated to this well. Page 163 Settion 4 is dedicated to this well. Page 164 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well.	(2.000)				
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) It is intended to drill a well with rotary tools through the Measureds, drilling the pay section with one circulation, and to shoot the entire Measured with two quarte S.H.G. per foots. Total depth 61A3*. This well will be speaked with ceble tools and surface casing set. Coming program: 9-5/8" at 160* with 125 sacks regular coment circulated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be combineed, one payment. Page 161 Settion 4 is dedicated to this well. Page 162 Settion 4 is dedicated to this well. Page 163 Settion 4 is dedicated to this well. Page 163 Settion 4 is dedicated to this well. Page 163 Settion 4 is dedicated to this well. Page 164 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well. Page 165 Settion 4 is dedicated to this well.	ne elevation of the derrick floor	above sea level is .	6461 ft.		
it is intended to drill a well with rotary tools through the Measures, drilling the pay section with gas circulation, and to shoot the entire Measures with two quarts S.E.G. per foot. Total depth 61A3'. This well will be specific with cable tools and surface casing set. Casing program: 9-5/8" at 160' with 125 sacks regular coment. Casing program: 1 at 5261' with 300 sacks regular coment. P. S. Box 997 Parmington, Ear Marico. By By Parmington, Ear Marico. By Parmington, Ear Marico. By By Parmington, Ear Marico. By Parmington, Ear Marico. By By Parmington, Ear Marico. By Parmington, Ear Marico. By					
It is intended to drill a well with rotary tools through the Measures, drilling the pay section with gas circulation, and to shoot the entire Measure with two quarts S.H.G. per foot. Total depth 61A3. This well will be specific with cable tools and surface casing set. Casing program: 9-5/8" at 160° with 125 sacks regular commit. 7 at 5261° with 300 sacks regular commit. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be proprieted. Only DIST. Only DIST. By Barrington, Ber Herrico. By By Brancington, Ber Herrico.		DETAILS O			
drilling the pay section with one circulation, and to shoot the entire Measure with two quarts S.H.G. per foot. Total depth 61A3'. This well will be spudded with cable tools and surface casing set. Casing program: 9-5/8" at 160° with 125 sacks regular commut. 7 at 5261' with 300 sacks regular commut. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be confidenced of the pass o					
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of the plan of work must receive approval in writing by the Geological Survey before operations may be continued of the plan of the pla	It is intended to do	ive sands; show sizes, weighing points, and all other imp	nts,'and lengths of p portant proposed w	ols through the	Mosaverdo,
Ferral agree, Bear Harriso By	It is intended to didrilling the pay section with two quarts S.H.G. powith cable tools and surface program: -5/8" at 160' with	ive sands; show sizes, weighing points, and all other imprish a wall with with gas circular foct. Total face casing set.	nts,'and lengths of portant proposed we return to testion, and depth 6143	als through the to shoot the e	Moseverde, ntire Mesever til be spudde
Ferral agree, Bear Harriso By	It is intended to didrilling the pay section with two quarts S.H.G. powith cable tools and surface program: -5/8" at 160' with	ive sands; show sizes, weighing points, and all other imprish a wall with with gas circular foct. Total face casing set.	nts,'and lengths of portant proposed we return to testion, and depth 6143	als through the to shoot the e	Moseverde, ntire Mesever til be spudde
Ferral agree, Bear Harriso By	It is intended to didrilling the pay section with two quarts S.H.G. powith cable tools and surface program: -5/8" at 160' with	ive sands; show sizes, weighing points, and all other imprish a wall with with gas circular foct. Total face casing set.	nts,'and lengths of portant proposed we return to testion, and depth 6143	als through the to shoot the e	Moseverde, ntire Mesever til be spudde
	It is intended to didrilling the pay section with two quarts S.H.G. powith cable tools and surface program: -5/8" at 160' with	ive sands; show sizes, weighing points, and all other imprish a wall with with gas circular foct. Total face casing set.	nts,'and lengths of portant proposed we return to testion, and depth 6143	als through the to shoot the e	Moseverde, ntire Mesever til be spudde
Title Petroleum Boginser	It is intended to didrilling the pay section with two quarts S.H.G. powith cable tools and surface program: -5/8" at 160' with	ive sands; show sizes, weighing points, and all other imprish a wall with with gas circular foct. Total face casing set.	nts,'and lengths of portant proposed we be rectary to intion, and depth 6143	circulated to	Moseverde, ntire Mesever til be spudde
	It is intended to didrilling the pay section with two quarts S.H.G. pi with cable tools and surface program: 9-5/8" at 160' with 7 at 5861' w	ive sands; show sizes, weighing points, and all other imprise rill a wall with with gas circular foct. Total face casing set. h 125 sacks region 300 sacks region 4 is dedicated approval in writing GAS COMPANY.	nts,'and lengths of portant proposed we be rectary to intion, and depth 6143	circulated to	Moseverde, ntire Mesever til be spudde

OIL CONSERVATION COMMISSION

		Date 12-23-54						
Phillips Petroleum	Co. Unit	33-6	Nose Ind					
Operator	Lease		Well No.					
			21					
Name of Producing	Name of Producing Formation Ress Terris Pool Blance							
No. Acres Dedicated to the Well								
Indicate land status and show ownership. SECTIONTOWNSHIPRANGE								
SECTION	TOWNSHI							
		T.S.D.	I.					
<u> </u>								
· ·								
REPE								
ON ANS								
OIL CO. 195								
Cong.	1 //							
		R) Pa	· · ·					

I hereby certify that the information given above is true and complete to the best of my knowledge.

Position_

Representing Police

(over)

16 M.

OIL CONSERVATION COMMISSION

AZTEC DISTRICT OFFICE

No. Copies Paceiva

DISTRICT ON

20.

Coperate

State Land One is

U. S. G. S.

Transporter

File