Form 9-330

RECEIVED
MAY 22 1962
OIL CON. COM.
DIST. 3

Budget Bureau No. 42-R355.4.
Approval expires 12-31-60.

U. S. LAND OFFICE Santa Fe
SERIAL NUMBER 079001
LEASE OR PERMIT TO PROSPECT
N E Blanco Unit Agrmt. No. 1, Sec. 929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WORKOVER

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Blackwood & Nichols Company Address P.O. Box 1237, Durango, Colorado
~~Lessor~~ Tract 6-A Field Blanco Mesaverde State New Mexico
Well No. 16-3 Sec. 3 T. 30N R. 7W Meridian NMPM County Rio Arriba
Location 990 ft. [N.] of N Line and 990 ft. [W.] of E Line of Section 3 Elevation 6277'
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Original Signed by DeLasso Loos DeLasso Loos

Date May 17, 1962 Title Field Superintendent

The summary on this page is for the condition of the well at above date.

Commenced Recompletion May 3, 1962 Finished Recompletion May 11, 1962

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 2820' to 3150' (G) No. 4, from 5125' to 5425' (G)
No. 2, from 3150' to 3400' (G) No. 5, from 5425' to 5520' (G)
No. 3, from 5095' to 5125' (G) No. 6, from to

IMPORTANT WATER SANDS

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated From—	Perforated To—	Purpose
10¾	32.75	8rd	Natl	216'	Guide				Surface
7"	20 & 23	8rd	Natl	5094'	Float				Intermediate
4"	11.34	Hyd FJ		555'			5100'	5500'	
4½"	10.50	8rd	CP&I	4965'	Float				Production
2-3/8	4.7	EUE	CP&I	5399'					Tubing

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10¾	229'	200	Pump & Plug	Water	Circulated Cement
7"	5094'	294	"		
4 & 4½	5510'	574	"		Circulated Cement

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set
Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
Sand-water fraced the Mesaverde Group thru casing perforations.						

TOOLS USED

Rotary tools were used from 0 feet to 5525 feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

DATES

, 19 Put to producing , 19

The production for the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours 2864 MCF Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in. 1107 PSI Original Potential

EMPLOYEES

, Driller , Driller
, Driller , Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0'	1915'	1915	Tertiary
1915'	2005'	90	Ojo Alamo ss
2005'	2820'	815	Kirtland
2820'	3150'	330	Fruitland ss
3150'	3400'	250	Pictured Cliffs ss
3400'	5095'	1695	Lewis Shale
5095'	5125'	30	Cliffhouse ss
5125'	5425'	300	Menefee Shale
5425'	5520'	95	Point Lookout ss
5520'	-	-	Mancos Shale

FROM— TO— TOTAL FEET FORMATION

(OVER)

FORMATION RECORD—Continued

FOLD | MARK

FORMATION RECORD—Continued

FROM—	TO—	TOTAL FEET	FORMATION

16—43094-2 U. S. GOVERNMENT PRINTING OFFICE

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked," or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

NEW MEXICO

OIL CONSERVATION COMMISSION

Gas Well Plat

Date August 25, 1954

Blackwood & Nichols Company — Operator

Northeast Blanco Unit — Lease

16-3 — Well No.

Name of Producing Formation Mesaverde Pool Blanco Mesaverde

No. Acres Dedicated to the Well 318.75

Indicate land status and show ownership. Federal Land

SECTION 3 TOWNSHIP 26N RANGE 7W



RECEIVED
AUG 26 1954
OIL CON. COM.
DIST. 3

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name De Lasso Loos DE LASSO LOOS

Position Field Superintendent

Representing Blackwood & Nichols Company

Address P. O. Box 1237, Durango, Colorado

(over)

OIL CONSERVATION COMMISSION

AZTEC DISTRICT OFFICE

No. Copies Received 3

DISTRIBUTION

	No. Copies Received	
Operator		
Santa Fe	1	
Proration Office		
State Land Office		
U. S. G. S.	1	
Transporter		
File	1	✓