POR ()	(Feb. 1961)						

## (SUBMIT IN TRIPLICATE)


## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau l	No. 42-R3584.
Form Approved.	

Land Office New Mexico

Lease No. 02151

Unit Viltley "B"



## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT.	
SUBSEQUENT REPORT OF ABANDONMENT.	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		**	July 20 ,	19.02
Well No. 4 (OWO) is locat	ed <u>940</u> ft. 1	$rom_{-}$ $\begin{Bmatrix} N \\ S \end{Bmatrix}$ line	and 1750 ft. from W line of sec.	2 <u>8</u> _
SW/4 Sec. 28	30#	7¥	N.M.P.M.	
(1/2 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
Blanco Mesa Verde	F	io Arriba	New Mexico	
(Field)	(Co	unty or Subdivision)	(State or Territory)	

The elevation of the derrick floor above sea level is 6280 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 7-20-62 total depth 5620'.

Ran 177 joints 2 1/2", 6.40#, J-55 casing (5499') set at 5511' v/120 sacks regular, 4% gel, 1/4# fine Tuffplus and 1/8# Flocele/ Held 1500#/30 minutes.

On 7-24-62 total depth 5620', C.O.T.D. 5496'. Perf. 4994-98; 4978-82; 4960-64; 5444-48; 5424-28; 5408-12; 5358-62 v/1 SFF, frec v/75,000 gallons water, 58,500# sand, flushed v/1200 gallons. I.R. 13.6 BPM, max. pr. 3900#, EDP 1800#, tr. pr. 3700-3900#. Dropphd 1 set of 8 balls and 4 sets of 4 balls and 4 sets of 4 balls.

AUG 2 1962
AUG 2 1962
ON. COM.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be Tantanana.

Dispany

El Paso Natural Cas Company

By Origin   Signed D. W. Maeham
tle Petroleum Engineer