District I
PO Box 1980, Hobbs, NM
District II
PO Drawer DD, Ariesa, NM \$8211
District III
1000 Rio Brazos Rd, Aziec, NM \$7410

State of New Mexico Sandard Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TAPPROPRIATE

OIL CONSERVATION DIVISION

P.O. Box 2088 DEPUTY OIL & GAS INSPECTOR

DISTRICT OFFICE

SANTA FE OFFICE

Santa Fe, New Mexico 87504-2088

SEP 0 8 1995

RANKING SCORE (TOTAL POINTS):

<u> 20</u>

NO 134

PIT REMEDIATION AND CLOSURE REPORT

	1 / War is
Operator: Williams Field Services	Telephone: 801-584-6999
Address: 295 Chipeta Way Salt	
Facility Or: <u>CAT DRAW # </u> Well Name	
Location: Unit or Qtr/Qtr Sec	Sec 4 T30N R5W County RIC ARRIGA
Pit Type: Separator Dehydrator_X	
Land Type: BLM, State, Fee	, Other
(Attach diagram)	th 16', width 15', depth 3'
Reference: wellhead_ Footage from referenc	x, other
	nce: <u>260</u> Degrees East North
	of × West South ×
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) 20
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	SEP 1 9 1994 Yes (20 points) No (0 points) ONST. 3
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)

Date Remediation S	tarted: Dated Completed:
Remediation Method (Check all appropriate	: Excavation
sections)	Landfarmed Insitu Bioremediation
	Other
Remediation Location (i.e. landfarmed onsite name and location of	on: OnsiteOffsite
offsite facility)	
General Description	n Of Remedial Action:
Site Assessment	in accordance with OCD and BLM guidance document.
Ground Water Encoun	itered: No v Ves Doneh
	itered: No <u>x</u> Yes Depth
Final Pit: Closure Sampling: (if multiple samples,	Sample location Standard Triangle from pit floor.
attach sample results and diagram of sample	Sample depth ENCOUNTERED SHALE O
locations and depths)	Sample date 6-9-94 Sample time 2:25
	Sample Results
	Benzene(ppm)
	Total BTEX(ppm)
	Field headspace(ppm) 24
	TPH 62
Ground Water Sample:	Yes No x (If yes, attach sample results)
I HEREBY CERTIFY THA	AT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST BELIEF
DATE 9-6 94	
SIGNATURE TIP Sauce	PRINTED NAME AND TITLE LOOPE
	AND TITLE Lee Bauerle, Environmental Spec.



LABORATORIES

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 9, 1994

Date Received: June 14, 1994

Set Description: Forty-Five Solid Samples

Set Identification #: 18743 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number:

EPA 418.1 (Extraction Infrared Absorption)

Date Extracted: June 20, 1994

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number: 18743-02

Field Sample ID. Number: Vulnerable Area Pit Location

Cat Draw #1 75972

Date Analyzed: June 22, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687 Units = mg/kg (ppm)

Compound:

Detection Amount Limit: Detected:

Total Recoverable Petroleum Hydrocarbons

5.0

62.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Dalancad bu

Laboratory Supervisor