Form 9-331 (May 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR (Other Instructions on reverse side)

Form approved.
Budget Bureau No. 42 R1424.
5, LEASE DESIGNATION AND SERIAL NO.

GEOLOGICAL SURVEY	NM 012694	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
	7. UNIT AGREEMENT NAME	
OIL GAS WELL WELL OTHER 2. NAME OF OPERATOR	San Juan 30-6 Unit	
	San Juan	30-6 Unit
El Paso Natural Gas Company 3. ADDRESS OF OPERATOR	9. WELL NO.	<u> </u>
PO Box 990, Farmington, NM 87401 LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)	10. FIELD AND POOL, OF	R WILDCAT
At surface ————————————————————————————————————	Blanco Mesa 11. SEC., T., R., M., OR E SURVEY OR AREA Sec. 15, T-3	LK. AND
	NMPM	0 14,11 / 11
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE	
6220'GL	Rio Arriba	NM
Check Appropriate Box To Indicate Nature of Notice, Report, or C	Other Data	
NOTICE OF INTENTION TO:	UENT REPORT OF:	
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF	REPAIRING V	VELL
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT	ALTERING CA	ASING
SHOOT OR ACIDIZE ABANDON* X SHOOTING OR ACIDIZING	ABANDONME	NT*
REPAIR WELL CHANGE PLANS (Other) (NOTE: Report results	of multiple completion	on Well
(Other) Completion or Recompl	letion Report and Log for	rm.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertice nent to this work.)*	al depths for all markers	s and zones perti-
This well was temporarily abandoned in 1971 in the	following ma	nner:
A string of drill collars and pipe was run to 2900' circulated to surface. It is now intended to plug and abandon this well in		
Pick up string of 1 1/4" tubing, go in hole and tag Spot a 10 sk. cement plug inside the 6" drill colla Spot a 10 sk. cement plug inside the 3 1/2" drill p the base of the Ojo Alamo formation. Spot a 10 sk. cement plug inside the 3 1/2" drill p	rs on bottom ipe across f	rom
the base of the surface casing. Cut off the drill pipe below the companion flange a	t the surfac	e.
Remove flange and valve. Place a 5 sk. cement plug at surface. Erect a dry hole marker and clean location.		BEIVED
	NOV	9 1976
CIT COST	0, 8, 00% 1, 54,	000004. CUWEY 100. 801 0.
18. I hereby certify that the foregoing is true and correct	<u> </u>	
SIGNED A SUCCE TITLE Drilling Clerk	DATE Nove	mber 5, 197
(This space for Federal or State office use)		
APPROVED BY TITLE	DATE	

Okal

*See Instructions on Reverse Side