Form 3160-5 (June 1990)

Subsequent Report

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED			
Budget Bureau No.	1004-0135		
Expires Warch	31 1993		

5. Lease Designation and Serial No.

SF-078739 6. If Indian, Allottee or Tribe Name

New Construction

Water Shut-Off

Non-Routine Fracturing

(Note: Report results of multiple completion on Well

SUNDRY NOTICES AND REPORTS ON WELLS:

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

USE APPLICATION FO	H PEHMII — for such proposals		
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation	
1. Type of Well		San Juan 30-5 Unit	
Oil S Gas Well Other		8. Well Name and No.	
2. Name of Operator		SJ 30-5 Unit #40	
Phillips Petroleum Compan	y 505-599-3454	9. API Well No.	
3. Address and Telephone No.		30-039-21026	
5525 Hwy. 64, NBU 3004, F	armington, NM 84701	10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		Blanco Mesaverde	
Unit N, 1130' FSL & 1820'	FWL	11. County or Parish, State	
Section 33, T30N, R5W		Rio Arriba, NM	
2. CHECK APPROPRIATE BOX(s	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent	Abandonment	Change of Plans	

Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Recompletion

Plugging Back

Casing Repair

X Other Perforate & produce Dispose Water

Lewis Shale

Set retrievable bridge plug above current Mesaverde perfs. Pressure test RBP & casing. Run GR/CCL & CNL if needed. Perforate the Lewis Shale formation @ 1 spf w/120 degree phasing. Frac the Lewis Shale. Retrieve bridge plug. RIH w/2-3/8" production tubing w/gas lift mandrel and blast joints across Lewis perfs, 4-1/2" production packer and "R" profile nipple above the bottom joint of tubing and an expendable check valve on the end of the tubing. Using a slick line, remove blanking plug. Produce Lewis for a period of time to record daily volumes and pressures and then produce both zones.

Environmental/Regulatory Eng. Ed Hasely Approved by Conditions of approval, if any MAR 0 7 1996

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent or representations as to any matter within its jurisdiction.