District I P.O. Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY T APPROPRIATE DISTRICT OFFICE AND 1 COPY TO

(1)

OIL CONSERVATION DIVISION OF THE OFFICE P.O. Box 2088

Santa Fe, New Mexico 8750 DEPUTY OIL & GAS INSPECTOR

PIT REMEDIATION AND CLOSURE REPORT

| | Proposed . | | | |
|---|--|--|--|--|
| Operator: Williams Field Services | s Telephone: 801-584-6999 | | | |
| Address: 295 Chipeta Way Sal | lt Lake City, UT 84158 | | | |
| Facility Or: SJ 30-5 # 70 Well Name | | | | |
| Location: Unit or Qtr/Qtr Sec A Sec 9 T30N R5W County RIO ARRIGA | | | | |
| Pit Type: Separator Dehydrator _X Other Land Type: BLM, State, Fee, Other | | | | |
| | | | | |
| Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water) | Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) 10 | | | |
| Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) | SEP 1 3 1344 Yes (20 points) No (0 points) ONE COM. DIV. | | | |
| Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches) | Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) | | | |
| | RANKING SCORE (TOTAL POINTS): 10 | | | |

| | Date Remediation S | tarted: | Dated Completed: | |
|---|--|---------------|--|--|
| | Remediation Method: (Check all appropriate | Excavation | | |
| | sections) | Landfarmed | | |
| | | Other | | |
| | | | | |
| | Remediation Location (ie. landfarmed onsite) | on: Onsite_ | Offsite | |
| | name and location of offsite facility) | | | |
| General Description Of Remedial Action: | | | | |
| Site Assessment in accordance with OCD and BLM guidance document. | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Ground Water Encountered: No X Yes Depth | | | | |
| = | | | | |
| | Final Pit: Closure Sampling: | Sample locat | ionStandard Triangle from pit floor. | |
| | locations and depths) Sa | | | |
| | | Sample depth | | |
| | | | 6-10-94 Sample time 9:25 am | |
| | | Sample Result | | |
| | | | (ppm) | |
| | Total BTEX(ppm) | | | |
| | | Field he | eadspace(ppm) 78 | |
| | | TPH | 80 ppm | |
| _ | Ground Water Sample: | Yes | No \underline{X} (If yes, attach sample results) | |
| I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF | | | | |
| С | DATE 9-6-94 | | | |
| S | IGNATURE W/ Secur | PRI: | NTED NAME TITLE Lee Bauerle, Environmental Spec. | |
| | | | | |



LABORATORIES

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 10, 1994

Date Received: June 14, 1994

Set Description: Forty-Five Solid Samples

Set Identification #: 18743 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number:

EPA 418.1 (Extraction Infrared Absorption)

Date Extracted: June 20, 1994

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number:

18743-05

Field Sample ID. Number:

Vulnerable Area Pit Location

SJ 30-5 #70 85398

Date Analyzed: June 22, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687

Units = mg/kg (ppm)

Detection Compound: Limit:

Detected:

Total Recoverable Petroleum Hydrocarbons

5.0

280.

Amount

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by: