District I P O Box 1980, Hobbs, NM District II P.O. Drawer DD, Artena, NM 88211 District III 1000 Rio Brazos Rd, Azioc, NM 87410

State of New Mexico

Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY APPROPRIATE

OIL CONSERVATION DIVISIBLE OFFICE P.O. Box 2088 DEPUTY OIL & GAS INSPECTOR

Santa Fe, New Mexico 87504-2088

SEP 0 8 1995

PIT REMEDIATION AND CLOSURE REPORT

Operator: Wi	lliams Field Service	S	Telephon	•: 801 – 584 – 6999
Address: 295	Chipeta Way Sa	lt Lake City	, UT 84158	
Facility Or:	SCHALK 54 # IE			
Location: Unit	or Qtr/Qtr secSE'/4	Sec <u>2</u> T <u>3</u> c	A R 5 W County	RIO ARRIBA
Pit Type: Sepa	rator Dehydrator_	X Other		
Į.	M, State, Fee		ARBON NATI	ONAL FOREST
Pit Location: (Attach diagram)	Pit dimensions: le Reference: wellhea			, depth <u>4'</u>
	Footage from refere			
	Direction from refe			Same March
		_ <u>30_</u>		of Jest South
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		50 feet	in 50 feet to 99 feet than 100 feet	(20 points) (10 points) (0 Points)
			* * .	
		SEP 1 S ONL COR. DIST.	No .	(20 points) (0 points) <u>O</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		200 feet	n 200 feet to 1000 feet than 1000 fee	(20 points) (10 points) t (0 points)
		RANKING	SCORE (TOTAL)	POINTS): 10

Date Remediation Started: Dated Completed:				
Remediation Method: (Check all appropriate	Excavation Approx. cubic yards			
sections)	Landfarmed Insitu Bioremediation			
	Other			
Remediation Location: Onsite Offsite				
<pre>(ie. landfarmed onsite, name and location of offsite facility)</pre>				
General Description	Of Remedial Action:			
Site Assessment in accordance with OCD and BLM guidance document.				
Ground Water Encountered: No X Yes Depth				
Final Pit: Closure Sampling:	Sample location Standard Triangle from pit floor.			
(if multiple samples, attach sample results				
and diagram of sample locations and depths)	Sample depth 3'			
rocacrons and depens,	Sample date 6-10-94 Sample time 11:30am			
	Sample Results			
	Benzene(ppm)			
Total BTEX(ppm)				
	Field headspace(ppm) 34			
	TPH 130 ppm			
Ground Water Sample:	Yes No χ (If yes, attach sample results)			
I HEREBY CERTIFY THAT OF MY KNOWLEDGE AND	AT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST BELIEF			
DATE 9-6-99				
SIGNATURE A PSince	PRINTED NAME AND TITLE Lee Bauerle, Environmental Spec.			



AMERICAN **WEST ANALYTICAL LABORATORIES**

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 10, 1994

Date Received: June 14, 1994

Set Description: Forty-Five Solid Samples

Set Identification #: 18743 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted: June 20, 1994

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number:

18743-08

Field Sample ID. Number: Vulnerable Area Pit Location

Schalk 54 #1E 85521

Date Analyzed: June 22, 1994

Analytical Results Units = mg/kg (ppm)

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687

Detection

Amount

Compound:

Limit:

Detected:

Total Recoverable Petroleum Hydrocarbons

5.0

130.

<Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 6/27/94

1 of 1