#### UNITED STATES

### DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Sundry Not	ices and Reports	s on Wells	5				
			<del></del>	5.	Lease N	umber	
1. Type of Well GAS		and the second of the	متعمل الماليين	6.	NM-01269 If India Tribe Na	an, All	l. or
				<b>3 C</b>	1		<b></b>
2. Name of Operator			PElla	3 []]	Unit Ag		
RIPLINGTON			- 400	, IJ			
かそでろうかとせて	& GAS COMPANY	110 F	EB 2 2 199	3			
<b></b>			aan I	TRAT	Well Na		
3. Address & Phone No. of Opera	tor	<b>①川</b> L		2000	San Jua		U#465
PO Box 4289, Farmington, NM	87499 (505) 3	26-9700	DIST. 3	9.	<b>API Wel</b> 30-039-	_	
4. Location of Well, Footage, S	ec. T. R. M	<del>,</del>		10.	Field a		1
1530'FSL 1845'FEL, Sec.15, T-30-N, R-7-W, NMPM					Basin Fruitland Coal		
				11.	County		
					Rio Arr	1Da CO	, NM
12. CHECK APPROPRIATE BOX TO IN	DICATE NATURE O	F NOTICE,	REPORT,	OTHER	DATA		
Type of Submission	Ty	pe of Act	ion				
_X_ Notice of Intent	Abandonme	nt	Change				
	Recomplet	ion	_ New Con	struci	:10n		
Subsequent Report	Plugging	Back	 _ Non-Rou _ Water S	tine !	racturii Ff	ng	
	Casing Re	pair Casing	_ water s	ion to	n Inject:	ion	
Final Abandonment	X Other -	casing	_ Convers	1011 (	J IIIJECC.	1011	
	_x_ other -						
13. Describe Proposed or Comp	leted Operation	S					
It is intended to install attached procedure	a pump in the e and wellbore o	subject w diagram.	ell accor	ding	to the		
					0	ယ္သ	
					70	<u> </u>	
					71	13	m) m
					£ .	1, 5	<u> </u>
					<b>.</b>	<b>-1</b> ;	M T
						<u> </u>	
					웃		
					7	S.	
					=	ف	
14 I hereby certify that the	; foregoing is t	rue and o	correct.				
Signed May Hadhul	(DWM) Title F	Requlator	/ Administ	rator		6/99	_
(This space for Rederal or Stat	e Office use)		<u> </u>				_
(This space for Federal or State APPROVED BY /S/ Duane W. Spec	CCT Title	m Looc, Potok	um Management	ate	FEB 19	1999	
CONDITION OF APPROVAL, if any:		<u> </u>		_		. — <del>—-</del>	
Title 18 U.S.C. Section 1001, makes it a crime for United States any false, fictitious or fraudulent	any person knowingly and statements or representati	willfully to maions as to any t	ake to any depar Matter within it	tment or s jurisd	agency of the Lction.	ŧ	

## San Juan 30-6 #465 PUMPING UNIT INSTALLATION PROCEDURE 1/4/99

# <u>Unit J, Section 15, T30N-R7W, Rio Arriba County, New Mexico</u> <u>Lat. 36.809433 / 36° 48.57'</u> Long. 107.554794 / 107° 33.29'

- 1. MIRU pulling unit.
- 2. NDWH / NU BOP.
- 3. PU one joint of tubing and TIH to tag for fill.
- 4. TOH standing back 2-7/8" x 3 1/2" tubing string (tbg is set @ 3123'. There are 86 joints of 3 1/2" 9.3# J-55 and 13 joints of 2-7/8" 6.5# J-55 with an "F" nipple @ 3081').
- 5. PU 4-3/4" bit on tubing and TIH to COTD. Circulate hole clean. (Note: PBTD is @ 3133')
- 6. TIH w/ 3 1/2" x 2-7/8" tubing string and land @ 3128'. Purge valve will be on bottom, followed by pup joint, perforated sub, and seating nipple. Space out as needed with pup joints.
- 7. Hang tubing in donut. ND BOP / NUWH.
- 8. TIH w/ new 1.5" top hold down pump, 3/4" Grade D sucker rods w/ spray metal couplings, polished rod, and polished rod liner. (Note: Vendor contact is listed below)
- 9. Seat the downhole pump, hang horses head, and space out pump.
- 10. Load tubing, and pressure test.
- 11. Start pumping unit and test (adjust spacing as required).
- 12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.

Prepared: D.W. Mussett

Pump vendor: ENERGY PUMP

Leo Noyes @ 564-2874

#### San Juan 30-6 #465

## Undes. Fruitland Coal Unit J, Section 15, T30N, R7W, Rio Arriba County, New Mexico

