

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
BLM

Sundry Notices and Reports on Wells  
99 JUL 29 PM 1:52

070 FARMINGTON, NM

1. Type of Well  
GAS

5. Lease Number  
SF-080712-A  
6. If Indian, All. or  
Tribe Name

2. Name of Operator

**BURLINGTON  
RESOURCES**

OIL & GAS COMPANY

RECEIVED  
AUG 3 0 1999

7. Unit Agreement Name  
San Juan 30-6 Unit

3. Address & Phone No. of Operator  
Farmington, NM 87499 (505) 326-9700

OIL CON. DIV.  
DIST. 3

8. Well Name & Number  
San Juan 30-6 U #480  
9. API Well No.  
30-039-24488

4. Location of Well, Footage, Sec., T, R, M  
790' FNL, 1305' FEL, Sec.30, T-30-N, R-6-W, NMPM

10. Field and Pool  
Basin Fruitland Coal  
11. County and State  
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Pump Installation	

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the attached procedure and wellbore diagram.

14. I hereby certify that the foregoing is true and correct.

Signed May Shadwid Title Regulatory Administrator Date 7/27/99  
trc

(This space for Federal or State Office use)  
APPROVED BY [Signature] Title Lead Date AUG 26 1999  
CONDITION OF APPROVAL, if any:


San Juan 30-6 #480  
PUMPING UNIT INSTALLATION PROCEDURE  
7/20/99

Unit A, Section 30, T30N-R6W, Rio Arriba County, New Mexico  
Lat. 36.788574 / 36° 47.31'  
Long. 107.499222 / 107° 29.95'

1. MIRU pulling unit.
2. NDWH / NU BOP. Kill if necessary with produced Fruitland coal water.
3. PU one joint of tubing and TIH to tag for fill.
4. TOOH, laying down 2-7/8" x 3-1/2" tubing string (tubing is set @ 3120'. There are 9 joints of 2-7/8" 6.5# J-55, 95 joints of 3-1/2" 9.3# J-55 and an "F" nipple @ 3088').
5. PU 4-3/4" bit and 2-3/8", 4.7#, J-55 EUE tubing and TIH to COTD. Circulate hole clean. ( Note: COTD is @ ~3125'.)
6. TIH w/ 2-3/8" tubing string configured for downhole pump and land @ 3120'. Purge valve will be on bottom, followed by pup joint, perforated sub, and seating nipple. Space out as needed with pup joints.
7. Hang tubing in donut. ND BOP / NUWH.
8. TIH w/ new 1.25" top hold down pump, 3/4" Grade D sucker rods w/ spray metal couplings, polished rod, and polished rod liner. (Note: Vendor contact is listed below)
9. Seat the downhole pump, hang horses head, and space out pump.
10. Load tubing, and pressure test.
11. Start pumping unit and test (adjust spacing as required).
12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.


  
Prepared: D.W. Mussett

 7-21-99  
Approved: Drilling Supt.

Pump vendor: ENERGY PUMP  
Leo Noyes @ 564-2874

**San Juan 30-6 #480**  
 July 16, 1999  
**Basin Fruitland Coal**  
 Unit A, Section 30, T30N, R6W, Rio Arriba County, New Mexico

Completed: 3/1/90



**Workover History:**  
 5/1/1998 - Jarred Liner free, pulled liner & tbg,  
 pressure tested, replaced liner and tbg.

n:\area\opfc\pertgram  
 7/16/99cmm