

Form approved. U
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL	☒	WORK OVER	☐	DEEPEN	☐	PLUG BACK	☐	DIFFERENTIAL	☐
OTHER: <u>REPAIR AND REGRIND</u>									

2. NAME OF OPERATOR *Meridian Oil*
El Paso Natural Gas Company

1 ADDRESS OF OPERATOR

PO Box 4289, Farmington, NM 87499

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1445'N, 1790'E

At top prod. interval reported below

At total depth

14. PERMIT NO.	DATE ISSUED
30-039-24634	

12. COUNTY OR PARISH Rio Arriba	13. STATE NM
---------------------------------------	-----------------

15. DATE SPURRED	16. DATE T.D. REACHED	17. DATE COMPL. (Ready to prod.)	18. ELEVATIONS (DP, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
04-29-90	05-18-90	05-29-90	6209'	

20. TOTAL DEPTH. MD & TVD 3033'	21. PLUG. BACK T.D.. MD & TVD	22. IF MULTIPLE COMPL.. HOW MANY? 1	23. INTERVALS DRILLED BY →	ROTARY TOOLS Yes	CABLE TOOLS
------------------------------------	-------------------------------	---	----------------------------------	---------------------	-------------

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Fruitland Coal - uncemented Liner

26. TYPE ELECTRIC AND OTHER LOGS RUN	27. WAS WELL COMED
none	no

CASING RECORD (Report all strings set in well)					RECEIVED
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	VENTING RECORD	WOUND PULLED
9 5/8"	36.0#	225'	12 1/4"	189 cu. ft.	
7 "	23.0#	2907'	8 3/4"	980 cu. ft.	JUL 6 1990

OIL CON. DIV.

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
5 1/2	2852'	3027'	did not	cmt	2 3/8"	2991'	

31. PERFORATION RECORD (Interval, size and number)	32. ACID. SHOT. FRACTURE. CEMENT SQUEEZE. ETC.										
2902-3026' (predrilled liner)	<table border="1"> <tr> <th>DEPTH (INTERVAL (MD))</th> <th>AMOUNT AND KIND OF MATERIAL USED</th> </tr> <tr> <td>open hole frac</td> <td>203,000#sand; 1121 bbl</td> </tr> <tr> <td></td> <td>fluid</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	DEPTH (INTERVAL (MD))	AMOUNT AND KIND OF MATERIAL USED	open hole frac	203,000#sand; 1121 bbl		fluid				
DEPTH (INTERVAL (MD))	AMOUNT AND KIND OF MATERIAL USED										
open hole frac	203,000#sand; 1121 bbl										
	fluid										

33.°		PRODUCTION				WELL STATE (Producing or Shut-in)	
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					
Shut-in waiting on pipeline connection, capable of commercial hydrocarbon production							
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF	WATER—BSL.	GAS-OIL RATIO
			→		309 MCF		
ACCEPTED FOR RECORD							
FLOW TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	
SI 661	SI 661	→				JUL 10 1990	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To be sold BHP @ 2985 715
35. LIST OF ATTACHMENTS BY 2/1
none NMOC

24. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED [Signature] TITLE Regulatory Affairs DATE 6-20-90

*(See Instructions and Spaces for Additional Data on Reverse Side)

I, _____, hereby certify that I am a person knowingly and willfully to make to any department or agency of the

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS DEPTH	TRUE VERT DEPTH
Ojo Alamo	2169'	2302'	White, cr-gr ss..			
Kirtland	2302'	2775'	Gry sh interbedded w/tight, gry, fine-gr ss.			
Fruitland	2775'	3030'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.	Ojo Alamo Kirtland	2169' 2830'	
Pictured Cliffs	3030'	3033'	Bn-Gry, fine grn, tight ss.	Fruitland Pic.Cliffs	2775' 3030'	

--	--	--	--