

STATE OF NEW MEXICO

ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION



BRUCE KING  
GOVERNOR


ANITA LOCKWOOD  
CABINET SECRETARY

May 27, 1993

POST OFFICE BOX 2088  
STATE LAND OFFICE BUILDING  
SANTA FE, NEW MEXICO 87504  
(505) 827-5800

Meridian Oil, Inc.  
P.O. Box 4289  
Farmington, NM 87499-4289

Attention: Peggy Bradfield



*Administrative Order NSL-3247*

Dear Ms. Bradfield:

Reference is made to your application dated May 4, 1993, for a non-standard gas well location for the San Juan 30-6 Unit Well No. 58-B to be drilled 595 feet from the North line and 2135 feet from the West line (Unit C) of Section 31, Township 30 North, Range 6 West, NMPM, Blanco-Mesaverde Pool, Rio Arriba County, New Mexico.

Said well is to be an infill well, pursuant to Rule 2(b)2 of the Special Rules and Regulations for the Blanco-Mesaverde Pool, as promulgated by Division Order No. R-8170, as amended, to your San Juan 30-6 Unit Well No. 58 located in Unit N and is currently dedicated to the W/2 of said Section 31 being a standard 320-acre gas spacing and proration unit for said pool.

By the authority granted me under the provisions of Rule 2(c) of said Special Pool Rules, the above-described unorthodox infill gas well location is hereby approved.

Sincerely,

William J. LeMay  
Director

WJL/MES/amg

cc: Oil Conservation Division - Aztec  
US Bureau of Land Management - Farmington



STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT  
OIL CONSERVATION DIVISION  
AZTEC DISTRICT OFFICE

JOSEPH R. CAPRUTHERS  
GOVERNOR

1000 HIGHWAY 100  
AZTEC, NEW MEXICO 87410  
(505) 334-6170

Date: 5-28-93

Oil Conservation Division  
P.O. Box 2088  
Santa Fe, NM 87504-2088

*attn: Mike Stogner*

Re: Proposed HC \_\_\_\_\_  
Proposed DHC \_\_\_\_\_  
Proposed NSL X \_\_\_\_\_  
Proposed SWD \_\_\_\_\_  
Proposed WFX \_\_\_\_\_  
Proposed PHX \_\_\_\_\_

Gentlemen:

I have examined the application dated 5-5-93  
for the Meridian Oil Inc. S.T. 30-6-11-4 #58B  
Operator Lease & Well No.

C-31-30N-6W and my recommendations are as follows:  
Unit, S-T-R

Approve  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Yours truly,

*Eric Brubaker*