

DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III

1000 Rio Brazos Rd, Aztec, NM 87410-1693

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 S. Pacheco
Santa Fe, New Mexico 87505-6429Form C-107-A
New 3-12-96

APPROVAL PROCESS:

☒ Administrative ☐ Hearing

EXISTING WELLBORE

☒ YES ☐ NO

APPLICATION FOR DOWNHOLE COMMINGLING

PHILLIPS PETROLEUM COMPANY

5525 Hwy. 64, Farmington, NM 87401

Operator

Address

San Juan 30-5 Unit #72E

Unit 0, Section 10, T30N, R5W, Rio Arriba

Lease

Well No.

Unit Ltr. - Sec - Twp - Rge

County

OGRID NO. 017654

Property Code 009258

API NO.

30-039-25676

Spacing Unit Lease Types: (check 1 or more)

Federal ☒ State ☐ Land/for Fee ☐

The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone
1. Pool Name and Pool Code	72319 Blanco Mesaverde		71599 Basin Dakota
2. Top and Bottom of Pay Section (Perforations)			7855' - 7979'
3. Type of production (Oil or Gas)	Gas		Gas
4. Method of Production (Flowing or Artificial Lift)	Flowing		Flowing
5. Bottomhole Pressure	a. (Current) 1030 (est.) psi	a.	a. 1286 psi 24 hr SI.
Oil Zones - Artificial Lift: Gas & Oil - Flowing: All Gas Zones: Estimated Current Measured Current Estimated Or Measured Original	b. (Original) 1294 (est.) psi	b.	b. 3412 (est.) psi
6. Oil Gravity ($^{\circ}$ API) or Gas BTU Content	1020 btu/ft ³		1000 btu/ft ³
7. Producing or Shut-In?			producing
Production Marginal? (yes or no)	YES		YES
* If Shut-In, give date and oil/gas/water rates of last production	Date: Rates:	Date: Rates:	Date: Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data			
* If Producing, give date and oil/gas/water rates of recent test (within 60 days)	Date: estimate Rates: 400 mcfd	Date: Rates:	Date: 4/28/98 Rates: 280 mcfd 0 bwpd
8. Fixed Percentage Allocation Formula - % for each zone	Oil: % Gas: %	Oil: % Gas: %	Oil: % Gas: %

RECEIVED
MAY 20 1998
OIL CON. DIV.
DIST. 3

9. If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data.

10. Are all working, overriding, and royalty interests identical in all commingled zones?

If not, have all working, overriding, and royalty interests been notified by certified mail?

Have all offset operators been given written notice of the proposed downhole commingling?

Yes ☒ No ☒
Yes ☒ No ☒

11. Will cross-flow occur? ☒ Yes ☐ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. ☒ Yes ☐ No (If No, attach explanation)

12. Are all produced fluids from all commingled zones compatible with each other? ☒ Yes ☐ No

13. Will the value of production be decreased by commingling? ☐ Yes ☒ No (If Yes, attach explanation)

14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. ☐ Yes ☐ No

15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). R-10771

16. ATTACHMENTS:

- * C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
- * Production curve for each zone for at least one year. (If not available, attach explanation.)
- * For zones with no production history, estimated production rates and supporting data.
- * Data to support allocation method or formula.
- * Notification list of all offset operators.
- * Notification list of working, overriding, and royalty interests for uncommon interest cases.
- * Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Stodola TITLE Reservoir Eng DATE 5/18/98

TYPE OR PRINT NAME Mark W. Stodola TELEPHONE NO. (505) 599-3455

DISTRICT I
P.O. Box 1980, Hobbs, N.M. 88241-1980

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT II
P.O. Drawer DD, Artesia, N.M. 86211-0716

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, NM 87504-2088

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
PO Box 2088, Santa Fe, NM 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number	*Pool Code 71599	*Pool Name Basin Dakota
*Property Code 009258	*Property Name SAN JUAN 30-5 UNIT	*Well Number 72E
*OGRID No. 017654	*Operator Name PHILLIPS PETROLEUM	*Elevation 6493

¹⁰ Surface Location




UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	10	30-N	5-W		828	SOUTH	1602	EAST	RIO ARriba

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0									

¹² Dedicated Acres 320 ac	¹³ Joint or Infill Y	¹⁴ Consolidation Code U	¹⁵ Order No.
---	------------------------------------	---------------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16	<div>RECEIVED MAY 20 1998 OIL CON. DIV. DIST. 3</div>	<div>5280'</div> <div>1602'</div> <div>828'</div> <div>5280'</div> <div>N 80-03 E</div>	<div>17 OPERATOR CERTIFICATION</div> <div>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief</div> <div></div> <div>Signature R. A. Allred</div> <div>Printed Name Drilling & Production Spv</div> <div>Title</div> <div>Date 3-18-97</div>
			<div>18 SURVEYOR CERTIFICATION</div> <div>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</div> <div>NOVEMBER 1998</div> <div>Date of Survey</div> <div></div> <div>Signature and Seal of Professional Surveyor</div> <div></div> <div>Certificate Number</div>

DISTRICT I
P.O. Box 1860, Hobbs, N.M. 88241-1860

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT II
P.O. Drawer DD, Artesia, N.M. 88211-0719

DISTRICT III
000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
0 Box 2088, Santa Fe, NM 87504-2088

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, NM 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number	*Pool Code 72319	*Pool Name Blanco Mesaverde
*Property Code 009258	*Property Name SAN JUAN 30-5 UNIT	*Well Number 72E
*GRID No. 17654	*Operator Name PHILLIPS PETROLEUM	*Elevation 6493

¹⁰ Surface Location

Lot or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	10	30-N	5-W		828	SOUTH	1602	EAST	RIO ARriba

¹¹ Bottom Hole Location If Different From Surface

Lot or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0									

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
20	Y	U	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

RECEIVED MAY 20 1998 OIL CON. DIV. DIST. 2		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Signature: <u>R. A. Allred</u> Printed Name: <u>R. A. Allred</u> Title: <u>Drilling & Production Supervisor</u> Date: <u>3-18-97</u>
		18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: <u>NOVEMBER 1997</u> Signature and Seal of Professional Surveyor: <u>TROY A. RUSH</u> Certificate Number: <u>8894</u>



PHILLIPS PETROLEUM COMPANY

FARMINGTON, NEW MEXICO 87401
5525 HWY. 64 NBU 3004

May 18, 1998

New Mexico Oil & Gas Conservation Div.
2040 South Pacheco
Santa Fe, New Mexico 87505-6429

Downhole Commingling Allocation Method
on the San Juan 30-5 Unit #72E

Dear Sirs:

Phillips is proposing to utilize the subtraction method on the subject well for approximately six months after actual commingling occurs. After the six month period we will convert to the ratio method as indicated in our commingling application. We believe this will be a more accurate method of allocating production considering that the Dakota interval has been producing for several months and that the production will not be stabilized on the Mesaverde for several months.

Dakota Production Forecast

July 1998	7,682	December 1998	7,352
August 1998	7,615	January 1999	7,288
September 1998	7,305	February 1999	6,525
October 1998	7,483	March 1999	7,161
November 1998	7,178	April 1999	6,870

For example, if the total volume for December 1998 were 14,167 mcf, then the Dakota would be allocated 7,352 mcf and the Mesaverde 6,815 mcf. And subsequently, the Dakota would be allocated $(7,352/14,167)$ or 51.90%, and Mesaverde would be allocated $(6,815/14,167)$ or 48.10%.

Sincerely,

PHILLIPS PETROLEUM COMPANY

Mark W. Stodola
Reservoir Engineer

MS/pc

cc: OCD – Aztec
BLM- Farmington
NM Commissioner of Public Lands – Santa Fe

Dakota Production Forecast for 30-5 Unit
Well #72E

Year	Month	Gas (MCF)
Jul	1	7,682
Aug	2	7,615
Sep	3	7,305
Oct	4	7,483
Nov	5	7,178
Dec	6	7,352
1999	7	7,288
Feb	8	6,525
Mar	9	7,161
Apr	10	6,870
May	11	7,037
Jun	12	6,750
Jul	13	6,914
Aug	14	6,854
Sep	15	6,575
Oct	16	6,734
Nov	17	6,460
Dec	18	6,617

Initial Rate = 250 MCF/D

NO MORE DATA AVAILABLE

PA1=ICE PA2=Exit PF1=Help PF3=End PF11=GRAPH
Transfer-> PF7=Backward PF8=Forward PF4=PREV SCREEN PF12=LOG GRAPH

PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON, NEW MEXICO 87401

DATE: MAY 14, 1998

WELL NAME: SAN JUAN 30-5 # 72E
FORMATION: DAKOTA

TYPE TEST: STATIC GRADIENT

COUNTY: RIO ARriba
STATE: NEW MEXICO

ELEVATION: GL
TOTAL DEPTH:
PERFORATIONS: 7955' TO 7997'
TUBING SIZE: 2 3/8 TO 7832'
CASING SIZE: TO
PACKER:
OTHER:

CASING PRESSURE: 1070
TUBING PRESSURE: 1070
OIL LEVEL:
WATER LEVEL: 7809'
TEMPERATURE:
AMERADA ELEMENT NUMBER: 87977
RANGE: 0-2500
WELL STATUS: SHUT IN 24 HRS

INDIVIDUAL WELL DATA SHEET


===== FLOWING GRADIENT TRAVERSE

DEPTH IN FEET	PRESSURE PSIG	GRADIENT PSI/FOOT
0	1070	
2000	1121	0.026
4000	1173	0.026
6000	1216	0.022
7576	1246	0.019
7776	1248	0.010
7976	1286	0.190


H & H WIRELINE SERVICE INC.
P. O. BOX 899
FLORA VISTA, N. MEX. 87415
OPERATOR: CHARLES HUGHES
UNIT NO. T-10

PHILLIPS PETROLEUM SAN JUAN 30-5 # 72E

DATE: 05-14-98 STATIC GRADIENT



30-5 UNIT MESAVERDE



30-5mvtc

Production Allocation Methodology

◆ Adding New Zone to Existing Zone - Initially Subtraction Method followed by Fixed Allocation Method

- Subtraction Method (+/- 1st 12 months)
 - Forecast production rate by month for existing zone utilizing established decline curve for zone
 - Subtract forecasted rate from commingled rate to define new zone rate
 - Utilize subtraction method for +/- 12 months until new zone rate stabilizes, then utilize fixed allocation method with current rates
- Fixed Allocation Method (after Subtraction Method)
 - Utilize forecasted rate from established decline curve for lower zone
 - Calculate upper zone rate by subtracting lower zone rate from commingled rate
 - Lower zone allocation = $\frac{\text{Lower zone rate}}{\text{Commingled rate}}$
 - Upper zone allocation = $\frac{(\text{Commingled rate} - \text{Lower zone rate})}{\text{Commingled rate}}$

Attachment

OCD Form C-107A (3/12/96)

Item No. 12 - additional explanation:

Based on water analysis from the Mesaverde and Dakota zones and discussions with the chemical treating/analysis company the water from these two zones are compatible. Lab analysis of the individual waters from both the Mesaverde and Dakota formations resulted in positive scaling indices for barium sulfate. There was a slight increase in the barium sulfate scaling index of the combined waters relative to the scaling index of the individual waters.

None of the waters, combined or individual, had meaningful scaling tendencies and combined with the fact that typical water production from either of these zones in San Juan 30-5 are 0-1 BWPD and no barium sulfate scale has been detected to date, no negative impacts to the formations are anticipated.