UNITED STATES DEPARTMENT OF THE INTERIOR BURBAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS


	1000	وَيُوالِيُّا أَيْنِي وَالْهِيرِ	
33 B. B.	FORM AL	PROVE	D Faria
3.5	78 SO - 08	N. 19	二人的
100	N. 18 51 34.		2000 (10)多

٠	-							43.7	
	. 4		I	-	Ü		4 E	м.	. "
٠	•	٠,٠	`*			а.		.,	"

NYS	<u>F07</u>	<u>89</u>	94

Do not use this form for proposals to drill or to re-enter an 1525272728					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE -	Other instruction	s on reverse sid	GN 32		<u> </u>	A/Agreement, Name and/or	
1. Type of Well Oil Well X Gas Well Other			<00p		NMNM78419 / 8. Well Name a		
2. Name of Operator					SJ 30-5 Uni	it #47M	
Phillips Petroleum Company 3a. Address		3b. Phone No. (in	sclude area code)		9. API Well No		
5525 Highway 64, NBU 3004, Farmingt	on. NM 87401		599 - 3454		30 - 039 - 2567	ool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey)		<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Basin Dakot		
Unit F (SENW) 1780' FNL & 1825' FWL					Blanco Mesa		
Section 17, T30N, R5W				l	11. County or	Parish, State	
	· - · · - · · · · · · · · · · · · · · ·				<u>Rio Arriba</u>	NM	
12. CHECK APPROPRIATE	BOX(ES) TO IN	DICATE NATUR	RE OF NOTICE	, REPO	RT, OR OTH	IER DATA	
TYPE OF SUBMISSION			TYPE OF A	CTION			
Notice of Intent	Acidize	Deepen	P	roduction (Start/Resume)	Water Shut-Off	
_	Alter Casing	Fracture Tr	eat R	eclamation	Ì	Well Integrity	
X Subsequent Report	X Casing Repair	New Const	nuction D	ecomplete	ì	X Other Had BH lea	
	Change Plans	Plug and Al		emporarily			
Final Abandonment Notice						Restored BH press	
	Convert to Inject	tion Plug Back		ater Dispo	SAI	integrity	
testing has been completed. Final Abandonment determined that the final site is ready for final inspendent of the final site is ready for final inspendent of the final site is ready for final inspendent of the final site is ready for final inspendent of the final site is ready for final inspendent of the final site is ready for final inspendent of the final site is ready for final site i	ortion.) J BOP. PT-OK. A RIH w/CIBP & s check for gas holes @ 3800' Type II Neat co ols. WOC. RIH	(ill well w/K0 set @ 4300'. flow behind 4 . RIH w/cement ment. Displa w/bit & tagge elow perforati	L water. Co Load hole & -1/2" casing at retainer & aced w/13.5 k d 5' of cemme ons. Circ.	OOH w/t PT to J. Pick S set @ obls wa ent on hole.	cubing. RI 500 psi. Ked up nois 33758'. E ater. Hesit top of ret PT casing	H w/bit & Held good for 30 e @ top of CIBP stablished ate squeeze 1/4 ainer @ 3753'. and sqeeze	
COOH. RIH w/2-3/8", 4.7# tubing expendable check. RD & released	and set @ 7883						
14. I hereby certify that the foregoing is true and correct Name (Printed Typed)	Patsy Clugsto	Title	Sr. Regu	latory	/Proration	Clerk	
Jalsy Cluss		Date	1/16/02		ACCEPTE	D FOR RECORD	
THI	S SPACE FOR FE	DERAL OR STA	TE OFFICE U	SE			
Approved by		Title			J/Da	te 7/ 5 2002	
Conditions of approval, if any, are attached. Approval occurrify that the applicant holds legal or equitable title to	of this notice does not those rights in the su	warrant or Office			FALLMING BY	TOR FIELD OFFICE	

	, · · ·		· ·
		f . • p	



	i i e	