applicant to conduct operations thereon.

OMB No. 1004-0135

**UNITED STATES** 

Expires: November 30, 2000

DEPARTMENT OF THE INTER BUREAU OF LAND MANAGEM	5. LEASE SERIAL NO.									
SUNDRY NOTICES AND REPORTS	Jicarilla 460									
Do not use this form for proposals to drill, or to	6. IF INDIAN, ALLOTTEE OR TRIBE NAME  Jicarilla Apache									
abandoned well. Use Form 3160-3 (APD) for sug	Z F	UNIT OR CA, AGREEMENT DESIGNAT	ION							
SUBMIT IN TRIPLICATE	5	N/A								
1 TYPE OF WELL	79.	RECEIVED ONLOW	8. W	ELL NAME AND NO.						
Oil Well Gas Well _X Other:	Oil Well Gas Well X Other:									
2. NAME OF OPERATOR 9. API WELL NO.										
Mallon Oil Company		STATEL CLASS		30-039-25865						
		E. Jones	10. F	TELD AND POOL, OR EXPLORATORY	AREA					
999 18th Street, Suite 1700 PHONE: Denver, CO 80202	303-2	293-2333		E. Blanco						
4. LOCATION OF WELL (Footage, T, R, M, or Survey Description)										
1,190' FNL 1,748' FEL Sec. 16	т з	0N R 3W	11. C	COUNTY OR PARISH, STATE  Rio Arriba  NM						
Unit B (NW/4 NE/4)				14107 11100						
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATU	RT,	OR OTHER DATA								
TYPE OF SUBMISSION		TY	PE (	OF ACTION						
X Notice of Intent Acidize	$\overline{\sqcap}$	Deepen		Production (start/resume)	Water Shut-Off					
Alter Casing	П	Reclamation	-	Reclamation	Well Integrity					
Subsequent Report Casing Repair		New Construction		Recomplete	Other					
Change Plans		Plug and Abandon		Temorarily Abandon	Commingle					
Final Abandonment Notice Convert to Injection		Plug Back		Water Disposal						
13. Describe Proposed or completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with the BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  Mallon Oil Company intends to commingle the Ojo Alamo zone and the San Jose zone. An application has been made (see attached) to the State of New Mexico Oil Conservation Division for approval to down hole mingle the Ojo Alamo and the San Jose zones.										
14. I hereby certify that the foregoing is true and correct  Name (Printed/Typed)		l								
Ray E. Jones		Title: Vice Pre	side	ent - Engineering	<del></del>					
Signature August 1990		Date: May 5, 2	:000							
THIS SPACE FOR F		RAL OR STATE OF	FIC							
Approved by	Title	Lands and I	Vine	eral Resources 5 /	9-11-0					
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the										

# Mallon Oil Company

- ♦ Denver & Durango, Colorado ♦
  - ♦ Carlsbad, New Mexico ♦

Mr. David Catanach State of New Mexico Oil Conservation Division 2040 S Pacheco Santa Fe, NM 87505



May 5, 2000

RE:

Application for Administrative Approval of Downhole Compring

Jicarilla 460-16 No. 6 Sec. 16, T30N R3W

Rio Arriba County, New Mexico

Dear Mr. Catanach:

Mallon Oil Company (Mallon) operates the above-referenced well, the Jicarilla 460-16 No. 6. The well currently produces from the Ojo Alamo zone and the San Jose zones, which are completed separately. It is not economical to continue to operate both zones separately, and Mallon believes the zones should be produced at this time to prevent any further potential depletion. The pressure expected in the San Jose formation is approximately 260 psi or less. The initial Ojo Alamo reservoir pressure is in the range of 1,100 psi as detailed in the in the attachment; after drawdown has occurred, it is expected that the Ojo Alamo reservoir pressure will drop to pressures similar to the San Jose formation pressure.

Mallon respectively requests administrative approval for down-hole commingling of the Ojo Alamo and the San Jose formations in the well. The commingling is necessary to permit all zones to be effectively produced in this well. There will not be crossflow between zones. It is intended that by commingling zones the bottom hole pressure will be reduced below that of the San Jose and that the combined gas flow and open-ended tubing configuration will allow for better lifting of produced water and ultimately improved daily production. Additionally, this configuration will allow for use of a plunger lift to more consistently lift produced water from the well bore. The flowing well bottom-hole pressure will be less than the zones' reservoir pressures.

The ownership from all current producing and proposed zones is common. The enclosed attachments detail the information required by rule 303C for administrative approval of downhole commingling.

Please do not hesitate to contact me if you have any questions about this matter.

Sincerely,

MALLON OIL COMPANY

Ray E. Jones

Vice President, Engineering

Attachments

cc:

Bureau of Land Management (BLM) - Albuquerque

Banko Petroleum Management, Inc.

<sup>♦ 999 18</sup>th Street ♦ Suite 1700 ♦ Denver, Colorado 80202 ♦ Phone: 303.293.2333 ♦ Fax: 303.293.3601 ♦

<sup>◆</sup> P.O. Box 2797 ◆ Durango, Colorado 81302 ◆ Phone: 970.382.9100 ◆ Fax: 970.382.7650 ◆

<sup>◆</sup> P.O. Box 3256 ◆ Carlsbad, New Mexico 88220 ◆ Phone: 505.885.4596 ◆ Fax: 505.885.0022 ◆

#### Application for Downhole Commingling Under NMOCD Rule 303C For Gas Wells

#### Jicarilla 460-16 No. 6

a) By operator:

Mallon Oil Company 999 18<sup>th</sup> Street, Suite 1700 Denver, CO 80202

b) In the well:

Jicarilla 460-16 No. 6

Well location: Unit B (NW/4 NE/4) Sec. 16 T30N R3W

Rio Arriba County, New Mexico

Lease description: NE/4 Sec. 16 T30N R3W

(See attached "Well Location and Acreage Dedication Plat")

For the pools:

Cabresto Canyon - Ojo Alamo Ext Cabresto Canyon - San Jose Ext

- c) A plat of the area surrounding the Jicarilla 460-16 No. 6 well showing the ownership of direct and diagonal offset locations is included.
- d) The Ojo Alamo and the San Jose zones in this well produce dry gas; therefore, no state form C116 is required or available for the current completion.
- e) A production decline curve is included that shows the Ojo Alamo zone production. The San Jose has also been completed in this well, but is completed separately from the Ojo Alamo. A production decline curve is also included that shows the San Jose zone production.
- f) The San Jose bottom hole pressure was measured on May 21, 1999 after a one-day shut in and was 142 psi at 1,534'. The gradient is primarily filled with gas, as a static gas gradient was established very early in the test. Flowing bottomhole pressure for the Ojo Alamo was measured at 341 psi at 3,135'. It is intended that by commingling zones the bottom hole pressure will be reduced below that of the San Jose and that the combined gas flow and open-ended tubing configuration will allow for better lifting of produced water and ultimately improved daily production. Additionally, this configuration will allow for use of a plunger lift to more consistently lift produced water from the well bore.
- g) There will be no loss in total gas quality or value due to mixing of the production streams.
  - The Ojo Alamo and the San Jose zones produce gas with no condensate. A copy of a gas analysis from each of these zones is included. The gas from the Ojo Alamo is 92.02 % methane; from the San Jose, 94.56% methane.
- h) Because of reduced operation costs per zone, commingling of the zones would allow each individual zone to be produced to a lower economic rate and would increase ultimate recovery from both zones.

i) No commingling presently occurs in the well.

The San Jose was flow tested during completion and has been measured during 1999. This rate and the well rate for 1999 from the Ojo Alamo will be used to determine an allocation factor. The allocation factor for the San Jose formation is 0.81.

j) A reference map for the Jicarilla 460-16 No. 6 well and surrounding wells has been included. A circle with a radius of approximately one mile has been drawn around this well for reference only. The direct and diagonal offset wells:

Well Name	Location	Operator
Jicarilla 460-16 1	SW/4 NW/4 Sec. 16 T30N R3W	Mallon Oil Company
Jicarilla 460-16 SJ 1	SW/4 NW/4 Sec. 16 T30N R3W	Mallon Oil Company
Jicarilla 460-16 4	SW/4 SW/4 Sec. 16 T30N R3W	Mallon Oil Company
Jicarilla 460-16 SJ 4	SW/4 SW/4 Sec. 16 T30N R3W	Mallon Oil Company
Jicarilla 460-16 5	SW/4 SE/4 Sec. 16 T30N R3W	Mallon Oil Company
Jicarilla 458-8 10	SE/4 SE/4 Sec. 8 T30N R3W	Mallon Oil Company
Jicarilla 458-8 10	SE/4 SE/4 Sec. 8 T30N R3W	Mallon Oil Company
Jicarilla 457-10 8	SW/4 SW/4 Sec. 10 T30N R3W	Mallon Oil Company
Jicarilla 457 1	SW/4 SW/4 Sec. 9 T30N R3W	Mallon Oil Company
Jicarilla 457 SJ 1	SW/4 SW/4 Sec. 9 T30N R3W	Mallon Oil Company
Jicarilla 457-9 1	SE/4 SE/4 Sec. 9 T30N R3W	Mallon Oil Company
Jicarilla 457-9 3	NE/4 NE/4 Sec. 9 T30N R3W	Mallon Oil Company

The ownership of the two producing zones for the Jicarilla 460-16 No. 6 well is common so notification of this application is not necessary. The following is a list of the working, royalty, and overriding royalty interest owners for this well for both formations.

Jicarilla Apache Contract 459 MMS Aid #609-000459-0-000 Bureau of Indian Affairs PO Box 507 Dulce, NM 87528

Bayless Grandchildren's Trust c/o Tommy Roberts, Trustee PO Box 129 Farmington, NM 87499

Jaco Production Company PO Box 1807 Bakersfield, CA 93303 Ken Kamon PO Box 10589 Midland, TX 79702

Kevin Fitzgerald c/o Mallon Oil Company 999 18th Street, Suite 1700 Denver, CO 80202

Mallon Oil Company 999 18th Street, Suite 1700 Denver, CO 80202 DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
811 South First St., Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410
DISTRICT IV
2040 S. Pacheco, Santa Fe, NM 87505

#### State of New Mexico Energy, Minerals and Natural Resources Department

#### **OIL CONSERVATION DIVISION**

2040 S. Pacheco Santa Fe, New Mexico 87505-6429 Form C-107-A Revised August 1999

APPROVAL PROCESS:


\_X\_Administrative \_\_\_Hearing

EXISTING WELLBORE

### APPLICATION FOR DOWNHOLE COMMINGLING

\_X\_ YES \_\_\_NO

Mallon Oil Company	999 Addres	18th Street, Suite 1700, Der	nver, CO 80202		
Jicarilla 460-16	No. 6 Unit	B (NW/4 NE/4) Sec. 16 T30 -Sec-Twp-Rge	ON R3W Rio Arriba		
OGRID NO. <u>013925</u> Property	Code <u>22183</u> API NO.		acing Unit Lease Types: (check 1 or more)		
The following facts are submitted in support of downhole commingling:  1. Pool Name and Pool Code	Upper Zone Cabresto Canyon San Jose Ext. 96822	Intermediate Zone	Lower Zone Cabresto Canyon Ojo Alamo Ext. 96538		
Top and Bottom of Pay Section (Perforations)	1,646' – 1,709'		3,276′ – 3,322′		
Type of production     (Oil or Gas)	Gas	COURS OF STREET	Gas		
Method of Production     (Flowing or Artificial Lift)	Flowing	MAY 2000	Flowing		
Bottomhole Pressure     Oil Zones - Artificial Lift:	a. (Current)	a. Diet. 3	a. 340 psi		
Estimated Current Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated Or Measured Original	b. <sup>(Original)</sup>	AND BUILDING	b.		
6. Oil Gravity (EAPI) or Gas BTU Content	1,084.2 BTU Dry @ 15.025 psia		1,114.9 BTU Dry @ 15.025 psia		
7. Producing or Shut-In?	Producing		Producing		
Production Marginal? (yes or no)	Yes		Yes		
* If Shut-In, give date and oil/gas/ water rates of last production  Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data	Date: N/A Rates:	Date: Rates:	Date: N/A Rates:		
If Producing, give date andoil/gas/ water rates of recent test (within 60 days)	Date: February 2000 Rates: 317.6 mcf/d gas 0.086 mb water	Date: Rates:	Date: February 2000 Rates: 72.8 mcf/d gas 16.488 mb water		
Fixed Percentage Allocation     Formula -% for each zone     (total of %'s to equal 100%)	Oil: <b>Gas</b> : % 81.0 %	Oil: Gas: %	Oil: <b>Gas</b> : 19.0 %		
If allocation formula is based up attachments with supporting data.	on something other than current ata and/or explaining method a	t or past production, or is based ι nd providing rate projections or	pon some other method, submit other required data.		
40 4 44 44 44			_X_ Yes No Yes No		
11. Will cross-flow occur? Y	es X No If yes, are fluids d, and will the allocation formul	compatible, will the formations rabe reliable Yes No	not be damaged, will any cross- o (If No, attach explanation)		
12. Are all produced fluids from all			•		
13. Will the value of production be		Yes _X_No (If Yes,	•		
14. If this well is on, or communitize United States Bureau of Land		either the Commissioner of Publin writing of this applicationX	ic Lands or the Yes No		
15. NMOCD Reference Cases for I	Rule 303(D) Exceptions: O	RDER NO(S). <u>NSL 2831</u>	<u>-A</u>		
NORDCARON ISLALWA	to be commingled showing its each zone for at least one year oduction history, estimated procation method or formula. rking, overriding, and royalty innents, data, or documents required.	spacing unit and acreage dedicar. (If not available, attach explanduction rates and supporting datterests for uncommon interest calling to support commingling.	ation. nation.) ta. ases.		
hereby certify that the information	above is true and complete to	the best of my knowledge and b	elief.		
SIGNATURE CONTROL	Jones	TITLE V.P Engineering	_DATEMay 5, 2000		
TYPE OR PRINT NAME Ray E	, Jones	TELEPHONE NO. (30	3) 293-2333, ext 1450		





•

Scale 1:24000.

0.1 0. 0.1 0.2 0.3 0.4 0.5 miles

#### MALLON OIL COMPANY

One Mile Radius Map Jicarilla 460-16 #6 Rio Arriba County, New Mexico

46016_6M.GPF	J. Moore	03/30/2000
	-	

instructions on back submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

STRICT III QQ Rio Brazos Bd., Aztec, N.M. 87410

STRICT IV ) Box 2088, Santa Fe, NM 87504-2088

OIL CONSERVATION DIVISION

٠į

P.O. Box 2088 Santa Fe, NM 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

		<u>`</u> `			1212	TREAGE DI				<del></del>	
30-039-	Humber			Pool Code Pool Name Cabresto Canyon; Ojo A							_
					Propert		Cany	on; Ujo	Alam		
Property C	ode					ļ	, A.	ell Number			
22183						#6					
OGRID No	).				*Operato	r Name				1	Elevation
013925					Mallor	oil Co.				7	7291'
•					10 Surface	Location					
UL or lot no.	Section	Township	Range	lot Idn	Feel from the	North/South	line   F	eet from the	Bast/Wes	st line	County RiO
	16	30 N	3 W		1190'	North		1748	Eas	t	Arriba
		•	11 Botto	om Hole	Location		Fron				
UL or lot no.	Section	Township	Range	lot Idn	Feet from the	Harth/South	line l	ect from the	East/We	st line	County
	1										
18 Dedicated Acre	Jaiot "	or Intill "	Consolidatio	a Code HO	irder No.			-	<u></u>		
160											Ì
L	ABLE W	TLL BE A	ASSIGNE	TO TH	IS COMPLE	TION UNTIL	ALL. N	NTERESTS	HAVE F	EEN C	ONSOLIDATED
1917 B						BEEN APPRO					
16	<del>-1-1-1</del>	S89-5	6-43E	5284.	914	1917	B.C	17 01	PERATO	R CEF	RTIFICATION
		ł						I hereby certi	ty that the	information	contained herein is
					-			_ true and com	piete lo the	best of my	knowledge and belief
					06			~. ω			
					7			ന			
Ì		į			Į.	1748'		26			
					<u> </u>	1.740		<b>→</b>	_, _		
		ĺ		I				Signature	oty	MAK	
			•						isty S	Serra	no
1				1				Printed No			
ļ				ł				7111-	uct1	on Se	cretary
				•				رر ان	120195	~	
						1917	вС	Z Data			
								18 SU	RVEYO	R CER	TIFICATION
	•							/ hereby card	the that the	well leastl	on shown on this plat
								was plotted j	from field ru navervisien	eius of acti and that	ual surveys made by me the same is true and
1								correct to th	s best of my	beller	
1				,	<b>-</b>		!	3	-71	のかか	RUSE
#					自己回信	MED		Date of St	- T	TH HE	
<b></b>		<u> </u>		<u> </u>	100E	<u> 和A 医型</u>		Etqueture	4 34 0	Polemico	
1				"	L Alla	1 000			TOUR TOUR	8894	
						11998			八彩	17	
				0	)UL Can	0 0 -		1/1	ach (c)	ESSIONA	7.44.2\
						10 (D)(\)\			4	THOISES	l cr
						1 1998 DITYZ			/ 88	394	
		1		+				Cartificat	e Humber		

Encir Minerals & Natural Resources Department

Revised Febuary 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

.CT II .Drawer DD, Artesia, N.M. 88211-0719


STRICT III 100 Rio Brezoe Rd., Aztec, N.M. 87410

ISTRICT IV O Box 2088, Sents Fe, NM 87504-2088

# OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, NM 87504-2088

☐ AMENDED REPORT

		<i>W</i>	ÆLL L	OCATION A	AND ACF	REAGE DEDI	CATION P	LAT					
API Number Paul Code						Pool Name							
30-039		55				Cabresto Canyon; San				Ext.			
Property C	ode				Property N	lame			* 1	Mell Number			
22183				Ji		a 460-16				#6			
OGRID Ho	).				*Operator h	lame				* Elevation			
013925						Oil Co.				7291'			
			<sup>10</sup> Surface Location										
UL or lot no.	Section	Township	Range	lat ldn Feet	from the	North/South line	Feet from the	East/1	East/West line County RiO				
	16	30 N	3 W		190'	North	1748	Ea	st	Arriba			
Bottom Hole Location If Different From Surface													
UL or lat no.	Section	Township	Rango	lot idn Feet	t from the	North/South line	Feet from the	East/	West line	County			
										1			
Dedicated Acre	a laiot	or Intill 16	Consolidatio	n Code 15 Order	No.					•			
160													
NO ALLOW	ABLE W	TLL BE A	ASSIGNE	D TO THIS C	COMPLETIO	ON UNTIL ALL	INTERESTS	HAVE	BEEN (	CONSOLIDATED			
1917 B						EN APPROVED							
16		S89-5	6-43E	5284.9'	1	1917 B.	C. 17 C	PERAT	OR CE	RTIFICATION			
				ı			I hereby car	tify that th	e information	n contained herein is			
				-	_		- 1	npiete le th	us beart of ma	y knaroledge and belief			
							80						
		j			_		38						
							26						
					<u>0</u>	<u> 1748'                                     </u>	→	_	_				
							3 Chr.	oty	Serve	MAD_			
			•					0	Carr				
							Printed 1		Serra	ano			
						· 		duct	ion Se	ecretary			
							Title						
							2 Data	<i>18</i> 0/9	8				
<b></b>		<del> </del>	····	_Ļ		1917 B		iDM:M	OD CET	RTIFICATION			
	•			1 ~									
							I hereby cu	tify that the	netes of act	ion shown on this plat wal surveys made by m			
				İ			or under m	y supervisia	m and that	the same is true and			
1		}			F -				AYA	RU			
Į.		1		<i>             </i>	EGE	7775-		3-21		34			
1				-	705	MAISIU	Date of S	F /	HEM WE	(%)			
		1			AUG 1		Eignature	121	of Py6lemics   8894	<b>1</b> 1			
				0.5	-• 1	1998		121	1000				
1				\	r Coura	1 ~-	Ι, ,	/(多)	11/				
						d DMM		and s		The y			
1					जायाः ,	VED 1998 DUV		(1)	ESSION!				
				1			<b> </b>	/ C	894				
H				ļ			Cartifica	Le Mumber					



#### Site Facility Diagram Available At:


Mallon Oil & Gas Company 848 East 2nd Avenue P.O. Box 2797 Durango, CO 81302

Telephone: 970-382-9100

#### Site Facility Diagram:

Company: Mallon Oil Lease: Jicarilla

Well Name: 460-16 no. 6 Location: Sec 16, T30N R3W County/State: Rio Arriba, NM



#### **Dual Completion**

#### Site Facility Diagram Available At:


Mallon Oil & Gas Company 848 East 2nd Avenue P.O. Box 2797 Durango, CO 81302

Telephone: 970-382-9100

#### Site Facility Diagram:

Company: Mallon Oil Lease: Jicarilla

Well Name: 460-16 no. 6 Location: Sec 16, T30N R3W County/State: Rio Arriba, NM



### **Commingled Completion**

Site Facility Diagram Available At:


Mallon Oil & Gas Company 848 East 2nd Avenue P.O. Box 2797 Durango, CO 81302

Telephone: 970-382-9100

Site Facility Diagram:

Company: Mallon Oil Lease: Jicarilla

Well Name: 460-16 no. 6 Location: Sec 16, T30N R3W County/State: Rio Arriba, NM



JIC 460-16 #06 (OA)
RIO ARRIBA CO., NM - B 16 T3ON RO3W
BLANCO EAST (OJO ALAMO)
MALLON OIL COMPANY
OJO ALAMO
1PDP

DATE: 05/03/\*\*
TIME: 08:44:13
FILE: 2000
GET: 375
STID: 192000
.CMD: JUNK
.OUT: JIC\_PROD

## PRODUCTION DATA

#### THROUGH 2/28/2000

PERIOD ENDING	DAYS PROD	OIL, MB	OIL BBL/D	GAS, MMF	GAS MCF/D	YIELD BBL/MMF	WATER,MB	WATER PCT	CUM. OIL, MB	CUM. GAS, MMF	CUM. WATER,MB	FTP,PSI
PRIOR												
1/98		0.000		0.000		0.000	0.000	0.0	0.000	0.000	0.000	
1/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0
2/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	Ō
3/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	Ō
4/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	Ō
5/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	ō
6/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	Ō
7/98	8	0.000	0.0	1.090	136.2	0.000	0.293	100.0	0.000	1.090	0.293	Ō
8/98	24	0.000	0.0	5.238	218.3	0.000	1.362	100.0	0.000	6.328	1.655	0 0
9/98	30	0.000	0.0	5.267	175.6	0.000	1.302	100.0	0.000	11.596	2.957	Ō
10/98	26	0.000	0.0	4.449	171.1	0.000	1.975	100.0	0.000	16.044	4.932	Ō
11/98	30	0.000	0.0	4.545	151.5	0.000	2.125	100.0	0.000	20.589	7.057	0
12/98	31	0.000	0.0	4.447	143.4	0.000	0.471	100.0	0.000	25.036	7.528	0
YR 98	149	0.000	0.0	25.036	168.0	0.000	7.528	100.0	0.000	25.036	7.528	
1/99	31	0.000	0.0	4.783	154.3	0.000	0.102	100.0	0.000	29.819	7.630	0
2/99	26	0.000	0.0	3.515	135.2	0.000	0.088	100.0	0.000	33.334	7.717	0
3/99	31	0.000	0.0	3.571	115.2	0.000	0.225	100.0	0.000	36.905	7.942	0 0
4/99	30	0.000	0.0	2.859	95.3	0.000	1.340	100.0	0.000	39.764	9.282	0
5/99	31	0.000	0.0	1.295	41.8	0.000	1.749	100.0	0.000	41.059	11.032	0
6/99	30	0.000	0.0	2.258	75.3	0.000	1.691	100.0	0.000	43.318	12.723	0
7/99	31	0.000	0.0	2.146	69.2	0.000	1.736	100.0	0.000	45.464	14.459	0
8/99	31	0.000	0.0	1.871	60.4	0.000	1.736	100.0	0.000	47.335	16.195	0
9/99	30	0.000	0.0	1.684	56.1	0.000	1.548	100.0	0.000	49.019	17.743	0
10/99	31	0.000	0.0	1.640	52.9	0.000	0.862	100.0	0.000	50.659	18.605	. 0
11/99	30	0.000	0.0	1.442	48.1	0.000	1.434	100.0	0.000	52.101	20.039	0
12/99	31	0.000	0.0	1.310	42.2	0.000	1.354	100.0	0.000	53.411	21.393	0
1/00	31	0.000	0.0	1.275	41.1	0.000	1.354	100.0	0.000	54.686	22.747	0
2/00	29	0.000	0.0	1.142	39.4	0.000	1.269	100.0	0.000	55.828	24.016	0
YR 00	423	0.000	0.0	30.792	72.8	0.000	16.488	100.0	0.000	55.828	24.016	
SUB												
TOTAL	572	0.000	0.0	55.828	97.6	0.000	24.016	100.0	0.000	55.828	24.016	-
TOTAL		0.000		55.828		0.000	24.016	100.0	0.000	55.828	24.016	

JIC 460-16 #06 (SJ) RIO ARRIBA CO., NM - B 16 T30N R03W BLANCO EAST (SAN JOSE) MALLON OIL COMPANY SAN JOSE 1PDP

DATE: 05/03/\*\*
TIME: 08:44:13
FILE: 2000
GET: 434
STID: 192000
.CMD: JUNK
.OUT: JIC\_PROD

## P R O D U C T I O N D A T A

THROUGH 2/28/2000

PERIOD ENDING	DAYS PROD	OIL, MB	OIL BBL/D	GAS, MMF	GAS MCF/D	YIELD BBL/MMF	WATER,MB	WATER PCT	CUM. OIL, MB	CUM. GAS, MMF	CUM. WATER,MB	FTP,PSI
PRIOR												
1/98		0.000		0.000		0.000	0.000	0.0	0.000	0.000	0.000	
1/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0
2/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0
3/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0
4/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0 0
5/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0
6/98	0	0.000	0.0	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.000	0
7/98	4	0.000	0.0	2.042	510.6	0.000	0.000	0.0	0.000	2.042	0.000	0
8/98	23	0.000	0.0	14.271	620.5	0.000	0.000	0.0	0.000	16.313	0.000	0
9/98	30	0.000	0.0	19.682	656.1	0.000	0.001	100.0	0.000	35.995	0.001	0
10/98	26	0.000	0.0	17.149	659.6	0.000	0.003	100.0	0.000	53.144	0.004	0
11/98	30	0.000	0.0	18.603	620.1	0.000	0.000	0.0	0.000	71.747	0.004	0
12/98	31	0.000	0.0	16.184	522.1	0.000	0.008	100.0	0.000	87.931	0.012	0
YR 98	144	0.000	0.0	87.931	610.6	0.000	0.012	100.0	0.000	87.931	0.012	
1/99	31	0.000	0.0	14.878	479.9	0.000	0.000	0.0	0.000	102.808	0.012	0
2/99	25	0.000	0.0	11.670	466.8	0.000	0.080	100.0	0.000	114.479	0.092	0
3/99	31	0.000	0.0	13.325	429.8	0.000	0.000	0.0	0.000	127.803	0.092	0 0
4/99	30	0.000	0.0	11.331	377.7	0.000	0.006	100.0	0.000	139.134	0.098	0
5/99	16	0.000	0.0	5.685	355.3	0.000	0.000	0.0	0.000	144.819	0.098	0
6/99	30	0.000	0.0	11.329	377.6	0.000	0.000	0.0	0.000	156.149	0.098	0
7/99	31	0.000	0.0	9.809	316.4	0.000	0.000	0.0	0.000	165.957	0.098	0
8/99	31	0.000	0.0	8.867	286.0	0.000	0.000	0.0	0.000	174.824	0.098	0
9/99	30	0.000	0.0	8.602	286.7	0.000	0.000	0.0	0.000	183.426	0.098	0
10/99	31	0.000	0.0	7.960	256.8	0.000	0.000	0.0	0.000	191.387	0.098	. 0
11/99	30	0.000	0.0	7.005	233.5	0.000	0.000	0.0	0.000	198.392	0.098	0
12/99	31	0.000	0.0	6.498	209.6	0.000	0.000	0.0	0.000	204.890	0.098	0
1/00	31	0.000	0.0	6.432	207.5	0.000	0.000	0.0	0.000	211.322	0.098	0
2/00	29	0.000	0.0	5.855	201.9	0.000	0.000	0.0	0.000	217.178	0.098	0
YR 00	407	0.000	0.0	129.247	317.6	0.000	0.086	100.0	0.000	217.178	0.098	
SUB												
TOTAL	551	0.000	0.0	217.178	394.2	0.000	0.098	100.0	0.000	217.178	0.098	-
TOTAL		0.000		217.178		0.000	0.098	100.0	0.000	217.178	0.098	

