

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

Sundry Notices and Reports on Wells

97 AUG 14 PM 3:19

070 FARMINGTON, NM

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

990' FSL, 990' FWL Sec. 35, T-29-N, R-11-W, NMPM

5. Lease Number
047020A

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Congress #3

9. API Well No.
30-045-07618

10. Field and Pool
Fulcher Kutz PC

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent

☐ Abandonment

☐ Change of Plans

☐ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☒ Other -restimulate

13. Describe Proposed or Completed Operations

It is intended to pull 1.5" tubing. Clean out to PBTD @ approximately 1920'. Acidize a foam fracture treat the PC Zone. Clean out and return well to production.

RECEIVED
AUG 20 1997

OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (MDW) Title Regulatory Administrator Date 8/12/97

(This space for Federal or State Office use)

APPROVED BY [Signature] Title Regulatory Administrator Date AUG 19 1997

CONDITION OF APPROVAL, if any:

NMOC

CONGRESS #3
Pertinent Data Sheet

Location: 990' FSL & 990' FWL, Unit M, Section 35, T29N, R11W, San Juan County, New Mexico

Latitude: 36-40-41

Longitude: 107-57-58

Field: Fulcher Kutz PC

Elevation: 5701' GL
5711' KB

TD: 1941'
PBTD: 1920'

Spud Date: 1/12/52

Compl Date: 2/05/52

DP #: 32218A
Lease: FPNM9404020
GWl: 100.00%
NRI: 83.2807%
Prop#: 071265200

Initial Potential: AOF = 1631 MCF/D, SICP = 294 psi

Casing Record:

<u>Hole Size</u>	<u>Csg Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
12-1/4"	8-5/8"	32# J-55	138'	65 sx.	Circ Cmt
7-7/8"	5-1/2"	14# H-40	1845'	75 sx.	1403' @ 75% Eff.
4-3/4"	3-1/2"	9.3# H-80	1941'	200 sx.	Circ-Surf.

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>
1-1/2"	2.75#-H-40	1816'	63

Formation Tops:

Ojo Alamo:	654'
Kirtland Shale:	791'
Fruitland:	1510'
Pictured Cliffs:	1818'

Logging Record: None

Stimulation: SOH w/ 180 qts SNG,

Workover History: 4/63: Pull tbg, DO to new TD, ran & cmt 3-1/2", SWF w/40K# sand, run tbg., Perf. 1845-52, 1854-62, 1866-74 w/2 SPF

Production History: 4/97 PC capacity: 47 MCF/D. 4/97 PC cum: 1135 MMCF.

Pipeline: MOI Lateral (Rudy)

Congress #3

Section 35M, T-29-N, R-11-W
San Juan County, NM

FULCHER KUTZ PICTURED CLIFFS WELLBORE SCHEMATIC

