

District I
P.O. Box 1980, Hobbs, NM

District II
P.O. Box 100, Artesia, NM 88221

District III
1000 Rio Brazos Rd. Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 South Pacheco Street
Santa Fe, New Mexico 87505

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

MAR 28 1997

PIT REMEDIATION AND CLOSURE REPORT

Approved

Operator: PNM Gas Services (Meridian) Telephone: 324-3764

Address: 603 W. Elm Street Farmington, NM 87401

Facility or Well Name: Zachry #15

Location: Unit: N Sec. 33 T. 29 N R. 10 W County San Juan

Pit Type: Separator ☐ Dehydrator ☐ Other No PNM Equipment

Land Type: BLM ☒ State ☐ Fee ☐ Other ☐

Pit Location: Pit dimensions: length 15 width 15 depth 3

(Attach diagram) Reference: wellhead ☒ other ☐

Footage from reference: 210'

Direction from reference: 45 Degrees ☒ East ☐ West of North ☒ South ☐

Depth to Ground Water: Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 points) 0

(Vertical distance from contaminants to
seasonal high water elevation of ground
water)

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or, less than 1,000
feet from all other water sources)

Yes (20 points)
No (0 points) 0

Distance to Surface Water:

(Horizontal distance to perennial lakes,
ponds, rivers, streams, creeks, irrigation
canals and ditches)

Less than 200 feet (20 points)
200 feet to 1,000 feet (10 points)
Greater than 1,000 feet (0 points) 0

RANKING SCORE (TOTAL POINTS): 0

RECEIVED
JAN 24 1997
OIL CON. DIV.
DIST. 3

Date Remediation Started:

9/5/96

Date Completed:

9/5/96

Remediation Method:

Excavation

☒

Approx. Cubic Yard

383

(Check all appropriate sections)

Landfarmed

☒

Amount Landfarmed (cubic yds)

383

Other

Remediation Location:

Onsite

☒

Offsite

(i.e., landfarmed onsite, name and location of offsite facility)

Backfill Material Location:

General Description of Remedial Action:

Excavated contaminated soil to pit size of 25'x23'x18' and landfarmed soil onsite within a bermed area at a depth of 6" to 12". Soil was aerated by plowing/disking until soil met regulatory levels.

Ground Water Encountered:

No

☒

Yes

Depth

Final Pit Closure Sampling:

Sample Location

5 pt composite-4 side walls and center of pit bottom

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth

18'

Sample date

9/5/96

Sample time

1:30:00 PM

Sample Results

Benzene (ppm)

0.0162

Total BTEX (ppm)

1.4789

Field headspace (ppm)

TPH

<

5.0

Method

8015A

Vertical Extent (ft)

Risk Assessment form attached

Yes

No

☒

Ground Water Sample:

Yes

No

☒

(If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE

January 22, 1997


SIGNATURE

*Denver Bearden*PRINTED NAME
AND TITLEDenver Bearden
Administrator III


Zachry #15
Meridian Oil
Sec 33, 29N, 10W

9-5-96

Pit Dimensions at start:



Excavated pit dimensions:



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *6-Sep-96*
COC No.: *5001*
Sample No. *12025*
Job No. *2-1000*

Project Name: *PNM Gas Services - Zachry #15*
Project Location: *9609051330; 5pt. Composite, 4 Walls @ 14' and Bottom @ 18'*
Sampled by: *GC* Date: *5-Sep-96* Time: *13:30*
Analyzed by: *BV/DC* Date: *6-Sep-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i><5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: 0489-QC

Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>104</i>	<i>4.3</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1 - Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>98</i>	<i>114</i>	<i>(70-130)</i>	<i>11</i>	<i>20%</i>

Method - *SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography*

Approved by: *[Signature]*
Date: *9/7/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

AROMATIC VOLATILE ORGANICS

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *6-Sep-96*
COC No.: *5001*
Sample No.: *12025*
Job No.: *2-1000*

Project Name: *PNM Gas Services - Zachry #15*
Project Location: *9609051330; 5pt. Composite, 4 Walls @ 14' and Bottom @ 18'*
Sampled by: *GC* Date: *5-Sep-96* Time: *13:30*
Analyzed by: *DC* Date: *5-Sep-96*
Sample Matrix: *Soil*

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Benzene	16.2	ug/kg	0.2	ug/kg
Toluene	328.9	ug/kg	0.2	ug/kg
Ethylbenzene	81.1	ug/kg	0.2	ug/kg
m,p-Xylene	891.8	ug/kg	0.2	ug/kg
o-Xylene	160.9	ug/kg	0.2	ug/kg
TOTAL		1478.9	ug/kg	

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*
Date: *9/7/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

Zachry # 15

10-1-96


Meridian Oil

Sec. 33, T29N, R10W

Land Farmed: On location

Composite sample # 9610011100 6 pl.

Soil vapor headspace PID reading = 3.2 ppm



2"-12" depth

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *4-Oct-96*
COC No.: *5047*
Sample No. *12408*
Job No. *2-1000*

Project Name: ***PNM Gas Services - Zachry #15 Landfarm***
Project Location: ***9610011100; 6pt. Composite, 2"-12" depth***
Sampled by: GC Date: *1-Oct-96* Time: *11:00*
Analyzed by: DC/BV Date: *4-Oct-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i>25.4</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: *0489-QC*


Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>110</i>	<i>10.3</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1- Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>112</i>	<i>103</i>	<i>(70-130)</i>	<i>6</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: 

Date: *10/4/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -