## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

	goon, at	ew Mexico	Place)	••••••••••••••••••••••••	July 23, 1956					
	NSERVATI FE, NEW M	ON COMMI MEXICO	SSION			(Date)				
entleme	n:									
You	are hereby	notified that	it is our in	Delhi-Taylor	the (Drilling) (Electronic Oil Corporation	of a well to be kr	own as			
		Sta	ite		my or Operator), Well No4	. in	The well is			
	10901		ease)	Santh		· · · · · · · · · · · · · · · · · · ·	Unit)			
cated	West-	feet fro		·········	32 _ 291	line and	feet from the			
2137F T		FROM SECT	TION I IN	line of Section	32 Blanco T 298 ffs Undes Pool,	Sen Juen	, NMPM.			
11 11 11	OCATION	PROM SEC.	I ION LIN		and Gas Lease is No		,			
	1 1				owner is					
D	C	В	4							
					ell with drilling equipment as		y Rig using Mud			
					10' and Rotary Rig					
Е	F	G F	H		g bônd is. \$10,000 Bl					
					G					
L	K	J	ı	Drilling Contractor	Drilling Contractor San Juan Drilling Co.					
				**	***************************************					
3.4	-		_		······································					
M	N	0   1	P		te this well in the <b>Pictu</b> oximate depth of <b>P.C.</b> 2					
We p		se the followin		We intend to complete formation at an approach CASING Casing and to cement	e PROGRAM them as indicated:	210' Megaver	<b>de 1,635 !</b> feet.			
We p	ropose to us	se the followin	ng strings of	We intend to complete formation at an approach CASING Casing and to coment Weight per Foot	oximate depth of PcCa 2: PROGRAM them as indicated: New or Second Hand	210 Legaver	Sacks Cement			
We p	ropose to us	se the followin	ng strings of	We intend to complete formation at an approach CASING Casing and to cement  Weight per Foot  32.75	oximate depth of PcCs 2: PROGRAM them as indicated: New or Second Hand	210! Megaver  Depth  209	Sacks Cement			
We p Size 15	ropose to us of Hole 1/1 3/1	se the followin	ng strings of	We intend to complete formation at an appropriate CASING Casing and to cement  Weight per Foot  32.75	PROGRAM them as indicated:  New or Second Hand New New	210! <b>Hepayer</b> Depth  200 21:50	Sacks Cement 200 150			
We p Size 15	ropose to us	se the followin	ng strings of	We intend to complete formation at an approach CASING Casing and to cement  Weight per Foot  32.75	oximate depth of PcCs 2: PROGRAM them as indicated: New or Second Hand	210! Megaver  Depth  209	Sacks Cement			
We p Size 15 8 6	ropose to use of Hole  1/1: 3/14 1/14  anges in the	se the followin  Size of  10 3	r Casing  A  become ad	We intend to complete formation at an appropriate CASING CASING Casing and to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify y	New or Second Hand New New (Liner 4635)  Tou immediately.	Depth 200 2150 1635)	Sacks Cement 200 150			
We p Size 15 8 6	ropose to use of Hole  1/1: 3/14 1/14  anges in the	se the followin  Size of  10 3	r Casing  A  become ad	We intend to complete formation at an appropriate CASING CASING Casing and to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify y	New New Liner 4635	Depth 200 2150 1635)	Sacks Cement 200 150			
We p Size 15 8 6	ropose to use of Hole  1/1: 3/14 1/14  anges in the	se the followin  Size of  10 3	r Casing  A  become ad	We intend to complete formation at an appropriate CASING CASING Casing and to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify y	New or Second Hand New New (Liner 4635)  Tou immediately.	Depth 200 2150 1635)	Sacks Cement 200 150			
We p Size 15 8 6	ropose to use of Hole  1/1: 3/14 1/14  anges in the	se the followin  Size of  10 3	r Casing  A  become ad	We intend to complete formation at an appropriate CASING CASING Casing and to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify y	New or Second Hand New New (Liner 4635)  Tou immediately.	Depth 200 2150 1635)	Sacks Cement 200 150			
We p Size  15 8 6	anges in the	se the followin  Size of  10 3  7  1 1  above plans  INFORMAT	Casing  Casing  L  Decome ad  ION (If re	We intend to complete formation at an appropriate CASING CASING CASING And to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify yellow the completion give full of the complete complet	New or Second Hand  New New (Liner 4635)  You immediately.  details of proposed plan of w	Depth 200 2150 1635)	Sacks Cement 200 150			
We p Size  15 8 6  If ch ADD	anges in the	se the followin  Size of  10 3	Casing  Casing  L  Decome ad  ION (If re	We intend to complete formation at an appropriate CASING CASING Casing and to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify y	New Second Hand  New Liner 4635  rou immediately.  details of proposed plan of w  Sincerely yours,	Depth  200 2150 1.635)	Sacks Cement   200   150   200			
We p Size  15 8 6  If ch ADD	anges in the	se the followin  Size of  10 3  7  1 1  above plans  INFORMAT	Casing  Casing  L  Decome ad  ION (If re	We intend to complete formation at an appropriate CASING CASING CASING And to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify yellow the completion give full of the complete complet	New Second Hand  New Liner 4635  rou immediately.  details of proposed plan of w  Sincerely yours,	Depth 200 2150 1635)	Sacks Cement  200  150  200  RELL  OIL CON. CC DIST. 8			
We p Size  15 8 6  If ch ADD	anges in the	se the followin  Size of  10 3  7  1 1  above plans  INFORMAT	Casing  Casing  L  Decome ad  ION (If re	We intend to complete formation at an appropriate CASING CASING CASING And to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify yellow the completion give full of the complete complet	New Second Hand  New Liner 4635  rou immediately.  details of proposed plan of w  Sincerely yours,	Depth  200 2150 1635)	Sacks Cement  200  150  200  RELL  OIL CON. CC DIST. 8			
We p Size  15 8 6  If ch ADD	anges in the ITIONAL	10 3	r Casing  A  become ad  ION (If recommend)	We intend to complete formation at an appropriate CASING CASING CASING TO CA	New or Second Hand New New (Liner 4635)  You immediately.  details of proposed plan of w  Sincerely yours,  By	Depth  200 2150 1635)  Fork.)	Sacks Cement  200  150  200  RELL  OIL CON. CC DIST. 8			
We p Size  15 8 6  If ch ADD	anges in the ITIONAL	se the followin  Size of  10 3  7  1 1  above plans  INFORMAT	r Casing  A  become ad  ION (If recommend)	We intend to complete formation at an appropriate CASING CASING CASING TO CA	New Oximate depth of Pece 2:  PROGRAM them as indicated:  New or Second Hand New New Liner 4635  Tou immediately. details of proposed plan of w  Sincerely yours,  Polhi-Telegraphic Sincerely yours,  Send Cool	Depth  200 2150 1635)  vork.)	Sacks Cement  200  150  200  RELLIV  OIL CON. C. DIST. S.			
We p Size  15 8 6  If ch ADD	anges in the ITIONAL	10 3	r Casing  A  become ad  ION (If recommend)	We intend to complete formation at an appropriate CASING CASING CASING TO CA	New or Second Hand  New New (Liner 2015)  You immediately.  details of proposed plan of w  Sincerely yours,  Position Dist. S.  Send Co.  Name Dolhi-T.	Depth  200 2150 1635)  vork.)  201 Corrections regard a view of the control of th	Sacks Cement  200  150  200  RELLIV  OIL CON. C. DIST. S.			
We posted	ropose to us  of Hole  1/4  3/4  1/4  anges in the ITIONAL  follows:	10 3	pg strings of Casing  A  Decome ad  ION (If recommend)	We intend to complete formation at an appropriate of Casing and to cement  Weight per Foot  32.75  20.00  9.50  visable we will notify y ecompletion give full of the complete	New or Second Hand  New New (Liner 1635)  Tou immediately.  details of proposed plan of w  Sincerely yours,  Position Disto St Send Cot Name Dolhi-To	Depth  200 2150 1635)  vork.)  201 Corrections regard a view of the control of th	Sacks Cement  200  150  200  RECEIV  OIL CON. CO.  DIST. S.  portion			

•	AZTEC D	ATION COMMISS	
	No. Copies Re	eived	
		STRIBUTION	
		NO.	
	Operator	- 15 10 10 10 10 10 10 10 10 10 10 10 10 10	
	Santa Fe	The same transportation of the same transportati	
arium.	Proration Office		
	State Land Office		
	U. S. G S.		
•	Transporter		
	File		

## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

						2 10141.	Dat	e July 2	3. 1956
Operator_D	ELHI - I	AYLOR OIL CO	RPORATIO	)N	Lease	Sta			
Well No	4	Section	32	Tow	nship_2	9 NORTH	Range_	9 WEST,	NMPM
Located	1090	Feet Fr	om the	SOUTH	_Line,	1500	Feet Fr	om the	EST Line,
		SAN JUAN	Count	y, New	Mexico.	G. L.	Elevation_	Will be f	urnished let
Name of Pro	oducing		Mesaverd Pictured	-		- Blanco Undes.	Dedic	cated Acre	320.0 eage 160.0
	(No	ote: All dis	ances m	nust be	from out	er bound	aries of Se	ction)	
	And the second s			- , and see					EL 24
	The second secon				32			OIL .	CON. COM.
NOTE This section form is to be used for gas	•	· ·					Output Company		
wells only.		- <i>1500'</i>	0-,0601						
1 Tethic V		ALE: 1"=1000'	Vast	AT .					
any other	nswer to	Question l completed v ge? Yes	is yes,	are the	rii ma tha bes	pared from the by me the same tof my k	or under r ne are true mowledge a	tes of act ny superv and corre and belief.	ual surveys ision and ect to the
Position.	Dist. S	Supt.			Q	e Survey	Ped 23	JUNE 1956	)
Representin Address P.	g Delhi- O. Box	Taylor Oil	Corporation, No.	on w Maxic		gistered nd Survey		al Engine s P. Leese lex. Reg. 1	e

OIL CONSERVA	TION COMMI	NOISS
AZTEC DIS	TRICT OFFIC	F
No. Copies Rece	hed	t
DISTR	BUTION	
	SUPPLY SHED	
Operator	3	
Santa Fe	/	
Proration Office	<del></del>	
State Land Office		
U. S. G. S		
Transporter		
File		
	-	