

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 33-02946
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	<input checked="" type="checkbox"/> SUBSEQUENT REPORT OF WATER SHUT-OFF _____
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 10, 1958

Ted M. White S. J. 29-9
Well No. 1 is located 1300 ft. from NE line and 1300 ft. from E line of sec. 15

NE 1/4 34 15 (1/4 Sec. and Sec. No.) 29N (Twp.) 9W (Range) N. M. P. M. (Meridian)
Blanco Mesavere (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5751 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


Propose to drill and set 136' 9 5/8" surface csg. and circulate with cement. Drill with mud to approx. 2240' & set 7" csg. and cement with approx. 200 sks cement. Drill with gas to P.O. approx. 4050' & set 5" liner with approx. 200 sks cement. Perf. 5" csg. opposite Mesa Verde from 3300 to 4600' and frac 2 stages w/ approx. 80,000 gals water with 5/8# sand/gal in each stage. Set plug and perf. Pictured Cliffs from 2100 to 2300' and frac with approx 38,000 gals water and 25,000# sand. Will run parallel strings of tubing to produce from two zones.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TED M. WHITE
Address 115 SEVENTH N. W.
ALBUQUERQUE, NEW MEXICO

By [Signature]

Title AGENT



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office 68472-1-2

Lease No. 77-02-01

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1 is located 1200 ft. from N line and 1300 ft. from W line of sec. 35
1200 (4 Sec. and Sec. No.) 29N (Twp.) 08 (Range) N. T. P. M. (Meridian)
Blanco Mesavilla (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5751 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Proposed to drill a 130' 9 5/8" surface cas. and circulate with cement. Drill with and to approx. 220' a 7" cas. and cement with approx. 200 lbs cement. Drill with gas to a. l. approx. 1,500' set 5" liner with approx. 200 lbs cement. Perf. 5" cas. a. possible case from 300 to 400' and from 2 st. ca u/ approx. 20,000 lbs water and 25,000' sand. Set plug and perf. (pictured) 410' from 3100 to 2000' and from with approx. 20,000 lbs water and 25,000' sand. Will run parallel strings of casing to produce four two zones.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company 77-02-01

Address 115

By E. J. [Signature]

Title Geologist

State Copy Form C-128
NEW MEXICO OIL CONSERVATION COMMISSION

Revised 5/1/57

Well Location and Acreage Dedication Plat

Section A.

Date June 10, 1953


Operator Ted M. White Lease Ted M. White S. J. 29-9
Well No. 1 Unit Letter K Section 35 Township 29N Range 9W NMPM
Located 1300 Feet From South Line, 1800 Feet From West Line
County San Juan G. L. Elevation 5751 Dedicated Acreage 306 .1 MV 153.07 re BC
Name of Producing Formation Mesaverde-Pictured Cliffs Blanco Mesaverde

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes X No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.


TED M. WHITE

(Operator)

C. Earl Stewart
(Representative)

115 Seventh N. W.

ALBUQUERQUE, NEW MEXICO
Address



This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed Jan. 10, 1953

Ernest V. Echohawk
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 1545

(See instructions for completing this form on the reverse side)

INSTRUCTIONS FOR COMPLETION:

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)

EL PASO NATURAL GAS COMPANY - Wells Requiring File Corrections Only

3-25-68

Page 3

<u>LEASE NAME & WELL NUMBER</u>	<u>LOCATION</u>	<u>POOL</u>	<u>PRESENT ACREAGE</u>	<u>CORRECT ACREAGE</u>
San Juan 28-7 Unit #103	A-3-27N-7W	So. Blanco PC	159.12	159.25 ✓
San Juan 28-7 Unit #103	A-3-27N-7W	Blanco MV	E 319.12	E 319.25 ✓
San Juan 28-7 Unit #95	M-4-27N-7W	Blanco MV	W 318.79	W 319.79 ✓
Filan #4	H-5-27N-8W	Blanco MV	E 322.27	E 321.48 ✓
Lodewick #3	D-19-27N-9W	Ful.Kutz PC	160	160.88 ✓
Turner Navajo #1	H-25-27N-9W	So. Blanco PC	159.51	160 ✓
Huerfanito Unit #74	M-19-27N-10W	Ful.Kutz PC	166.99	167.19
San Juan 28-4 Unit #29	M-31-28N-4W	Basin Dakota	W 319.38	W 319.56 ✓
Florance C #1	A-19-28N-8W	Blanco MV	N 313	N 312.52 ✓
Schwerdtfeger A #10	L-31-28N-8W	So. Blanco PC	137.54	137.59 ✓
Howell #3	N-34-28N-8W	Blanco MV	S 301	S 301.04 ✓
Storey C #9	L-34-28N-9W	Blanco MV	S 338.47	S 338.45 ✓
Indian A #2	N-30-29N-3W	Choza Mesa PC	253.55	253.63
San Juan 29-4 Unit #1	K-30-29N-4W	Blanco MV	320	W 318.10 ✓
San Juan 29-7 Unit #83	A-3-29N-7W	Blanco MV	E 318.04	E 318.05 ✓
Sunray #1	M-5-29N-8W	Blanco MV	W 324.84	W 324.94 ✓
Riddle A #2	H-1-29N-9W	Blanco MV	E 332.95	E 332.05 ✓
San Juan #20	K-35-29N-9W	Aztec PC	153.05	153.07 ✓
Ludwick #13	G-5-29N-10W	Aztec PC	161.81	160.86 ✓
Ludwick #13	G-5-29N-10W	Blanco MV	N 321.81	N 321.84 ✓
Duff #1	E-5-29N-11W	Aztec PC	148	147.76 ✓
Schultz Com F #11	D-36-29N-11W	Aztec Fruit.	160	158.61 ✓
White Allen #1	F-1-29N-12W	Ful.Kutz PC	160	160.20 ✓
San Juan 30-4 Unit #10	F-27-30N-4W	E. Blanco PC	159.96	159.99 ✓
San Juan 31-6 Unit #14	M-5-30N-6W	Blanco MV	W 319.84	W 319.49 ✓
Howell A #3	M-4-30N-8W	Blanco MV	320	320.50 ✓
Howell C #4	M-18-30N-8W	Blanco MV	334.95	W 1/2 18 SW 1/4 7 334.94 ✓