13 - 0 / 4 60

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

Form C-101 Revised (12/1/55)



NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

If State Land submit 6 Copies Attach Form 0-128 in triplicate to first 3 copies of form 0-101

armington, New Hexico					July 15, 1964			
(Place) IL CONSERVATION COMMISSION ANTA FE, NEW MEXICO						(Date)		
tlemen:								
You are	e hereby i	notified th	nat it is our i	intention to commence the	e Drilling of a well	to be known as		
illege	os Cany	on No.	162 Undt		, Well No 1	, in	J (Unit)	The well
tcd	2150	fee	t from the	Sout	1	line and	1650	feet from th
VE LO	CATION	FROM S	ECTION LIN	NE) Basin Dal	kota Poc	ol, San Ju	<u>n</u>	Count
				If State Land the Oil as	nd Gas Lease is No		••••••	•••••
_				If patented land the ow				
D	C	В	A	Address Bloomfi				
E	F	G	н	We propose to drill well total depth.		nent as follows: Re		
~	•		**	The status of plugging	bond is State W	ide		<u></u>
							<i>z</i> "	
				***************************************	•••••••••••••••••••••••••	***************************************	····	
L	K	J X	I	Drilling Contractor	Brinkerhoff Dr	illing Company	7	
L	K	J X	1	Drilling Contractor	Brinkerhoff Dr	illing Compan	7 - - Q	
				Drilling Contractor	Brinkerhoff Dr	illing Compan	7 - - Q	
L M	K N	у х	I P	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the	illing Compan b Building do Dakota		
М	N	0	P	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the timate depth of PROGRAM	illing Compan b Building do Dakota		
М	N	0	P	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the timate depth of PROGRAM	illing Compan b Building do Dakota		
M We pro	N	O e the follo	P	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the timate depth of PROGRAM	illing Company b Building do Dakota 610		Sacks Cement
M We pro	N popose to us	O se the follows	P owing strings	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the timate depth of PROGRAM hem as indicated:	illing Company b Building do Dakota 610	0	feet
M We pro	N popose to us	O se the follo	P owing strings	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the this well in the this well in the PROGRAM hem as indicated: New or Second Hand	illing Company b Building do Dakota 610		Sacks Cement
M We pro	N opose to us of Hole	O se the follo	P owing strings of Casing 8-5/8#	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the dimate depth of PROGRAM hem as indicated: New or Second Hand	illing Company b Building do Dakota 610		Sacks Cement
M We pro	N opose to us of Hole	O se the follo	P owing strings of Casing 8-5/8#	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the dimate depth of PROGRAM hem as indicated: New or Second Hand	illing Company b Building do Dakota 610		Sacks Cement
M We pro	N opose to us of Hole	O se the follows	P owing strings ize of Casing 8-5/8# 4-1/2#	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the dimate depth of PROGRAM hem as indicated: New or Second Hand New New	illing Company b Building do Dakota 610		Sacks Cement
M We prosent to the state of th	N opose to us of Hole 1/4# 7/8#	O se the follows:	P owing strings ize of Casing 8-5/8# 4-1/2#	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the PROGRAM hem as indicated: New or Second Hand New New u immediately.	illing Company b Building do Dakota 610 Depth 350		Sacks Cement
M We pro Size o 12-1 7-2 If char ADDI' be co	N opose to us of Hole 1/48 7/89 riges in the TIONAL conented	e above pl	P owing strings ize of Caeing 8-5/8# 4-1/2# lans become a fATION (If	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the this well in the PROGRAM hem as indicated: New or Second Hand New New Lu immediately. etails of proposed placeollar set 100	Dakota Depth 350 6100 n of work.)	o ase of 1	Sacks Cement 250 1600*
M We pro Size o 12 7 If char ADDI' be co	N opose to us of Hole 1/4# 7/8# nges in the TIONAL comented	e the following above plinform	P owing strings ize of Casing 8-5/8# 4-1/2# lans become a IATION (If o stage m at are at	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the this well in the program hem as indicated: New or Second Hand New New New Lu immediately. etails of proposed plan collar set 100 f any logs run	Dakota Depth Depth Of work.) Seet below be a will be furn	o ase of 1	Sacks Cement 250 1600*
M We pro Size o 12 7 If char ADDI' be co	N opose to us of Hole 1/4# 7/8# nges in the TIONAL comented	e the following above plinform	P owing strings ize of Casing 8-5/8# 4-1/2# lans become a IATION (If o stage m at are at	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the this well in the program hem as indicated: New or Second Hand New New New Lu immediately. etails of proposed plan collar set 100 f any logs run	Dakota Depth Depth Of work.) Seet below be a will be furn	o ase of 1	Sacks Cement 250 1600*
M We prosect the state of the s	opose to us of Hole 1/4= 7/8= TIONAL complete pproval	e the following above plus in FORM in the stion received in the stion	P owing strings ize of Casing 8-5/8" 4-1/2" lans become a IATION (If o stage m at are at will be a ved July	Drilling Contractor	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the this well in the program hem as indicated: New or Second Hand New New New tu immediately. tails of proposed plately for logs rur reaching total to Hollingswer Sincerely yours,	Dakota Depth 350 6100 n of work.) refer below be will be furn depth.	ase of lished up	Sacks Cement 250 1600* lesaverde.
M We prosect the state of the s	nopose to us of Hole 1/4# 7/8# riges in the TIONAL comented Locat Compl	e the following above plus in FORM in the stion received in the stion	P owing strings ize of Casing 8-5/8" 4-1/2" lans become a IATION (If o stage m at are at will be a ved July	We intend to complete formation at an approx CASING I of Casing and to cement the weight per Foot 24# 10.5# advisable we will notify you recompletion give full desthod with stage in tached. Copies of indicated upon	Brinkerhoff Dr 870 Denver Clu Denver, Golora this well in the this well in the program them as indicated: New or Second Hand New New New It immediately. Tails of proposed plate collar set 100 f any logs rur reaching total to Hollingswer Sincerely yours, PAN AMERIC	Dakota Dakota Depth 350 6100 n of work.) ret below be will be furn depth. CAN PETROLEUM	o ase of lished up	Sacks Cement 250 1600* fesaverde. con completio
M We prosect the state of the s	opose to us of Hole 1/4= 7/8= TIONAL complete pproval	e the following above plus in FORM in the stion received in the stion	P owing strings ize of Casing 8-5/8" 4-1/2" lans become a IATION (If o stage m at are at will be a ved July	We intend to complete formation at an approx CASING I of Casing and to cement the weight per Foot 24# 10.5# advisable we will notify you recompletion give full desthod with stage in tached. Copies of indicated upon	Brinkerhoff Dr 870 Denver Clm Denver, Colora this well in the	Depth	ase of lished up	Sacks Cement 250 1600* fesaverde. con completio
M We prosect the state of the s	opose to us of Hole 1/4= 7/8= TIONAL complete pproval	e the following above plus in FORM in the stion received in the stion	P owing strings ize of Casing 8-5/8" 4-1/2" lans become a IATION (If o stage m at are at will be a ved July	We intend to complete formation at an approx CASING I of Casing and to cement the weight per Foot 24# 10.5# advisable we will notify you recompletion give full desthod with stage in tached. Copies of indicated upon	Brinkerhoff Dr 870 Denver Clm Denver, Colora this well in the	Dakota Depth 350 6100 n of work.) refer below be will be furn depth.	ase of lished up	Sacks Cement 250 1600* fesaverde. con completio
M We prosect the state of the s	nopose to us of Hole 1/4 7/8 Inges in the TIONAL Complete Complete Complete Collows:	above plinform lby twion Plation resei	P owing strings ize of Casing 8-5/8# 4-1/2# lans become a fATION (If o stage m at are at will be a ved July	We intend to complete formation at an approx CASING I of Casing and to cement the weight per Foot 24# 10.5# dvisable we will notify you recompletion give full de sthod with stage of tached. Copies of indicated upon 14, 1964, Arnold	Brinkerhoff Dr 870 Denver Clm Denver, Colora this well in the	Depth	corporas	Sacks Cement 250 1600* lesaverde. con completio
M We prosect the state of the s	nopose to us of Hole 1/4 7/8 Inges in the TIONAL Complete Complete Complete Collows:	above plinform lby twion Plation resei	P owing strings ize of Casing 8-5/8" 4-1/2" lans become a IATION (If o stage m at are at will be a ved July	We intend to complete formation at an approx CASING I of Casing and to cement the weight per Foot 24# 10.5# dvisable we will notify you recompletion give full de sthod with stage of tached. Copies of indicated upon 14, 1964, Arnold	Brinkerhoff Dr 870 Denver Clu Denver, Colora this well in the	Dakota Dakota Depth 350 6100 n of work.) feet below be will be furn depth. Company or or or Original Sign F: H: HOLLINGSV	CORPORATO PER BY VORTH	8acks Cement 250 1600* Separate to the second seco

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

BECTION A.		•	Date Jul:	y 15, 1964
Operator PAN AMERICAN PE	TROLEUM CORPORATION	Lease GALLEGO		
Well No. Unit Lette	er J Section 36	Township 29	NORTH Page	o 12 WEST NIMBAA
Located 2150 Fe	eet From South	line 1550	Foot From	FACT INMPM
County SAN JUAN	G 1 Flavotion P	enort later Delicate	reet from	Line
Name of Producing Formation	Nekote	Port Perer Degleate	a Acreage 340	Acres
Name of Producing Formation	Deaut a	and the second results of the second results	Basin Dakoi	LA
1. Is the Operator the only ov	wner* in the dedicated acrec	age outlined on the plat	below? Yes	. No x
2. If the answer to question	One is "No" have the int	erests of all the owner	boom compatidated	The second second
gareement or otherwise?	Yes X No If	enesis of all the owners	s been consolidated	by communitization
agreements circulating	g for signature - E/2	of Section 36 cont	or Consolidation	AMOUNTE IZACION
not committed to Galle	egos Canyon Unit. All	parties agree to	drilling of well	
3. If the answer to question	Two is "No," list all the o	wners and their respect	live interests below:	• • :
	OWNER		LAND DESCRIPTION	SER
		to the same of the same and the same and the same and the same		REFER S
				0[][
			0,.	1 7 364
SECTION B.			()	Ja. 1961
			/ 0/6	Sr. 3 OM.
1			The second second	3 M.
!			tion in Section	A above is true and
<u>l</u>		1	complete to th	e best of my knowl-
l l			edge and belie	
1		!		
				PETROLEUM CORP.
			7. H. Helling	2 voit
		1	F. H. HOLLIN	GSWORTE
				EBENTATIVE)
·			P. O. BOX 48 FARMINGTON,	
1				
	Sec. 36		D LAN	thou the well loca-
ì	C. J. BURNI	TANK ,	This wife conti	that the well loca
	,	1050	tien shown on	the plan in Section B
		165	this plotted five	n fieldingotes of ac-
1	į.	1	a tudi surveyara	ade by me or under and that the same
			is five and, so	tractitatine hest of
			w, Knowledge	trect to the best of out belief.
			Manager Co	11111111
i i	215		Date Surveyed	June 4, 1964
<u> </u>	1	,		Engineering Co.
ļ ,			FARMINGT	ON, NEW MEXICO
			· Canada	Cachelin- wit
			REDISTER	ED ENGINEER OR
			, and	2500
390 660 980 1820 1660 19	80 2310 2640 Z000 15	en 1000 500	Certificate No.	3602

STATE OF NEW MEXICO						
OIL CONSERVATION COLAMISSIO						
AZT. C. DISTILLE OFFICE						
NUMBER OF COPIES RECEIVED						
D.ST. I. ICH						
SANTA FE	1	, ====				
FILE	· 					
U.S.G.S.	 	1				
LAND OFFICE						
TRANSPORTER OIL GAS						
PRORATION OFFICE						
OPERATOR	 					