
Dictions

Approved

Meter Number:74633
Location Name:STATE GAS COM O #1
Location:TN-29 RG-09
SC-32 UL-H
1 - State
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 74633 Location: STATE 6AS COM 0 \$\frac{1}{2}\$ Operator #: \(\text{D203} \) Operator Name: \(\text{Amoco} \) P/L District: \(\text{BLANCO} \) Coordinates: Letter: \(\text{H} \) Section \(\text{32} \) Township: \(\text{29} \) Range: \(\text{9} \) Or \(\text{Latitude} \) Longitude \(\text{Line Drip:} \) Other: \(\text{Site Assessment Date:} \(\text{S:14.94} \) Area: \(\text{03} \) Run: \(\text{42} \)
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside
REMARAS	Remarks: FIVE PITS ON LOCATION. WILL CLOSE ONLY ONE, PIT IS DRY. LOCATION IS ON A MESA SOUTH OF SULLIVAN ROAD, REDLINE AND TOPO CONFIRMED LOCATION IS OUTSIDE V.Z. PUSH IN 1


_
_
LOCATION
_
_
_
_
_
_
~
,
$\overline{}$
=
$\overline{}$
\sim
_
г.
_
α.
PIT
-
_
_
Ч
_
~
F
_
(7
_
$\overline{}$
~ 1
\perp
ORIGINAL
$\overline{}$
$\overline{}$

REMARKS

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 300° Footage from Wellhead 137'

b) Length : 14' Width : 14' Depth : 1'



Remarks	:
---------	---

TOOK PICTURES AT /1:15 A.M.
END DUMP

Completed By:

Signature

5.14.94 Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 74633 Location: state 605 000 0 #1 Coordinates: Letter: H Section 32 Township: 29 Range: 9 Or Latitude Longitude Longitude Date Started: 7-27-94 Run: 03 42
FIELD OBSERVATIONS	Sample Number(s): AK 187 Sample Depth: 4' Feet Final PID Reading 96 PID Reading Depth 4' Feet Yes No Groundwater Encountered Approximate Depth Feet
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks: FPNG liples mark Soil Gray Strong HYDrocerten Odor Hit Sand Stone U' Signature of Specialist: Morgan Xillion (SP3191) 03/16/94



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	SAIVIPLE	IDENTIFICA	TION			
	Field	I ID		Lab ID		
SAMPLE NUMBER:	m/K 187		945776			
MTR CODE SITE NAME:	74633		N/A			
SAMPLE DATE TIME (Hrs):	7-27-9	J	1112			
SAMPLED BY:	N/A					
DATE OF TPH EXT. ANAL.:	7/28/	94	7/28/94			
DATE OF BTEX EXT. ANAL.:	NIA	N)A				
TYPE DESCRIPTION:	√ G -		Fine Brown Sand			
REMARKS:					····	
		RESULTS				
PARAMETER	RESULT UNITS			QUALIFIERS		
(AllAllie Lett			DF	Q	M(g)	V(ml)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG		<u> </u>		71
TPH (418.1)	1310	MG/KG			2.06	28
HEADSPACE PID	94	PPM				······································
PERCENT SOLIDS	91.2	%				
e Surrogate Recovery was at	- TPH is by EPA Method	418.1 and BTEX is by EPA		C was acce	otable.	
ne Surrogate Recovery was at arrative:						

Date:

OF = Dilution Factor Used

Approved By:

Test Method for Oil and Grease and Fetroleum Hydrocarbons in Water and Soil Perkin-Elmer Model 1600 FT-IR Analysis Report 14707728 1.3441 gyman . Lample after extraction, so Book of the property of a percentage 1995