

NM OCC-3
Peppin-1
Truby-1
Fowler-1
Rittmann
File-1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122

Revised 12-1-55

MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool Aztec PC Extn Formation Pictured Cliffs County San Juan
Initial X Annual _____ Special _____ Date of Test 3-4-58
Company Northwest Production Corporation Lease San Juan 29-9 Well No. 1-35
Unit C Sec. 35 Twp 29N Rge. 9W Purchaser Not connected
Casing 4½ Wt. 9.5 I.D. _____ Set at 2220 Perf. 2074 To 2130
Tubing 1½ Wt. 2.3 I.D. _____ Set at 2136 Perf. _____ To _____
Gas Pay: From 2074 To 2114 L _____ Est .650 -GL _____ Bar.Press. _____
Producing Thru: Casing X Tubing _____ Type Well Single
Date of Completion: 2-22-58 Packer No Single-Bradenhead-G. G. or G.O. Dual
Reservoir Temp. _____

OBSERVED DATA

Tested Through (Peppin) (Choke) (Peppin) Type Taps _____

No.	Flow Data			Tubing Data		Casing Data		Duration of Flow Hr.
	(Prover) (Line) Size	(Choke) (Peppin) Size	Press. psig	Diff. h _w	Temp. °F.	Press. psig	Temp. °F.	
SI						937	937	SI
1.								
2.								
3.		3/4	210			226	210	43
4.								
5.								

FLOW CALCULATIONS

No.	Coefficient (24-Hour)	$\sqrt{h_w p_f}$	Pressure psia	Flow Temp. Factor F _t	Gravity Factor F _g	Compress. Factor F _{pv}	Rate of Flow Q-MCFPD @ 15.025 psia
1.							
2.							
3.	12.3650		222	1.0168	.9608	1.025	2,749
4.							
5.							

PRESSURE CALCULATIONS


Gas Liquid Hydrocarbon Ratio _____ cf/bbl.
Gravity of Liquid Hydrocarbons _____ deg.
F_c _____ (1-e^{-s})
Specific Gravity Separator Gas _____
Specific Gravity Flowing Fluid _____
P_c 949 P_c² 900.6

No.	P _w P _t (psia)	P _t ²	F _c Q	(F _c Q) ²	(F _c Q) ² (1-e ^{-s})	P _w ²	P _c ² -P _w ²	Cal. P _w	P _w P _c
1.									
2.									
3.	238					56.6	844.0		1.0671
4.									
5.									

Absolute Potential: 2.905 MCFPD; n .85/1.0567

COMPANY Northwest Production Corporation
ADDRESS 204 North Orchard, Farmington, New Mexico
AGENT and TITLE C. E. Werner, Pumper
WITNESSED _____
COMPANY _____

REMARKS



INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

Q = Actual rate of flow at end of flow period at W. H. working pressure (P_w).
MCF/da. @ 15.025 psia and 60° F.

P_c = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater.
psia

P_w = Static wellhead working pressure as determined at the end of flow period.
(Casing if flowing thru tubing, tubing if flowing thru casing.) psia

P_t = Flowing wellhead pressure (tubing if flowing through tubing, casing if
flowing through casing.) psia

P_f = Meter pressure, psia.

h_w = Differential meter pressure, inches water.

F_g = Gravity correction factor.

F_t = Flowing temperature correction factor.

F_{pv} = Supercompressability factor.

n = Slope of back pressure curve.

Note: If P_w cannot be taken because of manner of completion or condition of well, then P_w must be calculated by adding the pressure drop due to friction within the flow string to P_t .

WELL NO.	1	
WELL NAME		
WELL TYPE		
WELL STATUS	1	
WELL DEPTH		
WELL DATE	1	
WELL FILE	1	

DRILLING DEPARTMENT

COMPANY Northwest Production Corp.

LEASE San Juan 29-9 WELL NO. 1-35

DATE OF TEST March 4, 1958

SHUT IN PRESSURE (PSIG): TUBING 937 CASING 937 S. I. PERIOD 8 DAYS

SIZE BLOW NIPPLE _____

FLOW THROUGH 3/4" T.C. OK on casing WORKING PRESSURES FROM Tubing

TIME		PRESSURE	Q (MCFD) 15.025 PSIA @ 60°F	WELLHEAD WORKING PRESSURE (PSIG)	TEMP
HOURS	MINUTES				
	15	460		620	43
	30	356		390	
1	0	293		324	
1	30	260		281	
2	0	239		260	
2	30	221		240	
3	0	210		226	

START AT: 11:45 AM END TEST AT 2:45 PM

REMARKS: Broke thermometer after initial temp reading.

TESTED BY: C. E. Werner

WITNESS: _____

OIL CONSERVATION COMMISSION
AZTEC DISTRICT OFFICE