## X (S

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agene	Tribal	Lands
Allottee	149-IN	

#### SUNDRY NOTICES AND REPORTS ON WELLS

OTICE OF INTENTION TO DOWN	1 4	SUBSEQUENT F			i i i
OTICE OF INTENTION TO DRILL			REPORT OF WATER SHUT		
OTICE OF INTENTION TO CHANGE PLAN OTICE OF INTENTION TO TEST WATER:		li e	REPORT OF SHOOTING OF		
OTICE OF INTENTION TO TEST WATER :		II.	REPORT OF ALTERING CA		
OTICE OF INTENTION TO SHOOT OR AC		II.	REPORT OF REDRILLING		
OTICE OF INTENTION TO SHOUL OR ALTE		H	REPORT OF ABANDONMEN	<u>rr</u>	104
OTICE OF INTENTION TO ABANDON WEL		SUPPLEMENTAL	RY WELL HISTORY	3467	- 304
				<del></del>	
(INDICATE A	OVE BY CHECK MARK N	ATURE OF REPORT,	NOTICE, OR OTHER DATA	1	
			ļ.	r est	•
	-		March	b,	19_57
Il No.2 Navaje is locate  IB/4 Sec. 35  (34 Sec. and Sec. No.)	291	18V (Range)	NuPM (Meridian)	line of se	t
Wildest	San Jus	Ma	New No	zice	
(Field)	(County or	Subdivision)	(Sta	te or Territory)	
e names of and expected depths to ob	DETAIL octive sands; show sizes ing points, and all oth	S OF WORK , weights, and leng her important prop	ths of proposed casings; i		
te names of and expected depths to obj	DETAIL octive sands; show sizes ing points, and all other than 111 to test	S OF WORK	ths of proposed casings; i	e format	ion at
we propose to dr prozimately 1600°, roulate cement to	DETAIL iective sands; show sizes ing points, and all oth 111 to test We will a	S OF WORK  s, weights, and lengther important prop  the Dake  the Dake  the So	ths of proposed casings; i osed work)  The Sandston of 8=5/8 susanks).	e format irface pi will dri	ion at pe and
we propose to dr provinately 1600°, roulate cement to	DETAIL iective sands; show sizes ing points, and all oth vill to test We will a surface, (a	S OF WORK  , weights, and lengther important prop  the Dak  the Dak  the 100 to  theut 50 to  luction in	the of proposed casings; i losed work)  The Sandston of 8+5/8* susacks). Ye in Dakota. 5-	e format rface pi will dri	ion at pe and 11 7-7
We propose to dr propose to dr proximately 1600°, roulate cement to le. In case of po	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
we propose to dr provinately 1600°, roulate cement to 10. In case of po	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
We propose to dr provinctely 1600°, roulate cement to 10. In case of poset through and c	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
We propose to dr provinctely 1600°, roulate cement to 10. In case of poset through and c	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
ve propose to depend to the propose to depend to the propose to depend to the proximately 1600°, roulate coment to le. In case of poset through and continued to the poset through and continued to the poset through and continued to the poset through and continued the poset through and continued to the poset to the poset to the proposet to the propose	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
ve propose to depend to the propose to depend to the propose to depend to the province of poses through and contact through the contact through th	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
ve propose to depend to the propose to depend to the propose to depend to the province of poses through and contact through the contact through th	DETAIL cetive sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit	S OF WORK  , weights, and leng her important prop  the Dake  the Dake  the Dake  the 100 column  the the the the  the the  the the the  the the  the the  the the  the the  the the  the the  the the  the the  the the  the	the of proposed casings; i osed work)  ota Sandston of 8-5/8" su sacks). We in Dakota, 5- in 100 and 12	e format rface pi will dri	ion at pe and 11 7-7
ve propose to dr proximately 1600°, roulate dement to le. In case of po set through and d uld then be perfor	DETAIL incline sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod mented with a ted for do	S OF WORK  the Dake  the Dake  the 100  theut 50  thetien in  the between	the of proposed casings; i losed work)  ota Sandston of 8+5/8* susacks). Ye ii Dakota, 5- ii 100 and 12 attempt.	o formatirface pi vill dri 1/2° eas sacks.	ion at pe and 11 7-7
we propose to dr proximately 1600°, roulate cement to 10. In case of po set through and c uld then be perfor	DETAIL iective sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented with a ted for de	S OF WORK  the Dake  the Dake  the Dake  the 100  thet 50  thetien is  the between  mpletien	the of proposed casings; i losed work)  ota Sandston  of 8-5/8* su  sacks). Ve  n Dakota, 5-  n 100 and 12  attempt.	o formatirface pi vill dri 1/2° eas sacks.	ion at pe and 11 7-7
we propose to depend on the propose to depend on the propose to depend on the real of partial than be performed that this plan of work munderstand that the plan of work munderstand the plan of work munderst	DETAIL iective sands; show sizes ing points, and all oth vill to test We will a surface, (a saible prod emented wit a ted for co	S OF WORK  the Dake  the Dake  the Dake  the 100  thet 50  thetien is  the between  mpletien	the of proposed casings; i losed work)  ota Sandston  of 8-5/8* su  sacks). Ve  n Dakota, 5-  n 100 and 12  attempt.	o formatirface pi vill dri 1/2° eas sacks.	ion at pe and 11 7-7
we propose to draw proximately 1600's roulate cement to less in case of persent through and could then be performed that this plan of work multiple of the set through and could be performed that the plan of work multiple of the set through and could be performed that the plan of work multiple of the set through and could be performed that the plan of work multiple of the set through a set through and could be performed that the plan of work multiple of the set through a set	DETAIL incline sands; show sizes ing points, and all oth ill to test We will a surface, (a saible prod mented with a ted for de streesive approval in w ANNAN DRILL	S OF WORK  the Dake  the Dake  the Dake  the 100  thet 50  thetien is  the between  mpletien	the of proposed casings; i losed work)  ota Sandston  of 8-5/8* su  sacks). Ve  n Dakota, 5-  n 100 and 12  attempt.	o formatirface pi vill dri 1/2° eas sacks.	ion at pe and 11 7-7
we propose to draw proximately 1600's roulate cement to less of persent through and could then be performed that this plan of work multiplany SCHULZ AND BR	DETAIL incline sands; show sizes ing points, and all oth ill to test We will a surface, (a saible prod mented with a ted for de streesive approval in w ANNAN DRILL	S OF WORK  the Dake  the Dake  the Dake  the 100  thet 50  thetien is  the between  mpletien	the of proposed casings; i losed work)  ota Sandston  of 8-5/8* su  sacks). Ve  n Dakota, 5-  n 100 and 12  attempt.	o formatirface pi vill dri 1/2° eas sacks.	ion at pe and 11 7-7



## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

### Well Location and/or Gas Proration Plat Date

Operator_30	HULZ AND BRAI	DON DRILLIN	G COMPANY	Lease		<del></del>		
Well No.	Sec	tion <b>35</b>	Town	ship_2	9 NORTH	Range	18 WEST,	NMPM
Located	330 F	eet From	the NORTH	Line,_	330	Feet Fr	om the	KAST Line,
	SAN JUAN	Cou	nty, New l	Mexico.	G. L.	Elevation_	5264,0	UNGRADED.
Name of Pro	ducing Form	ation		Pool		Dedic	ated Acr	eage
		ll distances	must be f	rom out	er bounda	ries of Se	ction)	
					!		Ö330'	
				i i	; 			
					!			
	ļ	1			]		ļ	
	1			<del> </del>	- <del>  </del>			
					Į.			
		İ			\ 			
		!			i	ক্রিক -	*	*
					ļ			
				35				
		i			į	·		
		į						
NOTE		<b>,</b>						
This section o	of	<b>}</b>			1			
form is to be used for gas		_						
wells only.			·	T			72	多一
		i					5	
İ					İ	į	1 6	
						<u>}</u>	· w	8 57 0
		i						3
V	SCALE: 1":	1000,		<u> </u>				
1. Is this W	ell a Dual Co	omp. ? Yes_	No			ertify that		
2. If the an	nswer to Que	stion lie ve	e are the	1 -	-			tual surveys
	dually comp	•			•			rect to the
•	acreage? Y			bei	st of my l	knowledge	and belie	f.
NT					to S	. A box	- WADAU 74	257
Name Position.				Da	te Survey	Jeu 7 3	MARCH 19	771
	g	<del> </del>		( Re	gistered	Professio	nal Engir	neer and/or
Address				La	nd Survey	707 J	mes r. L	ese g. No. 14 <b>6</b> 3