

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SP 078931-3
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|--|-------------------------------------|--|--------------------------|
| NOTICE OF INTENTION TO DRILL | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF | <input type="checkbox"/> |
| NOTICE OF INTENTION TO CHANGE PLANS | <input type="checkbox"/> | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | <input type="checkbox"/> |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | <input type="checkbox"/> | SUBSEQUENT REPORT OF ALTERING CASING | <input type="checkbox"/> |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | <input type="checkbox"/> | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | <input type="checkbox"/> |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | <input type="checkbox"/> | SUBSEQUENT REPORT OF ABANDONMENT | <input type="checkbox"/> |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | <input type="checkbox"/> | SUPPLEMENTARY WELL HISTORY | <input type="checkbox"/> |
| NOTICE OF INTENTION TO ABANDON WELL | <input type="checkbox"/> | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 1, 1961

USA Glenn H. Callow
Well No. 17 is located 330 ft. from S line and 2160 ft. from E line of sec. 28
22 1/4 Section 28 29 N 13 W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Tarah Galling San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground level ~~datum~~ above sea level is 5750 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


We propose to drill subject well as follows:

1. Rotary tools from surface to total depth.
2. Drill 12-1/4" hole to 150'.
3. Run and cement 8-5/8" casing to 150'. Circulate cement to surface.
4. Drill 7-7/8" hole to total depth, approximately 3675'.
5. Run 12-1/4" casing and cement 12-1/4" logs.
6. Run 4-1/2" casing below Galling pay zones. Run stage collar and cement in two stages. First stage - 140 sacks 30-30 Fumix, tail in 30 sacks 30-30 Fumix. Second stage - 30 sacks 30-30 Fumix.
7. Potential well and clean location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tenneco Corporation
Address P. O. Box 171A
Durango, Colorado

By L. B. Plumb
Title District Production Superintendent



NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.


Date March 2, 1961

Operator TAMMCO CORPORATION Lease GLENN H. CALLOW
Well No. 17 Unit Letter 0 Section 28 Township 29N Range 13W NMPM
Located 330 Feet From South Line, 2160 Feet From East Line
County San Juan G. L. Elevation 5750 Dedicated Acreage 60 Acres
Name of Producing Formation Gallup Pool Batch

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes ☒ No ☐.
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐. If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description



Section B

| | | | |
|------------|--|--|--|
| | | | |
| | | | |
| SECTION 28 | | | |
| | | | |
| | | | |
| 2160' | | | |
| 330' | | | |

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Tammco Corporation

(Operator)

Original Signed By L. B. Plumb L. B. Plumb

(Representative)

P. O. Box 1724
Durango, Colorado

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed Feb. 20, 1961

Stephen H. Kinney
STEPHEN H. KINNEY

Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 803

(See instructions for completing this form on the reverse side)


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**

Lease No. **SP 078931-3**

Unit



SUNDRY NOTICES AND REPORTS ON WELLS

| | |
|--|--|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY |
| NOTICE OF INTENTION TO ABANDON WELL | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 6, 19**61**

USA Glenn H. Callow
Well No. **17** is located **330** ft. from **[S]** line and **2160** ft. from **[E]** line of sec. **28**

SE 1/4 Sec. 28 **29N** **13W** **100M**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Total Gallup **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the **Ground Level** ~~surface~~ above sea level is **9750** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Running and cementing surface casing as follows:


Ran 5 joints 157' casing, 8 5/8" OD, 24#, J-55 and set at 170'. Cemented with 125 sacks regular cement. Circulated cement to surface. Plug down 1:15 A.M. 4-2-61. WOC 8 hours. Pressure tested casing to 800 pounds for 30 min. Pressure held o.k.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Tenneco Corporation**
Address **P. O. Box 1714**
Durango, Colorado

By **[Signature]** **L. B. Flumb**

Title **District Production Superintendent**



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SR 078731-2
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|---|---|----------|
| NOTICE OF INTENTION TO DRILL..... | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | X |
| NOTICE OF INTENTION TO CHANGE PLANS..... | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ April 21, 19 61

USA Glenn H. Callow
Well No. 17 is located 330 ft. from (N) line and 2160 ft. from (E) line of sec. 28

SE 1/4 Section 28 29 N 13 W H.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Total Callow San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground level above sea level is 5750 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Running and cementing production casing as follows:

Run 176 joints 4-1/2" casing, 9.5#, J-55 and one joint 5-1/8" casing, 14#, J-55 and set at 5636'. Stage collar set at 1785' and cemented in two stages. First stage - cemented with 140 sacks 1:1 Pennix 6# gel and 50 sacks 1:1 Pennix 2# gel. Plug down on first stage 11:15 p.m. 4-9-61. Second stage - cemented with 50 sacks 1:1 Pennix 6# gel. Plug down on second stage 11:45 p.m. 4-9-61. VOC 24 hours. Pressure tested casing to 3000 pounds. Pressure held o.k.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tenneco Corporation
Address P. O. Box 1714
Durango, Colorado

By [Signature] L. B. Plumb

Title District Production Superintendent

