

New Mexico Oil Conservation Commission

1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO

February 18, 1960

Pan American Petroleum Company
Box 487
Farmington, New Mexico

Re: Pan American #82 Callegas Canyon Unit
SW 1/4 Sec. 28-29N-12W, San Juan Co.

Gentlemen:

On December 2, 1957 Form C-103 was filed regarding the above well. On this form you stated that this well on which completion was originally attempted in the Pictured Cliffs sandstone had been temporarily abandoned and it was your intention to possibly re-complete in a shallower zone at a later date.

We presume that this has not been feasible. We are, therefore, directing that you file Form C-102 indicating a plugging plan so that the well may be permanently plugged and abandoned according to New Mexico Oil Conservation Commission Rules and Regulations.

Yours very truly

Emery C. Arnold
Supervisor, District #3

ECA:ks

cc: Mr. Oliver Payne
OCC, Santa Fe, N.M.

C-102 was
filed 3/18/60
called by
operator
offshore
Dawson

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-103
(Rev 3-55)

MISCELLANEOUS REPORTS ON WELLS

(Submit to appropriate District Office as per Commission Rule 1106)

Name of Company Pan American Petroleum Corporation				Address Box 487, Farmington, New Mexico			
Lease Gallegos Canyon Unit	Well No. 82	Unit Letter M	Section 28	Township 29N	Range 12W		
Date Work Performed March 16, 1960	Pool West Kutz Pictured Cliffs			County San Juan			

THIS IS A REPORT OF: (Check appropriate block)

- ☐ Beginning Drilling Operations
 ☐ Casing Test and Cement Job
 ☒ Other (Explain): **Notice of Intention to Abandon Well**
☐ Plugging
 ☐ Remedial Work

Detailed account of work done, nature and quantity of materials used, and results obtained.

As a result of not obtaining gas in commercial quantities we propose to plug and abandon Gallegos Canyon Unit Well No. 82 as follows:

1. Spot 10 sack cement plug on bottom (approximately 70-80 feet of fill up) and squeeze with minimum pressure.
2. Fill hole with fluid.
3. Remove wellhead and surface equipment.
4. Spot 5 sacks cement for surface plug (0-40') and erect dry hole marker.
5. Plug and abandonment operations by above procedure to permit possible future re-entry in the event other zones are discovered to be productive in the area.



Witnessed by	Position	Company
--------------	----------	---------

FILL IN BELOW FOR REMEDIAL WORK REPORTS ONLY

ORIGINAL WELL DATA

D F Elev.	T D	P B T D	Producing Interval	Completion Date
Tubing Diameter	Tubing Depth	Oil String Diameter	Oil String Depth	
Perforated Interval(s)				
Open Hole Interval		Producing Formation(s)		

RESULTS OF WORKOVER

Test	Date of Test	Oil Production BPD	Gas Production MCFPD	Water Production BPD	GOR Cubic feet/Bbl	Gas Well Potential MCFPD
Before Workover						
After Workover						

OIL CONSERVATION COMMISSION

I hereby certify that the information given above is true and complete to the best of my knowledge.

Approved by **Original Signed Emery C. Arnold**
 ORIGINAL SIGNED BY
R. M. Bauer, Jr.
Area Engineer
Title **Supervisor Dist. # 3**
 Position
Pan American Petroleum Corporation
Date
MAR 18 1960
 Company
Box 487, Farmington, New Mexico

STATE OF NEW MEXICO		
OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
NUMBER OF COPIES RECEIVED		4
DISTRICT		
SANTA FE	1	
FILE	1	✓
D. S. S.		
FIELD OFFICE		
TRANSPORTER	OIL	
	GAS	
PRODUCTION OFFICE		
OPERATOR	2	