

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

Approved
12/14/00
O/Son

PTT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: SANCHEZ GC #1
Well Name
Location: Unit or Qtr/Qtr sec G sec 28 T 29N R 10W County SAN JUAN
Pit Type: Separator Dehydrator Other BLOW
Land Type: BLM , State , Fee , Other FEE

Pit Location: Pit dimensions: length 28', width 44', depth 6'
(attach diagram)
Reference: wellhead X, other
Footage from reference: 96'
Direction from reference: 16 Degrees X East North X
of
 West South

Depth To Ground Water:	Less than 50 feet	(20 points)	
(Vertical distance from	50 feet to 99 feet	(10 points)	
contaminants to seasonal	Greater than 100 feet	(0 Points)	<u>20</u>
high water elevation of			
ground water)			

Wellhead Protection Area:	Yes (20 points)	
(Less than 200 feet from a private	No (0 points)	<u>0</u>
domestic water source, or; less than		
1000 feet from all other water sources)		

Distance To Surface Water:	Less than 200 feet	(20 points)	
(Horizontal distance to perennial	200 feet to 1000 feet	(10 points)	
lakes, ponds, rivers, streams, creeks,	Greater than 1000 feet	(0 points)	<u>20</u>
irrigation canals and ditches)			

RANKING SCORE (TOTAL POINTS): 40

Date Remediation Started: _____ Date Completed: 10/22/93Remediation Method: Excavation ☒ Approx. cubic yards 274
(Check all appropriate sections) Landfarmed ☒ Insitu Bioremediation _____

Other _____

Remediation Location: Onsite _____ Offsite ☒ P & S ROCK CRUSHER FACILITY
(ie. landfarmed onsite, name and location of offsite facility) NEAR GARCIA GC-8 #1 (J-21-29-10).

General Description Of Remedial Action: _____

Excavation. GROUNDWATER IMPACT. PUMPED & DISPOSED GW PRIOR TO SAMPLING (BY TRIPLE SSS).Ground Water Encountered: No _____ Yes ☒ Depth 6'Final Pit: Sample location see Attached Documents -
Closure Sampling: INCLUDES RESULTS.
(if multiple samples, attach sample results and diagram of sample locations and depths)Sample depth 6' EXPOSED GROUNDWATERSample date 10/21/93 Sample time 1715

Sample Results

Benzene (ppm) _____

Total BTEX (ppm) _____


Field headspace (ppm) _____

TPH _____

Ground Water Sample: Yes ☒ No _____ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 2/15/00 ^{mv}SIGNATURE B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	Pit Water	Date Reported:	10-22-93
Laboratory Number:	6381	Date Sampled:	10-21-93
Sample Matrix:	Water	Date Received:	10-22-93
Preservative:	HgCl and Cool	Date Analyzed:	10-22-93
Condition:	Cool and Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	0.4	0.2
Toluene	4.2	0.6
Ethylbenzene	0.8	0.2
p,m-Xylene	20.3	0.3
o-Xylene	22.5	0.3

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	95 %

Method: Method 5030A, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, July 1992

Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Sanchez GC #1 Blow Pit C4277

Dennis L. Jensen
Analyst

Tony Tristano
Review

