

NEW MEXICO OIL CONSERVATION COMMISSION

NOTICE OF INTENTION TO DRILL

See Rules 101 and 1104.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Astec, New Mexico

Place

November 3, 1952

Date

Notice hereby is given that it is our intention to commence the drilling of a well to be known as.....

Francis L. Harvey G.F. Harrington Unit well No. 1 in 1.74
Company or Operator Lease
of Sec. 28, T. 29N, R. 10W, N. M., P. M. Wildcat Pool, San Juan County.

N

The well is 990' feet from (XX) (S.) line and 990' feet from (XX) (W.) line of the above section.

(Give location from section lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owners are: G.F. Harrington, SW $\frac{1}{4}$ SW $\frac{1}{4}$

Address Roy Sullivan, SE $\frac{1}{4}$ SW $\frac{1}{4}$; Fred Anderson, NE $\frac{1}{4}$ SW $\frac{1}{4}$.


If government land the permittee is

Address

The lessee is Francis L. Harvey

Address Box 990, Wichita Falls, Texas

We propose to drill well with drilling equipment as follows: Rotary tools



AREA 640 ACRES

LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as follows: \$10,000 Blanket Bond on file with the Commission

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
	10-3/4" 5 1/2"		Second hand " "	100' 1800'	Cemented to surface "	surface 150

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 1800 feet.

Additional information: We propose to drill a well to and through the Pictured Cliffs formation. If production is indicated we will set 5 1/2" casing on top of the sand, shoot with approximately 3 quarts to the foot of solidified nitro-glycerin, clean out, run 1" syphon line to T.D. and complete as a gas well.

Approved 7400 3, 1952

except as follows:

Francis L. Harvey

Company or Operator

By

Position

Co-owner

Send communications regarding well to:

Name Francis L. Harvey

Address Box 990, Wichita Falls, Texas.


OIL CONSERVATION COMMISSION,

By

Title

Oil & Gas Inspector, Dist. #3

Company.....Francis Harvey.....
Lease.....Well No.....
Sec.....28....., T.....29 N....., R.....10 W....., N.M.P.M.
Location.....990' from the South line and 990' from the
West line.
Elevation.....5543.5 Ungraded ground.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

SurveyedNovember 4....., 1952.

OIL CONSERVATION COMMISSIC

AZTEC DISTRICT OFFICE

No. Copies Received 5

DISTRIBUTION

	NO. FURNISHED	
Operator	1	
Santa Fe	1	
Proration Office		
State Land Office		
U. S. G. S.	2	
Transporter		
File	1	✓