

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Drawer DD, Arco, NM 88214

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico

Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088


SUBMIT 1 COPY TO

APPROPRIATE

DISTRICT OFFICE

AND 1 COPY TO

SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORTOperator: Amoco Production Company Telephone: (505) 326-9200Address: 200 Amoco Court, Farmington, New Mexico 87401Facility Or: Gen com G #179
Well NameLocation: Unit or Qtr/Qtr sec K sec 26 T 29N R 12W County SAN JUANPit Type: Separator ABANDONED Dehydrator ☒ OtherLand Type: BLM , State , Fee ☒, Other Location: Pit dimensions: length NA, width NA, depth NA
(attach diagram)Reference: wellhead ☒, otherFootage from reference: 171'Direction from reference: 28 Degrees East North ☒
of
☒ West South

Depth To Ground Water:

(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)Less than 50 feet (20 points)
50 feet to 99 feet (10 points) 20
Greater than 100 feet (0 Points)

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)Yes (20 points)
No (0 points) 0

Distance To Surface Water:

(horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)Less than 200 feet (20 points)
200 feet to 1000 feet (10 points) 20
Greater than 1000 feet (0 points)RANKING SCORE (TOTAL POINTS): 40

Date Remediation Started: _____ Date Completed: 5/15/00Remediation Method: Excavation ☒ Approx. cubic yards NA
Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____Other CLOSE AS IS.Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite,
name and location of
offsite facility)

General Description Of Remedial Action: _____

Excavation . NO REMEDIATION NECESSARY.

Ground Water Encountered: No ☒ Yes _____ Depth _____

Final Pit:

Sample location see Attached Documents

Closure Sampling:

(if multiple samples,
attach sample results
and diagram of sample
locations and depths)Sample depth 4.5' (TEST HOLE BOTTOM)Sample date 5/15/00 Sample time 0825

Sample Results

Benzene(ppm) _____

Total BTEX(ppm) _____

Field headspace(ppm) 0.0TPH 0.6 ppmGround Water Sample: Yes _____ No ☒ (If yes, attach sample results)I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE AND BELIEFDATE 5/17/00

SIGNATURE

B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80746</u> C.D.C. NO: <u>7013</u>
----------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: <u>1</u> of <u>1</u>
------------------------------------	-------------------------------

LOCATION: NAME: <u>GCH com G</u> WELL #: <u>179</u> PIT: <u>ABAND. DEHY.</u>	DATE STARTED: <u>5/15/00</u>
QUAD/UNIT: <u>K</u> SEC: <u>26</u> TWP: <u>29N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u>	DATE FINISHED: _____
QTR/FOOTAGE: <u>1460'S/2494'W</u> NEW CONTRACTOR: <u>FLINT</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE</u> LEASE: _____ FORMATION: <u>OK</u>

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>171</u> FT. <u>N28W</u> FROM WELL HEAD.
DEPTH TO GROUNDWATER: <u><50'</u>	NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u><200'</u>
NMOC RANKING SCORE: <u>40</u>	NMOC TPH CLOSURE STD: <u>100</u> PPM
SOIL AND EXCAVATION DESCRIPTION:	CHECK ONE : ☒ PIT ABANDONED ☐ STEEL TANK INSTALLED ☐ FIBERGLASS TANK INSTALLED OVM CALIB. READ. <u>52.3</u> ppm TIME: <u>0815</u> am/pm <u>5/15/00</u>

MODERATE YEL. BROWN SAND, NON COHESIVE, DRY TO SLIGHTLY MOIST, FIRM, NO APPARENT DISCOLORATION OBSERVED OR HC ODOOR DETECTED, RECOMMEND CLOSING AS IS.

SCALE




0 FT

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
0825							

PIT PERIMETER



PIT PROFILE

NOT APPLICABLE

OVM RESULTS		
SAMPLE ID	FIELD HEADSPACE PID (ppm)	
1 @ 4.5'	0.0	
2 @		
3 @		
4 @		
5 @		
LAB SAMPLES		
SAMPLE ID	ANALYSIS	TIME
DE 4.5'	TPH (BOIS)	0825

TRAVEL NOTES:	CALLOUT: <u>5/15/00 - MORN.</u>	ONSITE: <u>5/15/00 - MORN.</u>
---------------	---------------------------------	--------------------------------

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP Amoco	Project #:	403410
Sample ID:	1 @ 4.5'	Date Reported:	05-17-00
Laboratory Number:	H279	Date Sampled:	05-15-00
Chain of Custody No:	7013	Date Received:	05-16-00
Sample Matrix:	Soil	Date Extracted:	05-17-00
Preservative:	Cool	Date Analyzed:	05-17-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.4	0.2
Diesel Range (C10 - C28)	0.2	0.1
Total Petroleum Hydrocarbons	0.6	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU Com G #179. Abandoned Dehydrator Pit.


Analyst


Review

7013

ENVIROTECH INC.

5796 U.S. Highway 64
Farmington, New Mexico 87401
(505) 632-0615