


80746

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
D1 1st III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE



PTT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200

Address: 200 Amoco Court, Farmington, New Mexico 87401

Facility Or: Gen com G #179
Well Name

Location: Unit or Qtr/Qtr sec K sec 26 T 29N R 12W County SAN JUAN

Pit Type: Separator Dehydrator Other ABANDONED Blow

Land Type: BLM State Fee ✓, Other _____

Location: Pit dimensions: length NA, width NA, depth NA
(attach diagram)

Reference: wellhead X, other _____

Footage from reference: 90'

Direction from reference: 2 Degrees ✓ East North _____
of
_____ West South ✓

Depth To Ground Water:
(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 Points) 20

Wellhead Protection Area:
(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

Yes (20 points)
No (0 points) 0

Distance To Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet (20 points)
200 feet to 1000 feet (10 points)
Greater than 1000 feet (0 points) 20

RANKING SCORE (TOTAL POINTS): 40

Date Remediation Started: _____ Date Completed: 5/17/00Remediation Method: Excavation ☒ Approx. cubic yards NA
(check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____Other CLOSE AS IS.Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite,
name and location of
offsite facility)

General Description Of Remedial Action: _____

Excavation. NO REMEDIATION NECESSARYGround Water Encountered: No ☒ Yes _____ Depth _____

Final Pit:

Closure Sampling:

(if multiple samples,
attach sample results
and diagram of sample
locations and depths)Sample location see Attached DocumentsSample depth 6' (2ND TEST HOLE)Sample date 5/15/00 Sample time 0925

Sample Results

Benzene(ppm) _____


Total BTEX(ppm) _____

Field headspace(ppm) 0.0TPH 0.3 ppmGround Water Sample: Yes _____ No ☒ (If yes, attach sample results)I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE AND BELIEFDATE 5/17/00

SIGNATURE

B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator

3004507805

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80746</u> C.D.C. NO: <u>7013</u>																																									
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																									
LOCATION: NAME: <u>GCH com G</u> WELL #: <u>179</u> PIT: <u>ABAND. BLOW</u> QUAD/UNIT: <u>K</u> SEC: <u>26</u> TWP: <u>29N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1460'S/2444'W</u> DESIG CONTRACTOR: <u>FUNT</u>		DATE STARTED: <u>5/15/00</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																									
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u> DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> LAND USE: <u>RANGE</u> LEASE: _____ FORMATION: <u>DR</u>																																											
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>90</u> FT. <u>S2E</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u><50'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u><200'</u> NMDCD RANKING SCORE: <u>40</u> NMDCD TPH CLOSURE STD: <u>100</u> PPM SOIL AND EXCAVATION DESCRIPTION:																																											
CHECK ONE: ☒ PIT ABANDONED ☐ STEEL TANK INSTALLED ☐ FIBERGLASS TANK INSTALLED																																											
MOD. YELL. BROWN SAND W/ PREDOMINATE GRAVEL OF VARYING SIZE NON COHESIVE, DRY TO SLIGHTLY MOIST, LOOSE, NO APPARENT DISCOLORATION OBSERVED OR HC ODOR DETECTED, PIT LOCATION BASED ON SITE ASSESSMENT INFO. (CONDUCTED 5/4/92). ② @ 6' SAMPLE LOCATED DOWN GRADIENT OF INITIAL TEST HOLE SHOWN BELOW @ 125', 51W FROM WELL HEAD.																																											
FIELD 418.1 CALCULATIONS																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																	
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																				
SCALE  0 FT	PIT PERIMETER 	PIT PROFILE																																									
 OVM RESULTS <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 4.5'</td><td>0.0</td></tr> <tr><td>2 @ 6'</td><td>0.0</td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> LAB SAMPLES <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 4.5'	0.0	2 @ 6'	0.0	3 @		4 @		5 @										SAMPLE ID	ANALYSIS	TIME																		
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																										
1 @ 4.5'	0.0																																										
2 @ 6'	0.0																																										
3 @																																											
4 @																																											
5 @																																											
SAMPLE ID	ANALYSIS	TIME																																									
TRAVEL NOTES: CALLOUT: <u>5/15/00 - MORN.</u> ONSITE: <u>5/15/00 - MORN.</u>																																											

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP Amoco	Project #:	403410
Sample ID:	2 @ 6'	Date Reported:	05-17-00
Laboratory Number:	H280	Date Sampled:	05-15-00
Chain of Custody No:	7013	Date Received:	05-16-00
Sample Matrix:	Soil	Date Extracted:	05-17-00
Preservative:	Cool	Date Analyzed:	05-17-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.3	0.1
Total Petroleum Hydrocarbons	0.3	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU Com G #179. Abandoned Blow Pit.


Analyst


Review