District I P.O. Box 1980, Hobbs, NM

District II
P.O. Drawer DD, Arlesia, NM 88211

District III 1000 Rio Brazos Rd, Azlec, NM 87410 State of New Mexico SUBMIT 1 COME Energy, Minerals and Natural Resources Department APPROPRIATE

OIL CONSERVATION DIVISION

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE AND 1 COPY TO SANTA FE OFFICE

(Revised 3/9/94)

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

PIT REMEDIATION AND CLOSURE REPORT

Operator:	
Attn: William 7	Celephone: (505) 296 PECEIVEN
Address: P.O. Box 14738, Albuquerq	
Facility Or: Lechner #1 Well Name	OIL COMO DIV
Location: Unit or Qtr/Qtr sec_ F sec_	30 T 29 R 10 County San Juan
Pit Type: Separator Dehydrator Ot	ther No pit on location
Land Type: BLM, State, Feex	
Pit Location: Pit dimensions: length(Attach diagram)	, width, depth
Reference: wellhead,	other
Footage from reference:	
	DegreesEast North
	of
	West South
Donth ma de-	
Depth To Ground Water: (Vertical distance from	Less than 50 feet (20 points)
(Vertical distance from contaminants to seasonal	50 feet to 99 feet
(Vertical distance from contaminants to seasonal high water elevation of	50 fort to 20 s
(Vertical distance from contaminants to seasonal	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) 10
(Vertical distance from contaminants to seasonal high water elevation of ground water)	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) 10
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) 10 DEPUTY OIL & GAS INSPECTOR
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or less than	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) 10 DEPUTY OIL & GAS INSPECTOR
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) DEPUTY OIL & GAS INSPECTOR Yes (20 points)
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) Distance To Surface Water:	So feet to 99 feet (10 points) Greater than 100 feet (0 points) DEPUTY OIL & GAS INSPECTOR Yes (20 points) No (0 points) O Harif 3 1995 No (0 points) O Harif 200 6
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) Distance To Surface Water: (Horizontal distance to perennial	DEPUTY OIL & GAS INSPECTOR WAR I 3 1995 Less than 200 feet (10 points) (0 points) 10 (10 points) (10 points) (10 points) (10 points) (10 points) (20 points) (20 points)
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams creeks	So feet to 99 feet (10 points) Greater than 100 feet (0 points) DEPUTY OIL & GAS INSPECTOR Yes (20 points) No (0 points) Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) Distance To Surface Water: (Horizontal distance to perennial	DEPUTY OIL & GAS INSPECTOR Was (20 points) MARII 3 1995 Less than 200 feet (10 points) (20 points)

Reverse Page for Pit Closure	Report El Pamco, Inc. Lechner #1
	ed: 10/5/94 Date Completed:
Remediation Method: Ex	Approx. cubic yards
sections) La	indfarmed Insitu Bioremediation
Of	ther <u>No pit on location</u>
Remediation Location:	Onsite Offsite
<pre>(ie. landfarmed onsite, name and location of offsite facility)</pre>	
General Description Of	Remedial Action: No pit on location.
Ground Water Encounter	ed: No X Yes Depth
Final Pit: Closure Sampling: (if multiple samples,	Sample locationNo Sampling
attach sample results and diagram of sample locations and depths)	Sample depthN/A
todactons and depons,	Sample dateN/A Sample timeN/A
	Sample Results
	Benzene (ppm)N/A
	Total BTEX (ppm)N/A
	Field headspace (ppm)N/A
	TPH N/A
Ground Water Sample:	Yes No _X (If yes, attach sample results)
I HEREBY CERTIFY THAT OF MY KNOWLEDGE AND BE	THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST
DATE 1/17/95	PRINTED NAME W. 11. AM J MAYhew Maylew AND TITLE V, ce PRES.
STONE THE ON 'NO WIL	PRINTED NAME W. II. AW

ON SITE TECHNOLOGIES, LTD.

TEST HOLE LOG and FIELD TESTING RESULTS

PROJECT:	Horce Ma	KAS	.IOB# ⁴	4-1098 DATE 10-5-9	
SITE LOCA	TIONZect	ner /	CLIENT:	4-1098 DATE: 10-5-9 Bill	
			SAMPLE	ER: Jan	
				METHOD:	
TEST HOLE	E#:	LAB SAMPLE			
DEPTH	SOIL TYPE	P.I.D. FIELD SCREENING	TPH EPA 418.1	OTHER REMARKS	
Fool	well	No pit on	Coestun		
SITE SKET	CH WEA	ATHER	APP	PROX.TEMP	
m.	12.	2 /0	۸,	→ ♦	
		70	-	→ ¢2-	

(505) 325-8786 FAX (505) 327-1496

3005 NORTHRIDGE DRIVE, SUITE F P.O.BOX 2606 FARMINGTON, NEW MEXICO 87499