Budget Bureau 42-R358.2
Approval expires 12-31-52.

Land Office Santa Fe
Lease No. 078209
Unit I-Sec. 844
Gallegos Canyon Unit

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 11, 19 53

Well No. 28 is located 400 ft. from {N/S} line and 770 ft. from {E/W} line of sec. 30

NE/4 NE/4 Sec. 30 (¼ Sec. and Sec. No.) 29N (Twp.) 12W (Range) N.M.P.M. (Meridian)

West Kutz (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is ..... ft. (Not available. Will furnish later).

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pictured Cliffs Sand test. Estimated depth 1300'.

Surface Casing: 90' of 13-3/8" OD 48# cemented to surface.

Production Casing: 1200' of 5-1/2" OD 14#, cemented with 100 sacks.

If commercial production is indicated, the producing section will be shot with nitroglycerin.

RECEIVED
MAY 18 1953
OIL CON. COM.
DIST. 3

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company BENSON-MONTIN

Address 315½ West Main
Farmington, New Mexico

By Albert R. Greer

Title Field Superintendent