


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **079069**
Unit **Hagood**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 16, 1961


Hagood
Well No. **25-G** is located **590** ft. from **S** line and **1970** ft. from **E** line of sec. **19**
NE 1/4 Section 19 (1/4 Sec. and Sec. No.)
T-29N R-13W (Twp.) (Range)
N.M.P.M. (Meridian)
Totah Gallup (Field)
San Juan (County or Subdivision)
New Mexico (State or Territory)

The elevation of the derrick floor above sea level is **5432** ft. **S.L.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

F.B.T.D. - 5242'
Sand-Oil fraced with 55,000# sand, 1615 Hols. oil, flushed with 180 Hols. oil
Initial breakdown pr. - 1800
Maximum - 3800#
Avg. treating pr.- 2700
I.R. - 30 bpm
Ran 166 jts., 5165' of 2 3/8" tubing, landed at 5176'
Flowing through tubing.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Astec Oil and Gas Company**
Address **Dresser # 570**
Farmington, New Mexico
By **Joe C. Salmon**
Title **District Superintendent**