Form 9-331 b (April 1952)					
1					

## SUBMIT IN TRIPLICATE)

## DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency						
Kavajo	Tribal					
Allottee						
	20_603_21 <b>0</b> \$					

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING.		SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL		

Navejo Tribal #H#		Excellegios	. New Mexico	March 23	19 6		
Well No is located	704 ft. fr	om $\begin{cases} \mathbf{S} \\ \mathbf{S} \end{cases}$ line a	nd 510 ft. from	line of sec.	23		
SN/4 SN/4 of Section 23	T-29-N	R-Li-W	N.M.P.M.	()			
(34 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)				
Cha Cha Gallup	San Jean		Hew	Mexico			
(Field)	(County or Subdivision)		(8	(State or Territory)			
The elevation of the derrick floo	r above sea le	evel is	ft.(To be repor	ted later.)			
DETAILS OF WORK							

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 12-1/2" hole on March 13, 1961. 8-5/8" coming was set at 213' with 175 sacks meat coment with 2 per cent Calcium Chloride. Circulated 60 sacks. Wait on cement 12 hours. Test casing with 500 psi. Test ok. Reduced hole at 214' to 7-7/8". Resumed drilling operations.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced Company Pan imerican Petroleum Corporation Address Box 480 ORIGINAL SIGNED BY

R. M. Bauer, Jr. Farmington, New Mexico Title Senior Petroleum Engineer Attn: L. O. Speer. dr.

U. S. GOVERNMENT PRINTING OFFICE 16-9487b-8