

**RECEIVED**  
**UNITED STATES**  
**DEPARTMENT OF THE INTERIOR**  
**GEOLOGICAL SURVEY**

Indian Agency Navajo Tribal  
Allottee \_\_\_\_\_  
Lease No. 14-28-603-2199  
Navajo Tribal "E"

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<b>X</b>
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**Navajo Tribal "E"**

**Farrington, New Mexico March 23, 1961**

Well No. 9 is located 1830 ft. from N line and 1830 ft. from E line of sec. 22

SW/4 NE/4 of Section 22 T-29-N R-14-W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Cha Cha Gallup San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5280 ft. (RDS)

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated Gallup with six shots per foot 4806-4891'. Sand oil frocked perforations with 31,200 gallons oil with 750 pound Adomite Mark II and 30,000 pounds sand. Maximum pressure 3400 psi, minimum treating pressure 3000 psi, injection rate 29 barrels per minute. Installed pump to recover lead oil.

Refracted above perforations as follows. Sand water frocked with 73,600 gallons water with 34 pounds J-101 and 1 gallon W-27 additives per 1000 gallons and 75,000 pounds. Average treating pressure 2400 psi. Injection rate 43 barrels per minute. Now testing well.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 480

Farrington, New Mexico

Attn: L. O. Spear, Jr.



ORIGINAL SIGNED BY  
R. M. Bauer, Jr.

By \_\_\_\_\_

Title Senior Petroleum Engineer

