


1954

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau 42-R358.2.
Approval expires 12-31-52.

Land Office Santa Fe
Lease No. 1-89-IND-98
Unit USG Section 19-29-16



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico January 4, 1954

Well No. 13 is located 2050 ft. from N line and 1010 ft. from E line of sec. 19

NE 1/4 of Section 19 T-29-N R-16-W NMPN
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5033 ft. (GL)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was drilled to a total depth of 7453 feet and plugged back to 7080 feet. It is proposed to repair this well as follows: 1. Squeeze the present perforations 6930-6940', with approximately 200 sacks of cement. 2. Drill-out cement plug to 7060 feet. 3. Perforate with two jet shots per foot from 7050 to 7054 feet. 4. Set drillable retainer at 7040 feet and squeeze below retainer with 100 sacks cement. 5. Run drill stem test over present perforations to test shut-off. 6. Perforate with two jet shots per foot from 6930 to 6955 feet. 7. Acidize with 500 gallons of regular acid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 487

Farmington, New Mexico

By *[Signature]*

Title Field Superintendent