

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-0603-6377

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo Trust 2

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

North Water Flow

11. SEC. T. R. M. OR BLK. AND  
SURVEY OR AREA

Sec. 18-29N-15W

12. COUNTY OR PARISH

San Juan

13. STATE

N. Mex.

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)
2. NAME OF OPERATOR Humble Oil & Refining Company		5347' DF
3. ADDRESS OF OPERATOR P. O. Box 120, Denver, Colorado 80201		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface SW 1/4 (990' FWL and 983' FWL) Sec. 18-29N-15W.		

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

TD 11,165'; PBD 4,121'.

Humble proposes to plug and abandon as follows:

Place 25 sacks cement over and squeeze small amount of cement into perforations 4,109-14'.

Cut 7" casing at approximately 1,600' and pull.

100' plug across 7" casing stub with 35 sacks.

100' plug across 9-5/8" casing 1,560-1,460' w/40 sacks.

15' surface plug with regulation marker.

Intervals between plugs will be filled with mud, location cleaned and pits filled.

18. I hereby certify that the foregoing is true and correct

Original signed by: Roger S. Frazier

SIGNED

TITLE Dist. Operations Supt.

DATE October 26, 1966

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

\*See Instructions on Reverse Side

RECEIVED

OCT 28 1966

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.