

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo Tribal
Allottee 24-00-000-0000
Indian Name Navajo Tribal

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED
FEB 21 1961
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

Navajo Tribal

Farmington, New Mexico February 20, 1961

Well No. 5 is located 1450 ft. from S line and 605 ft. from E line of sec. 18

NE 1/4 Sec. 18
(1/4 Sec. and Sec. No.)

T-29-N
(Twp.)

R-24-W
(Range)

N.M.P.M.
(Meridian)

San Juan
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft. To be reported later.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 5100' to test and develop productive Gallup cones. Stimulation will be as indicated upon penetration of Gallup pay. Rotary tools will be used to total depth. Casing program as follows:

SIZE	DEPTH	CASING	REMARKS
8-1/2"	200'	110-140 lb	Test - circulate.
4-1/2"	5100'	200 lb	45 gal cement with 100 sacks neat cement on bottom.

Copies of location plate attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operation.

Company Pan American Petroleum Corporation

Address Box 400

Farmington, New Mexico

Attn: L. G. Spear, Jr.

ORIGINAL SIGNED BY
R. M. BANCILLO
CON. COM.
DIST. 3

Title Senior Petroleum Engineer

1941

1942

1943

1944

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

SECTION A.

Date **12-24-60**Operator **PAN AMERICAN PETROLEUM CORPORATION**Lease **Navajo Tribal G**Well No. **5** Unit Letter **I** Section **18**Township **29-North**Range **14-West**

NMPM

Located **1830**Feet From **the South**Line **885**Feet From **the East**

Line

County **San Juan**G. L. Elevation *****Dedicated Acreage **80**

Acres

Name of Producing Formation **Gallup**Pool **Cha Cha Gallup*****To be reported later.**

- 1 Is the Operator the only owner* in the dedicated acreage outlined on the plat below? Yes **X** No
- 2 If the answer to question One is "No," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No If answer is "Yes," Type of Consolidation
- 3 If the answer to question Two is "No," list all the owners and their respective interests below:

OWNER



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Pan American Petroleum Corp.

R. M. Bauer, Jr.

REPRESENTATIVE

Box 480, Farmington, N. Mex.

SOURCES

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed **12-22-60**
Four States Engineering Co.
FARMINGTON, NEW MEXICO

ERNEST V. ESHAUGH
REGISTERED ENGINEER OR
LAND SURVEYOR
Certificate No. **1545**

SECTION B.

