

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES** OIL & GAS COMPANY

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
830' FNL, 1785' FEL, Sec. 7, T-29-N, R-10-W, NMPM
B

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission	Type of Action
☒ Notice of Intent	☐ Abandonment
☐ Subsequent Report	☐ Recompletion
☐ Final Abandonment	☐ Plugging Back
	☐ Casing Repair
	☐ Altering Casing
	☒ Other - Restimulate

13. Describe Proposed or Completed Operations

It is intended to restimulate the subject well in the following manner:

NU BOP. TOOH w/1" tubing. Drill out open hole from 2108' to 2228'. Run open hole logs. Run 3 1/2" casing to new total depth and cement to surface. Perforate, acidize, fracture treat the Pictured Cliffs formation. Clean out. Rerun tubing. Return the well to production.

14. I hereby certify that the foregoing is true and correct.

Signed Patty Bradford (KKKPC) Title Regulatory Administrator Date 11/13/96

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any: _____

APPROVED

NOV 13 1996

Chip Haraden
for DISTRICT MANAGER

NMCCD

Fannin #1
Pertinent Data Sheet

Location: 830' FNL & 1785' FEL, Unit B, Section 7, T29N, R10W, San Juan County, New Mexico

Latitude: 36-44-42

Longitude: 107-55-23

Field: Aztec PC

Elevation: 5753' GL
5763' KB

TD: 2143'
PBTD: 2143'

Spud Date: 10/18/56

Compl Date: 11/2/56

DP #: 49802A
Lease: (Fed) NM 4791-01
GWl: 100%
NRI: 79.5%
Prop#: 012652000

Initial Potential: Initial Potential = 1,923 MCF/D, SICP = 586 psi

Casing Record:

<u>Hole Size</u>	<u>Csg Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
e12-1/4"	8-5/8"	24# J-55	94'	60 sx.	Circ Cmt
e7-7/8"	5"	11.5# J-55	2108'	100 sx.	1519' @ 75% Eff.
e4-3/4"	OH		2108'-2143'		

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>
1"	1.7# Line Pipe	2112'	~ 100

Formation Tops:

Ojo Alamo:	860'
Kirtland Shale:	980'
Fruitland:	1835'
Pictured Cliffs:	2105'

Logging Record:

Stimulation: SWF w/ 15,000 gal slickwater & 15,000# sand

Workover History: None

Production History: 8/96 PC capacity: 0 MCF/D. 8/96 PC cum: 1,032 MMCF.

Pipeline: EPNG

Fannin #1

Section 7B, T-29-N, R-10-W
San Juan County, NM

AZTEC PICTURED CLIFFS WELLBORE SCHEMATIC

