

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

Sundry Notices and Reports on Wells

97 AUG 14 PM 3:39

070 FARMINGTON, NM

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

790' FNL, 1850' FWL Sec. 11, T-29-N, R-12-W, NMPM

5. Lease Number

SF- 065557-A

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Cornell #6

9. API Well No.
30-045-08615

10. Field and Pool
Fulcher Kutz PC

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent

☐ Abandonment

☐ Change of Plans

☐ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☒ Other -restimulate

13. Describe Proposed or Completed Operations

It is intended to do the following PC restimulation

Pull 1" tubing.

C/O(D/O) OH from 1863'-2007'.

Run OH log.

run 3.5" casing to new TD & cement to surface with ~ 140 sks(188 cuft) 50/50 "B" Poz with 2% gel, 0.3% CFR-3, 5pps Gilsonite, 0.4% Halad 344, & 3% KCL.

RECEIVED
AUG 22 1997

OIL CON. DIV.

DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (MDW) Title Regulatory Administrator Date 8/12/97

(This space for Federal or State Office use)

APPROVED BY /s/ Duane W. Spencer

Title

Date

AUG 20 1997

CONDITION OF APPROVAL, if any:

NMOCD

Cornell #6
Pertinent Data Sheet

Location: 790' FNL & 1850' FWL, Unit C, Section 11, T29N, R12W, San Juan County, New Mexico

Latitude: 36-44-43

Longitude: 108-04-14

Field: Fulcher Kutz PC

Elevation: 5727' GL
5737' KB

TD: 1863'
PBTD: 1863'

Spud Date: 11/7/55

Compl Date: 11/17/55

DP #: 49477A
Lease: FPNM4790300
GWl: 100.00%
NRI: 71.0313%
Prop#: 012650800

Initial Potential: AOF = 1316 MCF/D, SICP = 251 psi

Casing Record:

<u>Hole Size</u>	<u>Csg Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
12-1/4"est	8-5/8"	24# ?	97'	70 sx.	Surf @ 75% Eff.
7-7/8" est	5-1/2"	14# ?	1826'	100 sx.	1237' @ 75% Eff.
e 4-3/4"	OH		1826-1863'		

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>
1"	1.7# ?	1825'	≈ 87

Formation Tops:

Ojo Alamo:	473'
Kirtland Shale:	614'
Fruitland:	1480'
Pictured Cliffs:	1827'

Logging Record: None

Stimulation: SWF w/ 15K# sand, 10K gal wtr, OH 1826-1863

Workover History: NONE

Production History: 5/97 PC capacity: 10 MCF/D. 5/97 PC cum: 440 MMCF.

Pipeline: EPNG

Cornell #6

Section 11C, T-29-N, R-12-W
San Juan County, NM

FULCHER KUTZ PICTURED CLIFFS WELLBORE SCHEMATIC

