

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION

DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **03561**
Lease **Sec. 6, 29N-10W.**
Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 31, 1952

Well No. **2-B / Grenier** is located **1650** ft. from **[N]** line and **1650** ft. from **[E]** line of sec. **6**
NW 1/4 Sec. 6 **29 North** **10 West** **N.M.P.M.**

Attec Field **San Juan County** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

- To be furnished

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)
The objective sand is the **Pictured Cliffs** which is expected at about **2100'**.

The casing program is as follows: **175'** of **9-5/8"** cemented to surface
2100' of **5 1/2"** O.D. casing cemented with **100** sacks.

Well will be drilled with rotary tools to the top of the **Pictured Cliffs** sand and **5 1/2"** casing set. The pay zone will be drilled with rotary tools using natural gas method to a total depth of about **2250'**.

Well will be shot with about **300** quarts of nitro from **2150** to total depth.

RECEIVED


JAN 5 1953

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.
SOUTHERN UNION GAS COMPANY

Company **Burt Building**
Address **Dallas, Texas**

Dallas, Texas



By **A. M. Wiederkehr**
Reservoir Engineer

sinU

6147

RECEIVED

JAN 5 1953


U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

Company Southern Union Gas Company

Lease Greiner Well No. 2-3

Sec. 6, T. 29 N., R. 10 W., N.M.P.M.

Location 1650' from the South line and 1650' from the East line.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed December 29, 1952