

Denny E. Frost
DEPUTY OIL & GAS INSPECTOR

DEC 30 1997

Approved

Meter Number:73817
Location Name: SCHULTS FEDERAL #1
Location: TN-29 RG-11
SC-01 UL-F
2 - Federal
NMOCD Zone: OUTSIDE
Hazard Ranking Score: 00

RECEIVED
DEC 30 1997
OIL & GAS DIVISION
SANTA FE, N.M.

**RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS
LOCATED OUTSIDE OF THE VULNERABLE ZONE
IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	10^{-9} to 10^{-13} cm/sec
Shale	10^{-12} to 10^{-16} cm/sec
Clay	10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

GENERAL

Meter: 73817 Location: SCHULTS FEDERAL #1
 Operator #: 0203 Operator Name: AMOCO P/L District: KUTZ
 Coordinates: Letter: F Section 1 Township: 29 Range: 11
 Or Latitude _____ Longitude _____
 Pit Type: Denyator Location Drip: _____ Line Drip: _____ Other: _____
 Site Visit Date: 4.4.94 Run: 02 33

SITE ASSESSMENT

NMOCD Zone: inside **Land Type:** BLM
 (From NMOCD Vulnerable State
 Maps) Zone Fee
 Outside Indian _____

Depth to Groundwater
 Less Than 50 Feet (20 points)
 50 Ft to 99 Ft (10 points)
 Greater Than 100 Ft (0 points)

Wellhead Protection Area :
 Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? YES (20 points) NO (0 points)

Horizontal Distance to Surface Water Body
 Less Than 200 Ft (20 points)
 200 Ft to 1000 Ft (10 points)
 Greater Than 1000 Ft (0 points)

Name of Surface Water Body _____
 (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)

TOTAL HAZARD RANKING SCORE: 0 POINTS

REMARKS

Remarks : FOUR PITS ON LOCATION. WILL CLOSE ONLY ONE. PIT IS DRY.

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: <u>73817</u> Location: <u>Schotts Federal #1</u> Coordinates: Letter: <u>F</u> Section <u>1</u> Township: <u>29</u> Range: <u>11</u> Or Latitude _____ Longitude _____ Date Started : <u>5-12-94</u> Area: <u>02</u> Run: <u>33</u>
FIELD OBSERVATIONS	Sample Number(s): <u>VW65</u> Sample Depth: <u>12'</u> Feet Final PID Reading <u>168</u> PID Reading Depth <u>12'</u> Feet Yes No Groundwater Encountered <input type="checkbox"/> (1) <input checked="" type="checkbox"/> (2) Approximate Depth _____ Feet
CLOSURE	Remediation Method : Excavation <input type="checkbox"/> (1) Approx. Cubic Yards _____ Onsite Bioremediation <input type="checkbox"/> (2) Backfill Pit Without Excavation <input checked="" type="checkbox"/> (3) Soil Disposition: Envirotech <input type="checkbox"/> (1) <input type="checkbox"/> (3) Tierra Other Facility <input type="checkbox"/> (2) Name: _____ Pit Closure Date: <u>5-12-94</u> Pit Closed By: <u>BEI</u>
REMARKS	Remarks : <u>Line Markers. 2' soil turned Black</u> _____ _____
	Signature of Specialist: <u>Vale Wilson</u>



**FIELD SERVICES LABORATORY
ANALYTICAL REPORT
PIT CLOSURE PROJECT - Soil**

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	11065	945147
MTR CODE SITE NAME:	73817	N/A
SAMPLE DATE TIME (Hrs):	5-12-94	1350
SAMPLED BY:	N/A	
DATE OF TPH EXT. ANAL.:	5/16/94	5/16/94
DATE OF BTEX EXT. ANAL.:	N/A	N/A
TYPE DESCRIPTION:	VG	Brown/Black coarse sand

REMARKS: _____

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	2660	MG/KG			2.03	28
HEADSPACE PID	168	PPM				
PERCENT SOLIDS	89.1	%				

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 --

The Surrogate Recovery was at _____ % for this sample All QA/QC was acceptable.
Narrative: _____

DF = Dilution Factor Used

Approved By: John Sauter

Date: 5/21/94

```

*****
Test Method for
Oil and Grease and Petroleum Hydrocarbons
in Water and Soil
Perkin-Elmer Model 1600 FT-IR
Analysis Report
*****

```

14/05/16 12:55

Sample Identification
15147

Initial mass of sample, g
1.70

Volume of sample after extraction, ml
0.210

µg petroleum hydrocarbons / sum
1.00

µg aromatic hydrocarbons (AHT) / sum
1.00

