

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> X OTHER	5. LEASE DESIGNATION AND SERIAL NO. SF-078161
2. NAME OF OPERATOR Meridian Oil Inc.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR Post Office Box 4289, Farmington, NM 87499	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1800'N, 897'W	8. FARM OR LEASE NAME Lloyd B
14. PERMIT NO.	9. WELL NO. 3
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5793'GL	10. FIELD AND POOL, OR WILDCAT Aztec Pic. Cliffs
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 1, T-29-N, R-11-W N.M.P.M.
	12. COUNTY OR PARISH San Juan
	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	PULL OR ALTER CASING
FRACTURE TREAT	MULTIPLE COMPLETION
SHOOT OR ACIDIZE	ABANDON*
REPAIR WELL	CHANGE PLANS
(Other)	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREATMENT	ALTERING CASING
SHOOTING OR ACIDIZING	ABANDONMENT*
(Other)	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is intended to plug & abandon this well in the following manner:

MOL&RU. TIH w/work string. Circ. hole w/9.2# mud. TOOH.
Run wireline and perforate 2 squeeze holes @ 885'.
TIH & spot 68 sx. cement plug from 785' to 2246' inside 2 7/8" casing and from 785' to 885' inside the annulus to cover all porous zones from Ojo Alamo to TD.
Perforate 2 squeeze holes @ 157'. TIH & spot 51 sx. cement plug from 157' to surface inside the 2 7/8" casing and the 2 7/8" x 8 5/8" surface casing annulus.

9.2 ppg mud will be used between plugs, and a dry hole marker set.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Drilling Clerk(DM) DATE 03-18-88

(This space for Federal or State office use)

APPROVED BY [Signature] TITLE [Signature] DATE [Signature]
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NMOCC