



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **07015**
Unit **1/4 Sec. 23**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 7, 1955

Flores
Well No. **43** is located **890** ft. from **[N]** line and **890** ft. from **[E]** line of sec. **23**
1/4 Sec. 23 **30 E** **8 N** **R4N**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco **Santa Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

Will be furnished later

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill with rotary tools using mud to top of Cliff House approx. 5000', set casing and drill with gas to base of Point Lookout approx. 5700'. Sand/oil fracture the CH and PL for gas completion thru entire New Verde section. In the event excessive trouble is encountered penetrating the formations immediately above the Pictured Cliffs we propose to set intermediate casing thru the PC approx. 3400'. Drill to top of CH with gas and set production string.

Proposed Casing program

200' - 10-3/4" 32.75# 8-10 SS Casing - Cemented to surface
3400' - 7-5/8" 26.40# 1-55 SS Casing - Cemented w/ 200 cu. (will be run if necessary)
5000' - 7" 23# 1-55 SS Casing - Cemented w/ 200 cu.
5000' - 5-1/2" 17# 1-55 SS Casing - Cemented w/ 200 cu. (will be run if 7-5/8" used)
5700' - 8" 48# 1-70# SS Telling

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Dalby-Taylor Oil Corporation**

Address **Box 71175**

Farmington, N.M.

By **J. B. Lawrence**

Title **Dist. Supt.**

