

NEW MEXICO OIL CONSERVATION COMMISSION  
INITIAL POTENTIAL TEST-DATA SHEET



This form must be used for reporting all pitot tube tests made in the State. It is particularly important that it be used for reporting Initial Potential Tests in the San Juan Basin as prescribed by Order No. R-333 and by the New Mexico Oil Conservation Commission Manual of Tables and Procedure for Initial Potential (Pitot Tube) Tests.

POOL Blanco-Mesaverde FORMATION Mesaverde

COUNTY San Juan DATE WELL TESTED September 14, 1955

Operator Delhi-Taylor Oil Corporation Lease Florance Well No. 1-35  
Unit

1/4 Section NE Letter A Sec. 18 Twp. 30 N Rge. 8 W

Casing: 7,000 "O.D. Set At 4806 Tubing 1.9 "WT. 2.75 Set At 4857

Pay Zone: From 4785 to 5490 Gas Gravity: Meas. \_\_\_\_\_ Est. 0.650

Tested Through: Casing X Tubing \_\_\_\_\_

Test Nipple 2.067 I.D. Type of Gauge Used X  
(Spring) (Monometer)

OBSERVED DATA

Shut In Pressure: Casing 854 psig Tubing: 852 psig S. I. Period 178 Hrs.

Time Well Opened: 9:30 A.M. Time Well Gauged: 12:30 P.M.

Impact Pressure: 11#

Volume (Table I) . . . . . 2038.8 (a)

Multiplier for Pipe or Casing (Table II) . . . . . 1.068 (b)

Multiplier for Flowing Temp. (Table III) . . . . . 1.000 (c)

Multiplier for SP. Gravity (Table IV) . . . . . 1.000 (d)

Ave. Barometer Pressure at Wellhead (Table V) . . . . . 12.000

Multiplier for Barometric Pressure (Table VI) . . . . . 1.000 (e)

Initial Potential, Mcf/24 Hrs. (a) x (b) x (c) x (d) x (e) = 2177.4

Witnessed by: \_\_\_\_\_

Company: \_\_\_\_\_

Title: \_\_\_\_\_

Tested by: J. E. Kregar

Company Delhi-Taylor Oil Corporation

Title: Engineer

# OIL CONSERVATION COMMISSION

## AZTEC DISTRICT OFFICE

No. Copies Purchased 3

### DISTRIBUTION

TO	BY	DATE
Operator		
Santa Fe	1	
Proration Office		
State Engineer		
U.S. Oil	1	
Transporter		
File	1	✓

**B. & R.  
SERVICE COMPANY**

**TEMPERATURE SURVEY**

COMPANY..... DELHI TAYLOR OIL CORPORATION

WELL FLORENCE 1-35..... FIELD

COUNTY SAN JUAN..... STATE NEW MEXICO

SEC..... TWP..... RGE.

APPROX. TOP CEMENT 5110

Survey Begins at 4500..... Ft. Ends at 5354..... Ft.

Approx. Fill-Up 36%..... Max. Temp. 111° - 5300

Log Measured From R.T..... Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
5" from	to 5543	6 1/4" from	to
from	to	from	to

Date of Cementing FEBRUARY 17, 1957..... Time 1:00 P.M.

Date of Survey FEBRUARY 18, 1957..... Time 2:00 A.M.


Amount of Cement 85 SACKS..... Type REGULAR

Amount of Admix..... Type

Recorded by DUDLEY..... Witnessed by

**REMARKS OR OTHER DATA**

LIFER HUNG AT 4757 TO 5543



**TEMPERATURE IN DEGREES FAHRENHEIT**

