

Santa Fe

(SUBMIT IN TRIPLICATE)

Land Office


070500

Lease No.

Howell

Unit

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 2, 1956

Well No. 1-A is located 1050 ft. from [N] line and 1050 ft. from [E] line of sec. 6
Section 6 34N 10W Range
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Santa Fe New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6339 ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

9-24-56 T.B. 5500'. C.O.T.B. 5405'.
 Set 25 joints 5 1/2", 15.50#, J-55 liner (795') from 4050' - 5403' with
 05 sacks regular cement, 05 sacks Foxmix cement with 25 Gal. 1, 1/2" Flo-ele
 per sack.
 Top of cement by temperature survey at 5120'.

9-30-56 Squeezed top of liner with 200 sacks reg. cement. (170 sacks behind
 liner). Pumped in at 800#. Maximum and standing pressure 2000#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company
 Address Box 991
Farmington, New Mexico



By [Signature]

Title petroleum engineer

