



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078580
Unit Howell

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 29, 1950

Well No. 1-A is located 1650 ft. from [N] line and 1650 ft. from [E] line of sec. 8
NE Section 8 30N 0N 100M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5340 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 9-11-50 Squeezed hole in csg. at 1420' w/100 sacks.
9-13-50 Set B.P. at 4770'. Perf. 4 holes at 4735' & squeezed w/200 sks.
9-29-50 Set 25 jts. 5 1/2", 15-54, J-55 liner & Burns liner hanger (795') from 4658'-5463' with 170 sks. Top of cement by temp. survey at 5120'.
9-30-50 Squeezed top of liner w/200 sks. Pumped in at 800'. Max. & standing 2000'.
10-3-50 T.D. 5560', F.B.T.D. 5455'.
Water fractured Point Lookout thru perf. 5337-5357, 5373-5381 & 5409-5429 (4 sh./ft.) w/48,392 gals. water & 57,500# sand. BDP 2750', max. pr. 2750', Avg. tr. pr. 1500', Inj. rate 59.7 BPM. Flush 9000 gallons.
10-3-50 Temp. B.P. @ 5060'. Water fractured Cliff House thru perf. 4984-5004 & 4966-4974 (4 sh./ft.) w/60,630 gals. water & 60,000# sand. BDP 1875', Max. pr. 2400', Avg. tr. pr. 1950', Inj. rate 56.1 BPM. Flush 9000 gals.
10-7-50 Run 175 joints 2" tubing 5429'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be started.

Company El Paso Natural Gas Company
Address Box 997
Farmington, New Mexico

By Original Signed EWELL
Title Petroleum Engineer



