UNITED STATES DEPARTMENT OF THE INTER GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR	5. LEASE SF 079042 6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
GEOLOGICAL SURVEY			
SUND'AY ROTICES AND REPORTS ON WELLS (Bo not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.) 1. oil gas well cther 2. NAME OF OPERATOR Blackwood & Nichols Co., Ltd. 3. ADDRESS OF OPERATOR P.O. Box 1237 Durango, Colorado 81301 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below.) AT SURFACE: 770' - 700' F/WL AT TOP PROD. INTERVAL: Same AT TOTAL DEPTH: Same	7. UNIT AGREEMENT NAME NEBU Agrmt. No. 1, Sec. 929 8. FARM OR LEASE NAME Northeast Blanco Unit 9. WELL NO. 31 10. FIELD OR WILDCAT NAME Blanco Mesaverde 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA N-7-30N-7W 12. COUNTY OR PARISH 13. STATE San Juan New Mexico 14. API NO.		
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDS, AND WD) 6158' GL		
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.) .		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Pull 2 3/8" tubing, set bridge plug in $5\frac{1}{2}$ " casing at 4800'; locate holes in $5\frac{1}{2}$ " casing, repair by squeeze cementing. Drill $5\frac{1}{2}$ " bridge plug, rerun 2 3/8" tubing and return well to production.

C	Subsurface Safety Valve: Manu. and Type	d correct		9F
	(This	space for Federal or State office	e use)	
	APPROVED BY	TITLE	DATE	