

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office **Santa Fe**  
Lease No. **178931-B**  
Unit **NE/4 - 28**

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OF WELL.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

**RECEIVED**  
**FEB 13 1955**  
**U. S. GEOLOGICAL SURVEY**  
**FARMINGTON, NEW MEXICO**

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)


February 10, 1955

Well No. 7 is located 2110 ft. from N line and 530 ft. from E line of sec. 28NE/4 - 28  
(¼ Sec. and Sec. No.)29N  
(Twp.)13W  
(Range)6 PM  
(Meridian)West Kutz  
(Field)San Juan  
(County or Subdivision)New Mexico  
(State or Territory)The elevation of the derrick floor above sea level is        ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Drill 12" hole to 100'. Set 8-5/8" csg. @ 100' w/75 sx. Drill 7-7/8" hole to top of Pictured Cliffs @ 1600' (plus or minus.) Set 5 1/2" @ 1600'. Drill sand with cable tools. Depending on conditions, sand-frac. Run 1" for completion.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE BAY PETROLEUM CORPORATIONAddress Box 957Denver, ColoradoBy Pat LayTitle District Superintendent